

Execution Environment

Host name	mohammedjabir - localhost
Local OS	Mac OS X 64bit
Katalon version	9.6.0.217
Browser	
Device name	

Summary

ID	Test Suites/G2		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	05-09-2024 18:45:53	End	05-09-2024 18:46:27
Elapsed	33.962s		

#	ID	Description	Status
1	Test Cases/Google		FAILED
2	Test Cases/Google4		FAILED

Google

Information

ID	Test Cases/Google		
Description			
Tag			
Start	05-09-2024 18:46:09	End	05-09-2024 18:46:13
Elapsed	4.042s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64) at Google.run(Google:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1725542135134.run(TempTestSuite1725542135134.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 126 Current browser version is 128.0.6613.119 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165:8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1', java.version: '17.0.7' Driver info: driver.version: CChromeDriver remote stacktrace: 0 chromedriver 0x0000000100c42a80</p>	4.018s	FAILED

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver	0x0000000100c3b38c chromedriver + 4354956	
2	chromedriver	0x0000000100858b0c chromedriver + 281356	
3	chromedriver	0x000000010088ce4c chromedriver + 495180	
4	chromedriver	0x000000010088c11c chromedriver + 491804	
5	chromedriver	0x0000000100887688 chromedriver + 472712	
6	chromedriver	0x000000010088460c chromedriver + 460300	
7	chromedriver	0x00000001008c3a78 chromedriver + 719480	
8	chromedriver	0x000000010088feec chromedriver + 507628	
9	chromedriver	0x00000001008908c4 chromedriver + 510148	
10	chromedriver	0x0000000100c0a43c chromedriver + 4154428	
11	chromedriver	0x0000000100c0eea0 chromedriver + 4173472	
12	chromedriver	0x0000000100befff8 chromedriver + 4046840	
13	chromedriver	0x0000000100c0f78c chromedriver + 4175756	
14	chromedriver	0x0000000100be2fb8 chromedriver + 3993528	
15	chromedriver	0x0000000100c2d21c chromedriver + 4297244	
16	chromedriver	0x0000000100c2d398 chromedriver + 4297624	
17	chromedriver	0x0000000100c3af84 chromedriver + 4353924	
18	libsystem_pthread.dylib	0x0000000186032f94 _pthread_start + 136	
19	libsystem_pthread.dylib	0x000000018602dd34 thread_start + 8	
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:449) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:382) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:271) at com.kms.katalon.core.webui.keyword.builtin.		

#	Description	Elapsed	Status
	OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at Script1725474593644.run(Script1725474593644.groovy:20) ... 18 more)		

Google4

Information

ID	Test Cases/Google4		
Description			
Tag			
Start	05-09-2024 18:46:23	End	05-09-2024 18:46:27
Elapsed	3.335s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Google4

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64) at Google.run(Google:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1725542135134.run(TempTestSuite1725542135134.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 126 Current browser version is 128.0.6613.119 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'Mohammeds-MacBook-Air.local', ip: '2406:7400:50:6b4:a165:8434:d19b:9133%en0', os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '14.4.1', java.version: '17.0.7' Driver info: driver.version: CChromeDriver remote stacktrace: 0 chromedriver 0x0000000102e9ea80</p>	3.298s	FAILED

Google4

#	Description	Elapsed	Status
	chromedriver + 4385408		
1	chromedriver	0x0000000102e9738c chromedriver + 4354956	
2	chromedriver	0x0000000102ab4b0c chromedriver + 281356	
3	chromedriver	0x0000000102ae8e4c chromedriver + 495180	
4	chromedriver	0x0000000102ae811c chromedriver + 491804	
5	chromedriver	0x0000000102ae3688 chromedriver + 472712	
6	chromedriver	0x0000000102ae060c chromedriver + 460300	
7	chromedriver	0x0000000102b1fa78 chromedriver + 719480	
8	chromedriver	0x0000000102aebeec chromedriver + 507628	
9	chromedriver	0x0000000102aec8c4 chromedriver + 510148	
10	chromedriver	0x0000000102e6643c chromedriver + 4154428	
11	chromedriver	0x0000000102e6aea0 chromedriver + 4173472	
12	chromedriver	0x0000000102e4bff8 chromedriver + 4046840	
13	chromedriver	0x0000000102e6b78c chromedriver + 4175756	
14	chromedriver	0x0000000102e3efb8 chromedriver + 3993528	
15	chromedriver	0x0000000102e8921c chromedriver + 4297244	
16	chromedriver	0x0000000102e89398 chromedriver + 4297624	
17	chromedriver	0x0000000102e96f84 chromedriver + 4353924	
18	libsystem_pthread.dylib	0x0000000186032f94 _pthread_start + 136	
19	libsystem_pthread.dylib	0x000000018602dd34 thread_start + 8	
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute (CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CChromeDriver.<init> (CChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:449) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:382) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:271) at com.kms.katalon.core.webui.keyword.builtin.		

#	Description	Elapsed	Status
	OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at Script1725474593644.run(Script1725474593644.groovy:20) ... 18 more)		