

11.2) SOURCE CODES

Frmvoter.php

```
<?php
include_once("header.php");
include_once("class/voterclass.php");
$obj=new voterclass();
if (($_REQUEST['mode']=='Update' || $_REQUEST['mode']=='Delete') &&
$_REQUEST['id']!='')
{
$result=$obj->getvoterbyid($_REQUEST['id']);
$row=mysql_fetch_assoc($result);
}
if(isset($_REQUEST['btnadd']))
{
    $obj->name=$_REQUEST['txtname'];
    $obj->ano=$_REQUEST['txtano'];
    $obj->city=$_REQUEST['ddlcity'];
    $obj->verified=$_REQUEST['ddlverified'];
    $obj->photo=$_FILES["filefield"]["name"];
    move_uploaded_file($_FILES["filefield"]["tmp_name"],
        "images/" . $_FILES["filefield"]["name"]);
    if (isset($_FILES["filefield"]["name"]) && $_FILES["filefield"]["name"]=="")
        $obj -> photo=isset($_REQUEST["hiddenField"]) ?
        $_REQUEST["hiddenField"] : "";
    else
        $obj -> photo=isset($_FILES["filefield"]["name"]) ?
        $_FILES["filefield"]["name"] : "";
    //echo $con -> photo;
```

```

        move_uploaded_file($_FILES["filefield"]["tmp_name"],"images/".
$obj->photo);
if($_REQUEST['mode']=="Update" && $_REQUEST['id']!="")
{
    $obj->id=$_REQUEST['id'];
    $result=$obj->Update($_REQUEST['id']);
}
elseif($_REQUEST['mode']=="Delete" && $_REQUEST['id']!="")
{
    $obj->id=$_REQUEST['id'];
    $result=$obj->Delete($_REQUEST['id']);
}
else
    $result=$obj->AddVoter();
if ($result>0)
{
    echo '<script type="text/javascript">'. "\n";
    echo 'alert("Success !..."). "\n";
    echo 'window.location = "frmviewvoters1.php";';
    echo '</script>';
}
else
{
    echo '<script type="text/javascript">'. "\n";
    echo 'alert("Fails !");
    echo '</script>';
}
}
?>

```

```

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>-- Secure Voting System --</title>
<script language="javascript">
functionreadURL(input)
{
if (input.files&&input.files[0]) {
var reader=new FileReader();
    reader.onload=function(e) {
        $('#imgg')
            .attr('src',e.target.result)
            .width(150)
            .height(200);
    };
    reader.readAsDataURL(input.files[0]);
}
}
</script>
</head>
<body>
<!--main content start-->
<section id="main-content">
<section class="wrapper">
<!-- Form -->
<div class="row">
<div class="col-lg-12">

```

```

<section class="panel">
<div class="panel panel-warning">
<div class="panel-heading">Voter Details</div>
</div>
<div class="panel-body">
<div class="form">
<form id="form1" name="form1" method="post" action="" align="center"
class="form-validate form-horizontal" enctype="multipart/form-data"
onsubmit="return validate(this)">
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">Voter Name <span
class="required">*</span></label>
<div class="col-lg-10">
<input class="form-control" id="txtname" name="txtname" type="text"
required value="<?php if(isset($row['votename'])) echo $row['votename']; ?>"
onkeypress="return alphacheck(this)"/>
</div>
</div>
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">Aadhaar No <span
class="required">*</span></label>
<div class="col-lg-10">
<input class="form-control" id="txtano" name="txtano" minlength="12"
maxlength="12" type="text" required value="<?php if(isset($row['aadhaarno']))
echo $row['aadhaarno']; ?>" onkeypress="return nocheck(this)"/>
</div>
</div>
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">City <span
class="required">*</span></label>
<div class="col-lg-10">
<select name="ddlcity" id="ddlcity" class="form-control">

```



```

<option value="Select"> --SELECT YOUR CITY-- </option>
<option <?php if(isset($row['city']) && $row['city']=="Tiruchirapalli"){echo
"selected";}?>>Tiruchirapalli</option>
<option <?php if(isset($row['city']) && $row['city']=="Tirunelveli"){echo
"selected";}?>>Tirunelveli</option>
<option <?php if(isset($row['city']) && $row['city']=="Dindigul"){echo
"selected";}?>>Dindigul</option>
<option <?php if(isset($row['city']) && $row['city']=="Thanjavur"){echo
"selected";}?>>Thanjavur</option>
<option <?php if(isset($row['city']) && $row['city']=="Tirupur"){echo
"selected";}?>>Tirupur</option>
<option <?php if(isset($row['city']) && $row['city']=="Salem"){echo
"selected";}?>>Salem </option>
<option <?php if(isset($row['city']) && $row['city']=="Vellore"){echo
"selected";}?>>Vellore </option>
<option <?php if(isset($row['city']) && $row['city']=="Coimbatore"){echo
"selected";}?>>Coimbatore </option>
<option <?php if(isset($row['city']) && $row['city']=="Madurai"){echo
"selected";}?>>Madurai </option>
<option <?php if(isset($row['city']) && $row['city']=="Erode"){echo
"selected";}?>>Erode </option>
<option <?php if(isset($row['city']) && $row['city']=="Thoothukudi"){echo
"selected";}?>>Thoothukudi</option>
<option <?php if(isset($row['city']) && $row['city']=="Chennai"){echo
"selected";}?>>Chennai </option>
</select>
</div>
</div>
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">Verified ?<span
class="required">*</span></label>
<div class="col-lg-10">
<select name="ddlverified" id="ddlverified" class="form-control">

```

```

<option value="Select"> --Select Whether Verified? -- </option>
<option <?php if(isset($row['verified']) && $row['verified']=="True"){echo
"selected";}?>>True </option>
<option <?php if(isset($row['verified']) && $row['verified']=="False"){echo
"selected";}?>>False </option>
</select>
</div>
</div>
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">Photo<span
class="required">*</span></label>
<div class="col-lg-10"><imgsrc="images/<?php if(isset($row['photo'])) echo
$row['photo']; ?>" height="150px" width="250px" name="imgg" id="imgg" />
<input type="hidden" name="hiddenField" id="hiddenField" value="<?php
if(isset($row['photo'])) echo $row['photo']; ?>" />
<input type="file" name="filefield" id="filefield" onChange="readURL(this);"
value="<?php if(isset($row['photo'])) echo $row['photo']; else echo 0;?>" />
</div>
</div>
<div class="form-group">
<div class="col-lg-offset-2 col-lg-10">
<input type="submit" class="btn btn-primary btn-lg" value="<?php echo
$_REQUEST['mode']; ?>" name="btnadd" id="btnadd"/>
</div>
</div>
</form>
</div>
</div>
</section>
</div>
</div>

```

```

</section>
</section>
<!--main content end-->
</body>
</html>
<?php
include_once("footer.php");
?>

```

Frmcandidate.php

```

<?php
include_once("header.php");
include_once("class/candidateclass.php");
$obj=new candidateclass();
if (($_REQUEST['mode']=='Update' || $_REQUEST['mode']=='Delete') &&
$_REQUEST['id']!='')
{
$result=$obj->getcandidatebyid($_REQUEST['id']);
$row=mysql_fetch_assoc($result);
}
if(isset($_REQUEST['btnadd']))
{
    $obj->name=$_REQUEST['txtname'];
    $obj->ano=$_REQUEST['txtano'];
    $obj->city=$_REQUEST['ddlcity'];
    $obj->pname=$_REQUEST['txtpname'];
    $obj->photo=$_FILES["filefield"]["name"];
        move_uploaded_file($_FILES["filefield"]["tmp_name"],
            "images/" . $_FILES["filefield"]["name"]);
    if (isset($_FILES["filefield"]["name"]) && $_FILES["filefield"]["name"]=="")

```

```

        $obj -> photo=isset($_REQUEST["hiddenField"]) ?
$_REQUEST["hiddenField"] : "";
    else
        $obj -> photo=isset($_FILES["filefield"]["name"]) ?
$_FILES["filefield"]["name"] : "";
        //echo $con -> photo;
        move_uploaded_file($_FILES["filefield"]["tmp_name"],"images/".
$obj -> photo);
if($_REQUEST['mode']=="Update" && $_REQUEST['id']!="")
{
    $obj->id=$_REQUEST['id'];
    $result=$obj->Update($_REQUEST['id']);
}
elseif($_REQUEST['mode']=="Delete" && $_REQUEST['id']!="")
{
    $obj->id=$_REQUEST['id'];
    $result=$obj->Delete($_REQUEST['id']);
}
else
    $result=$obj->AddCandidate();
if ($result>0)
{
    echo '<script type="text/javascript">'. "\n";
    echo 'alert("Success !...")'. "\n";
    echo 'window.location = "frmviewcandidates1.php";';
    echo '</script>';
}
else
{
    echo '<script type="text/javascript">'. "\n";

```



```

echo 'alert("Unable to process !");
echo '</script>';
}
}
?>
<head>
<script language="javascript">
functionreadURL(input)
{
if (input.files&&input.files[0]) {
var reader=new FileReader();
    reader.onload=function(e) {
        $('#imgg')
            .attr('src',e.target.result)
            .width(150)
            .height(200);
    };
    reader.readAsDataURL(input.files[0]);
}
}
</script>
</head>
<body>
<!--main content start-->
<section id="main-content">
<section class="wrapper">
<!-- Form -->
<div class="row">
<div class="col-lg-12">

```

```

<section class="panel">
<div class="panel panel-warning">
<div class="panel-heading">Candidate Details</div>
</div>
<div class="panel-body">
<div class="form">
<form id="form1" name="form1" method="post" action="" align="center"
enctype="multipart/form-data" class="form-validate form-horizontal"
onSubmit="return validate(this)">
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">Name <span
class="required">*</span></label>
<div class="col-lg-10">
<input class="form-control" id="txtname" name="txtname" type="text"
required value="<?php if(isset($row['candidatename'])) echo
$row['candidatename']; ?>" onKeyPress="return alphacheck(this)"/>
</div>
</div>
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">Aadhaar Number <span
class="required">*</span></label>
<div class="col-lg-10">
<input class="form-control" id="txtano" name="txtano" type="text" required
value="<?php if(isset($row['aadhaarno'])) echo $row['aadhaarno'];
?>"onkeypress="return alphacheck(this)"/>
</div>
</div>
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">City <span
class="required">*</span></label>
<div class="col-lg-10">
<select name="ddlcity" id="ddlcity" class="form-control">

```

```

<option value="Select"> --SELECT YOUR CITY-- </option>
<option <?php if(isset($row['city']) && $row['city']=="Tiruchirapalli"){echo
"selected";}?>>Tiruchirapalli</option>
<option <?php if(isset($row['city']) && $row['city']=="Tirunelveli"){echo
"selected";}?>>Tirunelveli</option>
<option <?php if(isset($row['city']) && $row['city']=="Dindigul"){echo
"selected";}?>>Dindigul</option>
<option <?php if(isset($row['city']) && $row['city']=="Thanjavur"){echo
"selected";}?>>Thanjavur</option>
<option <?php if(isset($row['city']) && $row['city']=="Tirupur"){echo
"selected";}?>>Tirupur</option>
<option <?php if(isset($row['city']) && $row['city']=="Salem"){echo
"selected";}?>>Salem </option>
<option <?php if(isset($row['city']) && $row['city']=="Vellore"){echo
"selected";}?>>Vellore </option>
<option <?php if(isset($row['city']) && $row['city']=="Coimbatore"){echo
"selected";}?>>Coimbatore </option>
<option <?php if(isset($row['city']) && $row['city']=="Madurai"){echo
"selected";}?>>Madurai </option>
<option <?php if(isset($row['city']) && $row['city']=="Erode"){echo
"selected";}?>>Erode </option>
<option <?php if(isset($row['city']) && $row['city']=="Thoothukudi"){echo
"selected";}?>>Thoothukudi</option>
<option <?php if(isset($row['city']) && $row['city']=="Chennai"){echo
"selected";}?>>Chennai </option>
</select>
</div>
</div>
<div class="form-group ">
<label for="cname" class="control-label col-lg-2">Party Name <span
class="required">*</span></label>
<div class="col-lg-10">

```

```

<input class="form-control" id="txtpname" name="txtpname" type="text"
required value="<?php if(isset($row['partyname'])) echo $row['partyname']; ?>"
onKeyPress="return alphacheck(this)"/>

```

```

</div>

```

```

</div>

```

```

<div class="form-group">

```

```

<label for="cname" class="control-label col-lg-2">Party Symbol<span
class="required">*</span></label>

```

```

<div class="col-lg-10">

```

```

<imgsrc="images/<?php if(isset($row['partysymbol'])) echo
$row['partysymbol']; ?>" height="150px" width="250px" name="imgg"
id="imgg" />

```

```

<input type="hidden" name="hiddenField" id="hiddenField" value="<?php
if(isset($row['partysymbol'])) echo $row['partysymbol']; ?>"/>

```

```

<input type="file" name="filefield" id="filefield" onChange="readURL(this);"
value="<?php if(isset($row['partysymbol'])) echo $row['partysymbol']; else
echo 0;?>" />

```

```

</div>

```

```

</div>

```

```

<div class="form-group">

```

```

<div class="col-lg-offset-2 col-lg-10">

```

```

<input type="submit" class="btn btn-primary btn-lg" value="<?php echo
$_REQUEST['mode']; ?>" name="btnadd" id="btnadd"/>

```

```

</div>

```

```

</div>

```

```

</form>

```

```

</div>

```

```

</div>

```

```

</section>

```

```

</div>

```

```

</div>

```

```

</section>

```

```
</section>
```

```
<!--main content end-->
```

```
</body>
```

```
<?php
```

```
    include_once("footer.php");
```

```
?>
```