# Notes for ECE 30500 - Semiconductor Devices

Shubham Saluja Kumar Agarwal

January 17, 2025

These are lecture notes for Fall 2025 ECE 30500 by professor Elliott at Purdue. Modify, use, and distribute as you please.

## **Contents**

Gradient, Divergence, and Curl 2

Gradient 2

Divergence 2

Curl 2

Identities

# Gradient, Divergence, and Curl

#### Gradient

The gradient describes the spatial slope of a 3-dimensional function. It can only be applied to a scalar field.

Rectangular:

$$\nabla f = a_x \frac{\delta d}{\delta x} + a_y \frac{\delta d}{\delta y} + a_z \frac{\delta d}{\delta z}$$

Cylindrical:

$$\nabla f = a_{\rho} \frac{\delta d}{\delta \rho} + a_{\phi} \frac{1}{\rho} \frac{\delta d}{\delta \phi} + a_{z} \frac{\delta d}{\delta z}$$

Spherical:

$$\nabla f = a_R \frac{\delta d}{\delta R} + a_\theta \frac{1}{R} \frac{\delta d}{\delta \theta} + a_z \frac{1}{R \sin(\theta)} \frac{\delta d}{\delta z}$$

### Divergence

Describes the rate of change of a vector function.

Rectangular:

$$\nabla \cdot D = \left( a_x \frac{\delta}{\delta x} + a_y \frac{\delta}{\delta y} + a_z \frac{\delta}{\delta z} \right) \cdot \left( a_x D_x + a_y D_y + a_z D_z \right) = \frac{\delta D_x}{\delta x} + \frac{\delta D_y}{\delta y} + \frac{\delta D_z}{\delta z}$$

#### Curl

Describes the rotation of a vector function.

Rectangular:

$$\nabla \times D = a_x \left( \frac{\delta D_z}{\delta y} - \frac{\delta D_y}{\delta z} \right) + a_y \left( \frac{\delta D_x}{\delta z} - \frac{\delta D_z}{\delta x} \right) + a_z \left( \frac{\delta D_y}{\delta x} - \frac{\delta D_x}{\delta y} \right)$$

Cylindrical:

$$\nabla \times D = a_{\rho} \left( \frac{\delta D_{z}}{\delta \phi} - \frac{\delta \rho D_{\phi}}{\delta z} \right) + \rho a_{\phi} \left( \frac{\delta D_{\rho}}{\delta z} - \frac{\delta D_{z}}{\delta \rho} \right) + a_{z} \left( \frac{\delta \rho D_{\phi}}{\delta \rho} - \frac{\delta D_{\rho}}{\delta \phi} \right)$$

#### **Identities**

- 1.  $\nabla \times \nabla V = 0$ : the gradient does not rotate.
- 2.  $\nabla \cdot (\nabla \times A) = 0$ : the curl of a vector function does not diverge (grow).
- 3. A vector field whose divergence and curl are known is completely determined.