

Runtime randomization and perturbation for virtual machines.

JAVIER CABRERA ARTEAGA

Licentiate Thesis in [Research Subject - as it is in your ISP]
School of Information and Communication Technology
KTH Royal Institute of Technology
Stockholm, Sweden [2022]

TRITA-ICT XXXX:XX ISBN XXX-XXX-XXXX-X KTH School of Information and Communication Technology SE-164 40 Kista SWEDEN

Akademisk avhandling som med tillstånd av Kungl Tekniska högskolan framlägges till offentlig granskning för avläggande av licentiatexamen i [ämne/subject] [veckodag/weekday] den [dag/day] [månad/month] [år/2022] klockan [tid/time] i [sal/hall], Electrum, Kungl Tekniska högskolan, Kistagången 16, Kista.

© Javier Cabrera Arteaga, [month] [2022]

Tryck: Universitetsservice US AB

Abstract

Write your abstract here... $\textbf{Keywords:} \ \, \textbf{Keyword1}, \, \textbf{keyword2}, \, \dots$

Sammanfattning

Write your Swedish summary (popular description) here... $\bf Keywords : Keyword1, \, keyword2, \, ...$

Acknowledgements

Write your professional acknowledgements here...

Acknowledgements are used to thank all persons who have helped in carrying out the research and to the research organizations/institutions and/or companies for funding the research.

 $Name\ Surname,$ Place, Date

Contents

C	onter	ıts				vi
Li	st of	Figure	es			viii
Li	st of	Tables	S			ix
Li	st of	Acron	ıyms			x
1	Var	iant's	generation			1
	1.1	CROV	Ň			1
		1.1.1	Example			3
	1.2	Evalua	ation			5
		1.2.1	Corpora			5
		1.2.2	Metric			5
		1.2.3	Setup			5
	1.3	Result	ts			6
		1.3.1	Challenges for automatic diversification			7
		1.3.2	Properties for large diversification using CROW			7
		1.3.3	Variant properties			8
	1.4	Conclu	usions			9
2	Var	iant's	assessment			10
	2.1	Metric	es			10
		2.1.1	Static			10
		2.1.2	Program traces and execution times			11
		2.1.3	Variants preservation			11
	2.2	Evalua	ation			12
		2.2.1	Static comparison			13
		2.2.2	Dynamic comparison			13
		2.2.3	Preservation			13
	2.3	Result	ts			14
		2.3.1	Static			14
		2.3.2	Dynamic			14

CONTENTS	vii
2.3.3 Preservation 2.4 Conclusions	
3 Variant's application 3.1 Security MTD	
Appended papers	16

List of Figures

1.1	CROW workflow to generate program variants. CROW takes C/C++	
	source codes or LLVM bitcodes to look for code blocks that can be	
	replaced by semantically equivalent code and generates program variants	
	by combining them	2

List of Tables

. 6 e l
1
ı
. 6
е
1
9
. 7
9
9
. 13
· € :

List of Acronyms

Wasm WebAssembly

DTW Dynamic Time Warping