Raport

Szymon Górka, Radosław Cymer

Contents

1 Albania **5**

2 United Arab Emirates **8**

3 Argentina **11**

4 Australia **14**

5 Austria **17**

6 Belgium **20**

7 Bulgaria **23**

8 Brazil **26**

9 Canada **29**

10 Switzerland **32**

11 Chile **35**

12 Colombia **38**

13 Costa Rica **41**

14 Czech Republic **44**

15 Germany **47**

16 Denmark **50**

17 Spain **53**

18 Estonia **56**

19 Finland **59**

20 France **62**

21 United Kingdom **65**

22 Greece **68**

23 Hong Kong-China **71**

24 Croatia **74**

25 Hungary **77**

26 Indonesia **80**

27 Ireland **83**

28 Iceland **86**

29 Israel **89**

30 Italy **92**

31 Jordan **95**

32 Japan **98**

33 Kazakhstan **101**

34 Korea **104**

35 Liechtenstein **107**

36 Lithuania **110**

37 Luxembourg **113**

38 Latvia **116**

39 Macao-China **119**

40 Mexico **122**

41 Montenegro **125**

42 Malaysia **128**

43 Netherlands **131**

44 Norway **134**

45 New Zealand **137**

46 Peru **140**

47 Poland **143**

48 Portugal **146**

49 Qatar **149**

50 China-Shanghai **152**

51 Perm(Russian Federation) **155**

52 Romania **158**

53 Russian Federation **161**

54 Singapore **164**

55 Serbia **167**

56 Slovak Republic **170**

57 Slovenia **173**

58 Sweden **176**

59 Chinese Taipei **179**

60 Thailand **182**

61 Tunisia **185**

62 Turkey **188**

63 Uruguay **191**

64 United States of America **194**

65 Vietnam **197**

1 Albania



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

2 United Arab Emirates



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

3 Argentina



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

4 Australia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

5 Austria



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

6 Belgium



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

7 Bulgaria



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

8 Brazil



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

9 Canada



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

10 Switzerland



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

11 Chile



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

12 Colombia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

13 Costa Rica



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

14 Czech Republic



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

15 Germany



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

16 Denmark



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

17 Spain



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

18 Estonia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

19 Finland



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

20 France



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

21 United Kingdom



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

22 Greece



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

23 Hong Kong-China



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

24 Croatia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

25 Hungary



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

26 Indonesia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

27 Ireland



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

28 Iceland



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

29 Israel



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

30 Italy



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

31 Jordan



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

32 Japan



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

33 Kazakhstan



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

34 Korea



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

35 Liechtenstein



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

36 Lithuania



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

37 Luxembourg



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

38 Latvia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

39 Macao-China



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

40 Mexico



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

41 Montenegro



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

42 Malaysia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

43 Netherlands



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

45 New Zealand



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

47 Poland



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

48 Portugal



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

49 Qatar



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

51 Perm(Russian Federation)



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

52 Romania



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

53 Russian Federation



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

54 Singapore



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

57 Slovenia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

59 Chinese Taipei



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

61 Tunisia



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 =
I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I
ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

63 Uruguay



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”

65 Vietnam



ST96Q01 = I press every button possible to find out what is wrong.
ST96Q02 = I think about what might have caused the problem and what I can do to solve it.
ST96Q03 = I read the manual.
ST96Q05 = I ask a friend for help.

$1



$2

attr(,“class”) [1] “list” “ggarrange”