

Tier 1: Full Containment

Intent 1: Opening Hours

Legend



How it works


- VA collects city/ZIP if not provided, queries Hours Knowledge Base
- Returns one of four statuses: Open, Closed, Adjusted Hours, Not Found
- Not Found → redirects to app or website
- 2x failure → DTMF fallback

Integrations

- Hours Knowledge Base
- Location/Branch Database

Parameters

{city_or_zip},{closing_time}, {opening_time}, {end_date}



Tier 1: Full Containment

Intent 2: Chain Location

Legend



How it works


- VA collects city/ZIP if not provided, queries Branch Knowledge Base
- Returns Single, Multiple, or No locations found
- If found → offers to SMS address to caller
- Error/None → redirects to app or website

Integrations

- Branch/Location Knowledge Base
- SMS Gateway
- Contact Info Confirmation sub-flow

Parameters

{city_or_zip},{address}, {address_one}/{address_two}, {caller_number}



Tier 1: Full Containment

Intent 3: Menu

Legend



How it works


- VA checks if specific item mentioned; if not, asks specific or general overview
- Allergy/dietary queries → redirected to app/website for accuracy
- Returns specific item info, general overview, or Not Found
- General overview → offers to SMS full menu to caller

Integrations

- Menu Knowledge Base
- SMS Gateway Contact Info Confirmation sub-flow

Parameters

{food_item}/{drink_item}, {item_info}/{item_price}



Tier 1: Full Containment

Intent 4: Reservation

Legend



How it works


- Caller asks about reservations → single VA response
- Informs caller: walk-in only, open 12pm–midnight
- Advises weekday afternoons are quieter
- No: data collection, branching, agent needed

Integrations

- None

Parameters

None



Tier 2: API Assisted Containment

Intent 5: Delivery Status

Legend



How it works


- VA collects phone number, queries OMS for most recent order
- Returns four statuses: Delivered, Out for Delivery, In Preparation, Not Found
- Delivered but problem reported → routes to Delivery Error sub-flow
- Not Found → retry with different number or Warm Transfer to agent

Integrations

- OMS API
- Sub-Flow: Warm Transfer, API Error/Fail, Delivery Error, Order Delivery

Parameters

{phone_number}, {ETA}, {order_status}



Tier 2: API Assisted Containment

Intent 6: Reset Password

Legend



How it works


- VA identifies sign-in method: OAuth (Google/Facebook) or email/password
- OAuth → sends help link via SMS; Email/password → triggers reset via App Auth API
- Account not found → allows retry with different email or phone number
- Max attempts or API failure → Warm Transfer to agent

Integrations

- App Auth API
- SMS Gateway
- Sub-Flows: Contact Info Confirmation, Warm Transfer, API Error/Fail

Parameters

{sign_in_method}, {email_or_phone}, {phone_number}



Tier 2: API Assisted Containment

Intent 7: App Malfunction

Legend



How it works


- VA collects device type and issue description, queries Known Issues KB
- If recognized → provides fix steps, offers to SMS to caller
- If unresolved or unrecognized → logs CRM ticket, callback within 4 hours
- Ambiguous intent → VA clarifies before entering flow

Integrations

- Known Issues Knowledge Base
- CRM Ticket Creation sub-flow
- SMS Gateway
- Contact Info Confirmation sub-flow

Parameters

{device_type}, {issue_description}, {issue_type}



Tier 3: Collect, Then Handoff

Intent 8: Order Delivery

How it works

- After-hours check first → After Hours sub-flow if outside 12pm–midnight
- VA clarifies delivery or pickup, collects contact info and order items
- Delivery → confirms address, checks delivery zone; outside zone → offers pickup
- Order confirmed → upsell attempt, then Warm Transfer for payment/completion



Integrations

- Knowledge Base: Menu, Branch
- Delivery Zone Check API
- OMS/Order System
- Sub-Flows: Warm Transfer, Contact Info Confirmation

Parameters

```
{delivery_address} / {branch_location}, {items} / {price},  
{order_summary}, {phone_number}
```

Legend



Tier 3: Collect, Then Handoff

Intent 9: Delivery Error

How it works

- VA collects contact info and issue description, classifies error type via KB
- Two error types: missing items or wrong total
- VA collects affected items → passes full context to agent via Warm Transfer
- Agent receives whisper with error type and items — caller never repeats themselves


Integrations

- Error Type Knowledge Base
- Webhook → Agent system
- Contact Info Confirmation sub-flow
- Warm Transfer sub-flow

Parameters

{delivery_address} / {phone_number}, {error_type},
{items_affected}, {order_type}

Legend



Tier 3: Collect, Then Handoff

Intent 10: Feature Request

Legend



How it works


- VA collects feature description and categorises by area (menu, app, delivery, other)
- Optionally collects contact info for follow-up
- CRM ticket created with full context regardless of contact preference
- No agent needed — fully contained

Integrations

- CRM Ticket Creation sub-flow
- Contact Info Confirmation sub-flow

Parameters

{feature_description}, {feature_category}, {contact_info}



Tier 3: Collect, Then Handoff

Intent 11: Leave a Message

Legend



How it works

- VA collects name, callback number, and message — reads back for confirmation
- Message scanned for safety/urgency keywords
- Urgent → CRM ticket created, SLA: 1 business hour
- Standard → CRM ticket created, SLA: 4 business hours

Integrations

- Safety Keywords Knowledge Base
- CRM Ticket Creation sub-flow
- Contact Info Confirmation sub-flow

Parameters

{caller_name}, {callback_number}, {message}

