

SAP

FI: OBA5|OFMG|OFPM

CO: OPR4_ACT|OPR4_CK|OPR4_CKML|OPR4_CKPF|OPR4_KKA|OPR4_KKP|OPR4_KKS|

OPR4_KKS1|OPR4_PPCOPP

MM: OMRM|OKZZ|OMT4|OMCQ |O04C|

SD: OVAH

Others: OPR5|OPR1|OPR3|OPR6|OPR7|OPR8|OPR9|OPRCMFE|MSW1|MSW2

SAP(OBA5) SAP,ignore.

configure: configurable-non-configurable. configurable message message typeS, I, W, E, A- (online output message -switch off message batchi batch input). configurable message SAPError, warning switch off, batch

.

SAPexception. Application area:SE91Message class

table:

T100: SAP default Message,
T160M :Message Control: Purchasing (System Messages)
T100C: User_defined messaeg mainly for FI
TVGMS: View Control
T100S: Configurable system messages
T100W: For Workflow
T100U: user table
T5CBN: PC Operation Conditions

T100:message
T100C:message
T100s:Configurable system messages.
OBA5F5 060,FB50balance<>0save,T100s
F5 060,OBAS.
**SAPOBASwitch off F5 060.

.

T-code:SE91 Enhancement.

```
CALL FUNCTION 'READ_CUSTOMIZED_MESSAGE'
EXPORTING
i_arbgb = i_arbgb
i_dtype = i_dtype
```

```
i_msgnr = i_msgnr
IMPORTING
e_msgty = l_msgts.
```

IF l_msgts NE '-'.(switch off) T100Cmessge type(Error,warnig, error0work.

0.0000(0000000000000000)

T-code:(**000000)

FI :

- OBA5:FI messge
- BD60:Additional data for message type
- OFMG:FOr FM Message
- O04C:PI: Message Control Purchasing
- OFPM:Change Message Control
- OMPJ:Reqmts Type Message Control
- F00-->***send office message
- KD99:setup message
- KDNN:Setup messaeg

MM-PUR:

- O04C:For purchase
- OKZZ:Invoice Verification/Valuation

CO:

- OPR4_ACT Multilevel Actual Settlement
- OPR4_CK Material Cost Estimate
- OPR4_CKML Closing and Calc. of Periodic Price
- OPR4_CKPF Price Update
- OPR4_KKA WIP Calculation
- OPR4_KKP Repetitive Mfg and Process Mfg
- OPR4_KKS Collective Processing: Variances
- OPR4_KKS1 Individual Processing: Variances
- OPR4_PPCO Production Order: Cost Calculation
- OPR5 Definition of Error Mgmt IDs (SAP)
- OPR1 Area of Responsibility <-> Message
- OPR3 Definition of Breakpoints
- OPR6 Definition of Object IDs (SAP)
- OPR7 Def. of Areas of Responsibility
- OPR8 Def. of Minimum Message Types (SAP)
- OPR9 Def. of Reference Objects (SAP)
- OPRCMFE User-Defined Messages

SD"

```
OVAH :SD Define Variable Messages
-----
SAPsaveT100S, T100C
coding, ?
-----

***T-codeoutput.
```

M/30 Maintain Types: RFQ
M/32 Maint. Determ. Schema: RFQ
M/34 Maintain Types: PO
M/36 Maintain Determ. Schema: PO
M/38 Maint. Types: Outline Agmt.
M/40 Maint. Types: Del. Schedule
M/42 Maintain Schema: Del. Sched.
M/48 Maintain Access Sequences: RFQ
M/50 Maintain Access Sequences: PO
M/56 s: Create Cond. Table: RFQ
M/57 s: Change Condition Table
M/58 s: Display CondTab: RFQ
M/59 s: Create CondTab: Pur. Order
M/60 s: Change CondTab: Pur. Order
M/61 s: Disp. CondTab: Pur. Order
M/62 s: Create CondTab: Del. Schd.
M/63 s: Change CondTab: Del. Schd.
M/64 s: Disp. CondTab: Del. Sched.
M/65 s: Create CondTab: O. Agmt.
M/66 s: Change CondTab: O. Agmt.
M/67 s: Disp. CondTab: Outl. Agmt.
M/68 Maintain Schema: Outl. Agmt.
M/70 s: Create CondTab.: Entry Sh.
M/71 s: Change CondTab.: Entry Sh.
M/72 s: Disp. CondTab.: Entry Sh.
M/73 Maintain Access Sequences: Entry
M/74 Maintain Access Sequences: Entry
M/75 Maintain s: Serv. Entry Sheet
M/76 Display s: Entry
M/77 Maintain Schema: Entry Sheet
M/78 Disp. Determ. Schema: Entry
M/N1 Maintain accesses (fr.gds - purch.)

□.□□□□□□.

□□□warning change to display□□.
MSW1 Reset Warnings
MSW2 Reset Warnings

□□□: Message_related tables:(□□)

T100: All message
T100A: IDs for T100
T100C: Control by User
T100O: Assignment of to object
T100S: Configurable system s
T100SA: Application Areas for Configurable s
T100U: Last person to change s
T100V: Assignment of s to tables/views
T100W: Assign s to Workflow
T100X: Error s: Supplements
T139A: Exception s: Period Closing Program
T139B: Exception s: Period Closing Program
T159F: MMIM: Error s Resulting From Blocked Objects
T160M: Control: Purchasing (System s)
T160MVAL: category restriction for T160M
T161M: Fine-Tuned Control: Types
T161N: Determination Schemas: Assignment
T321K: Definition of Accumulated s to HOST (R/2)
T323P: Parameters for Generating Logs and Mail s (R/2->R/3)
T440F: Exception s for the forecast
T458A: Exception s in Material Requirements Planning

T458B: Description of exception s
T458C: Selection Group for Exception s
T555E: Time Evaluation s
T5CAR: for Employee Attribute Combination
T5CBN: s for PC Operation Conditions
T5D5D: Supplementary Benefits for Civil Service: Fields
T5D5E: Supplemenary Bens. for Civil Service: Reason Table
T5E31: Actions and situations for registration s
T5F6N: Global Error s.
T5F6NN: Communication of Error s (ADP Interface)
T5MP1: General s for the PBS Remuneration Statement
T5QGM: Payroll Highlight s Australia
T5QGT: s Area Check Table Australia
T5QSM: Superannuation Highlight s Australia
T5S0S: s for sickness administration (SE)
T5V5M: s sent electronically to AA-registeret
T5V7B: s sent to employees/emploers register
T7NZGM: Payroll Highlight s NZ
T7NZSM: Superannuation Highlight s NZ
TA20PPZ: handling: chosen priority with top priority
TA20PPZ1: handling (language-dependent)
TA22RSF: START: Error s
TA22RSF1: START: Error s (Language-Dependent)
TAFWD: CORU: s that are not interpreted as errors
TBD05: Distribution model for types
TBD12: Mapping type -> serialization and link type
TBD14: type -> object type
TBD17: Dependencies between types
TBD33: Dependencies between methods and types
TBD40: Assign Types to Serialization Group
TBD53: ALE: Object Channel Serialization: Type of Bus. Obj.
TBD62: Assignment of change document field to type
TBDA2: ALE active
TBDME: ALE supplement data for EDI type
TBDMS: Assignment of type to IDoc type
TBDTPM: Template for Type
TBDTPMD: Data Filters for Types
TC50: PP-PI: Proc. Categories/ Proc.Instruction Categories
TC50A: Assignment of Charact. to Dest.-Spec. Target Fields
TC50C: Characteristics for Process s / Process Instructions
TC50D: Process Management: Destinations
TC50P: Characteristics for Dest.-Specific Target Fields
TC50T: Process /Instr. Categories: Lang.-Dependent Texts
TC51T: Destinatiosn: Language-Dependent Texts
TC53: Characteristics Groups for Process s and Instructions
TC55: Destination-Specific Target Fields for Destinations
TCA10: Task lists: s depending on the task list type
TCB02: Types of Destination
TCB02T: Types of Destination: Language-Dependent Texts
TCB10: Predefined Proc. Categories/Proc. Instr. Categories
TCB10T: Predefined Categories: Language-Dependent texts
TCB11: Assignment of Characteristics to Predefined s
TCB12T: Predefined Destinations: Language-Dependent Texts
TCB13: Target Fields for Predefined Destinations
TCB13T: Target Fields for Predef. Destin.: Lang-Dep. Texts
TCB14: Predefined Assignments of Destinations to Categories
TCB16: Predefined Charact. Groups for and Instruction Cat.
TCB18: PP-PI-PMA: System Settings for Process Processing
TCMF1: Assignment: Area of Responsibility <->
TCMF9: Minimum Type (SAP)
TCMFA: User-Defined s
TCOINF: Displaying Info. in Monitor / Ctrl Recipe Monitor
TCPT1: Code pages: Table 1 for tests and s
TCUSSYSL: Summary table of types read from the system log
TCY43: s for flow control
TCY43T: Texts for s for flowcontrol
TDSP01: ALE Distribution Packet : Types to be Controlled

TEMSG: System s
TEMSI: Central ID assignment for Express s
TMAN1: Trigger Condition of Determination
TMAN2: Trigger Group of Determination
TMAN2T: Trigger Group of Determination - Description
TMAN3: Trigger Group of Determination - Trigger Condition
TMAN4: Trigger Conditions s - Change-Relevant Tables
TMAN5: Trigger Conds s; Possible Change-Relevant Fields
TMAN6: Trigger Conds s: Change-Rel. Tbl per Object+ChangeTyp
TMAN7: Trigger Conditions - Applications
TMSG1: Logical s and Process Codes in Outb. Procg
TMSG2: Logical s and Process Codes in Inb. Procg
TMSQAMTREE: TMS: Assigning to Tree Nodes in the Alert Monitor
TMSQAMTRET: TMS: Assigning to Tree Nodes in Alert Monitor- Texts
TNODE02_AP: Test case attributes: Problem data
TOPRK: Log s
TPT_WLIST_AREA: Processing: Functional Area
TPT_WLIST_AREA_T: Processing: Functional Area Text
TPT_WLIST_PROC: Processing: Methods
TPT_WLIST_PROC_T: Processing: Processing Method Text
TRMSG: Syntax Check Error s
TSL1D: System Log (Formerly 100S or TSL01)
TSL1T: System Log: texts (Formerly T100S, TSL01)
TSL2D: System Log: Classification ID for s
TSL2T: System Log: Class Names
TVERR: Basis verification: Infos for s to be sent
TVGMS: View Control: Error s
TWPDO: Assignment of retail to PD org. object
TXMIMSG: Table for Lang.-Depend. Texts in XMI Log
TZ38T: Text table for indicator reason for appendix 8 R5/97
TZW02: User <-> Determine
WFMCMSENGENQ: Special Handling for System s
WPXST: POS interface: status external subsystems (error s)
WRPE: Replenishment: Error s
WTMIGMESS: s Logged for Withholding Tax Changeover
WTMIGMESSEXC: Withholding Tax Changeover: Alternative Types