

THUNDERSTORM

5 MINUTEN, 5 THEMEN



- BROWSER
- FIREFOX SYNC
 - SYNC
- FAVORITEN
- HISTORY
- PASSWÖRTER
- SEND TABS
- FIREFOX SEND DATEIEN

Firefox ist Technologie, die sich für dich einsetzt.



Beweg dich mit jedem Gerät sicher durchs Internet.



Schütze deine Passwörter und nimm sie überall mit hin.



Hol dir jemanden zur Seite, der Datenleaks im Auge behält.



Versende große Dateien, geschützt vor neugierigen Blicken.

Hol dir all das auf jedes deiner Geräte – egal welches Betriebssystem du nutzt.

HTTPS://SEND.FIREFOX.COM/



- ENDE-ZU-ENDE-VERSCHLÜSSELT
- HTTPS://GITHUB.COM/MOZILLA/SEND





Dateien per Drag & Drop einfügen


oder klicken, um bis zu 1GB zu senden

Dateien zum Hochladen auswählen

Melde dich an, um Dateien bis 2,5GB zu senden

Einfach und privat Dateien versenden

Mit Firefox Send kannst du Dateien sicher mit anderen teilen – mit End-to-End-Verschlüsselung und einem Freigabe-Link, der automatisch abläuft. So bleiben deine geteilten Inhalte privat und du kannst sicherstellen, dass deine Daten nicht für immer im Web herumschwirren.



HTTPS://SEND.FIREFOX.COM/DOWNLOAD/FCF908410F19FC44/#AIQYPYTPORHINHDL4PW9HA


KEYBASE


WEB OF TRUST 2019 (DONE RIGHT)


•

- COMMAND LINE, DESKTOP, APP, BROSWER ADDON
- GPG
- TEAMS
- CHAT
- FILESYSTEM (250 GB. KEIN SYNC)
- GIT

• HTTPS://KEYBASE.IO/DOCS








SECURE GROUPS, FILES, AND CHAT FOR EVERYONE!



chris warhol ~ >keybase login max
How would you like to sign this install of Keybase?

- (1) Use an existing device
- (2) Use a paper key
- (3) Use my Keybase passphrase
- (4) Use GPG

Choose a signing option:





diskless mode

You'll boot from a read-only medium such as the installation CD, a USB drive, or a Compact Flash card.

Tip: To prepare either a USB or Compact Flash card, you can use the setup-bootable script; see the pa

When you use Alpine in this mode, you need to use Alpine Local Backup (lbu) to save your modifications betw you can save modifications there; you don't need a separate partition or drive. See also Local APK cache.

Note: When the setup-alpine script asks for a disk, say "none". It will then prompt whether you'd like to

data mode

As in diskless mode, your OS is run from a read-only medium. However, here a writable partition (usually on a better-suited to uses where large amounts of data need to be preserved between reboots.

Note: The setup-alpine script handles installing Alpine in this mode, too, when you supply a writable par


This mode may be used for mailspools, database and log servers, and so on.

sys mode

This is a traditional hard-disk install (see link for details). Both the boot system and your modifications are writt

Note: The setup-alpine script handles installing Alpine in this mode, too, when you supply a writable parswap; however you can also partition your disk manually.


This mode may be used for desktops, development boxes, and virtual servers.



Rclone is a command line program to sync files and directories to and from: • Alibaba Cloud (Aliyun) Object Storage System (OSS) 希 🗐 Amazon Drive (See note) • Amazon S3 😭 🗐 • Backblaze B2 😭 🗐 • Ceph 希 🗐 • DigitalOcean Spaces 🕆 🗐 • Dreamhost 🕆 🗐 Dropbox A B • FTP 😭 🗐 Google Cloud Storage ₱ ₱ • Google Drive 🖀 🗐 • HTTP 😭 🗐 • Hubic 🕋 🗐 • Jottacloud 希 🗐 • IBM COS S3 希 🗐 • Koofr 😭 🗐 Memset Memstore A = • Mega 希 🗐 • Microsoft Azure Blob Storage 希 🗐 Microsoft OneDrive A = • Minio 🖀 🗐 Nextcloud \$\mathref{A}\$ \$\square\$ • OVH 🖀 🗐 • OpenDrive 🖀 🗐 • Openstack Swift 😭 🗐 • Oracle Cloud Storage 🛠 🗐 • ownCloud 😭 🗐 • pCloud 😭 🗐 • put.io 希 🗐 • QingStor 🖀 🗐 • Rackspace Cloud Files 🔏 🗐 • rsync.net 🖀 🗐 • SFTP 😭 🗐 • Wasabi 🕋 🗐 • Yandex Disk 希 🗐 • The local filesystem 希 🗐

RCLONE

- Copy
- Sync
- Move
- Serve
- Mount
- •
- Command line







https://rclone.org/








LUSTIGE DATEIEN

- MAGIC BYTES
- HTTPS://EN.WIKIPEDIA.ORG/WIKI/LIST_OF_FILE_SIGN/%!PS=""


```
[felix:LustigeDateien/ $ cat file1
BZh91AY=""
file $0
[felix:LustigeDateien/ $ bash file1
file1: bzip2 compressed data, block size = 900k
[felix:LustigeDateien/ $ cat file2
GIF87a=""
file $0
[felix:LustigeDateien/ $ bash file2
file2: GIF image data, version 87a, 8765 x 2594
[felix:LustigeDateien/ $ cat file3
LZIP=""
file $0
[felix:LustigeDateien/ $ bash file3
file3: lzip compressed data, version: 61
[felix:LustigeDateien/ $ cat file4
file $0
felix:LustigeDateien/ $ bash file4
file4: line 1: fg: no job control
file4: PostScript document text
felix:LustigeDateien/ $ cat file5
OggS=""
file $0
felix:LustigeDateien/ $ bash file5
file5: Ogg data UNKNOWN REVISION 61
felix:LustigeDateien/ $
```

```
[felix:LustigeDateien/ $ cat bashpython
7=""" "
echo Write bash code here
function pass(){ exit; }
7=" """
pass
print("Write python code here")
[felix:LustigeDateien/ $ bash bashpython
Write bash code here
[felix:LustigeDateien/ $ python bashpython
Write python code here
felix:LustigeDateien/ $
```

BASH PYTHON



```
000005e0 39 20 30 20 52 20 32 34 30 33 20 30 20 52 20 32 34 30 37 20 30 20 52 20 32 34 31 31 20 30 20 52 9 0 R 2403 0 R 2407 0 R 2411 0 R
00000600 2032343135203020522032343139203020522032343233203020522032343237 2415 0 R 2419 0 R 2423 0 R 2427
00000620 2030205220323433312030205220323433352030205220323433392030205220 0 R 2431 0 R 2435 0 R 2439 0 R
00000640 32 34 34 33 20 30 20 52 20 32 34 34 37 20 30 20 52 5d 2f 50 6f 6c 79 67 6c 6f 74 50 61 79 6c 6f 2443 0 R 2447 0 R]/PolyglotPaylo
00000660 61 64 20 34 20 30 20 52 3e 3e 0a 65 6e 64 6f 62 6a 0a 0a 33 20 30 20 6f 62 6a 0a 3c 3c 2f 54 79 ad 4 0 R>>.endobj..3 0 obj.</Ty
00000680 70 65 2f 50 61 67 65 73 2f 43 6f 75 6e 74 20 37 37 2f 4b 69 64 73 5b 35 38 31 20 30 20 52 20 35 pe/Pages/Count 77/Kids[581 0 R 5
000006a0 3835203020522035383920302052203539332030205220353937203020522036 85 0 R 589 0 R 593 0 R 597 0 R 6
000006c0 3031203020522036303520302052203630392030205220363133203020522036 01 0 R 605 0 R 609 0 R 613 0 R 6
000006e0 3137203020522036323120302052203632352030205220363239203020522036 17 0 R 621 0 R 625 0 R 629 0 R 6
00000700 3333203020522036333720302052203634312030205220363435203020522036 33 0 R 637 0 R 641 0 R 645 0 R 6
00000720 3439203020522036353320302052203635372030205220363631203020522036 49 0 R 653 0 R 657 0 R 661 0 R 6
00000740 3635203020522036363920302052203637332030205220363737203020522036 65 0 R 669 0 R 673 0 R 677 0 R 6
00000760 38 31 20 30 20 52 20 36 38 35 20 30 20 52 20 36 38 39 20 30 20 52 20 36 38 39 20 30 20 52 20 36 38 39 20 30 20 52 20 36 81 0 R 685 0 R 689 0 R 693 0 R 6
00000780 3937203020522037303120302052203730352030205220373039203020522037 97 0 R 701 0 R 705 0 R 709 0 R 7
000007a0 31 33 20 30 20 52 20 37 31 37 20 30 20 52 20 37 32 31 20 30 20 52 20 37 32 35 20 30 20 52 20 37 13 0 R 717 0 R 721 0 R 725 0 R 7
000007c0 3239203020522037333320302052203733372030205220373431203020522037 29 0 R 733 0 R 737 0 R 741 0 R 7
000007e0 | 34 35 20 30 20 52 20 37 34 39 20 30 20 52 20 37 35 33 20 30 20 52 20 37 35 37 20 30 20 52 20 37 | 45 0 R 749 0 R 753 0 R 757 0 R 7
00000800 3631203020522037363520302052203736392030205220373733203020522037 61 0 R 765 0 R 769 0 R 773 0 R 7
00000820 | 37 37 20 30 20 52 20 37 38 31 20 30 20 52 20 37 38 35 20 30 20 52 20 37 38 39 20 30 20 52 20 37 | 77 0 R 781 0 R 785 0 R 789 0 R 7
00000840 3933203020522037393720302052203830312030205220383035203020522038 93 0 R 797 0 R 801 0 R 805 0 R 8
00000860 3039203020522038313320302052203831372030205220383231203020522038 09 0 R 813 0 R 817 0 R 821 0 R 8
00000880 3235203020522038323920302052203833332030205220383337203020522038 25 0 R 829 0 R 833 0 R 837 0 R 8
000008a0 3431203020522038343520302052203834392030205220383533203020522038 41 0 R 845 0 R 849 0 R 853 0 R 8
000008c0 35 37 20 30 20 52 20 38 36 31 20 30 20 52 20 38 36 35 20 30 20 52 20 38 36 39 20 30 20 52 20 38 57 0 R 861 0 R 865 0 R 869 0 R 8
000008e0 3733203020522038373720302052203838312030205220383835203020525d3e 73 0 R 877 0 R 881 0 R 885 0 R >
00000900 3e 0a 65 6e 64 6f 62 6a 0a 0a 34 20 30 20 6f 62 6a 0a 3c 3c 2f 4c 65 6e 67 74 68 20 34 31 35 30 >.endobj..4 0 obj.<</Length 4150
00000920 3e 3e 0a 73 74 72 65 61 6d 0a 2d 2d 3e 0a 3c 64 69 76 20 69 64 3d 27 6d 79 70 61 67 65 27 3e 0a >>.stream.-->.<div id='mypage'>.
00000940 20203c7370616e2069643d2764726f706d65270a202020206f6e64726f703d22 <span id='dropme'.
00000960 65 76 65 6e 74 2e 70 72 65 76 65 6e 74 44 65 66 61 75 6c 74 28 29 3b 64 72 6f 70 70 65 64 28 65 event.preventDefault(); dropped(e
00000980 76 65 6e 74 2e 64 61 74 61 54 72 61 6e 73 66 65 72 2e 66 69 6c 65 73 5b 30 5d 29 3b 22 0a 20 20 vent.dataTransfer.files[0]);".
000009a0 20 20 6f 6e 64 72 61 67 6f 76 65 72 3d 22 65 76 65 6e 74 2e 70 72 65 76 65 6e 74 44 65 66 61 75
                                                                                                                       ondragover="event.preventDefau
000009c0 6c7428293b6576656e742e73746f7050726f706167696f6e28293b223e0a lt(); event.stopPropagation(); ">.
000009e0 0a 20 20 3c 73 74 79 6c 65 3e 0a 20 20 20 20 6f 64 79 20 7b 20 0a 20 20 20 20 20 2f 2a 20 . <style>.
                                                                                                                                          body { .
                                                                                                                                                               /*
00000a00 74 6f 70 20 6c 65 66 74 26 72 69 67 68 74 20 62 6f 74 74 6f 6d 2a 2f 0a 20 20 20 20 20 6d 61 top left&right bottom*/.
                                                                                                                                                                ma
00000a20 72 67 69 6e 3a 20 31 30 70 78 20 32 30 70 78 20 30 70 78 3b 0a 20 20 20 20 7d 0a 0a 20 20 20 20 rgin: 10px 20px 0px;.
00000a40 70 20 7b 0a 20 20 20 20 20 20 74 65 78 74 2d 61 6c 69 67 6e 3a 20 6a 75 73 74 69 66 79 3b 0a 20 p {.
                                                                                                                                   text-align: justify;.
00000a60 20 20 20 20 20 74 65 78 74 2d 6a 75 73 74 69 66 79 3a 20 69 6e 74 65 72 2d 77 6f 72 64 3b 0a 20
                                                                                                                           text-justify: inter-word;.
00000a80 20 20 20 7d 0a 20 20 3c 2f 73 74 79 6c 65 3e 0a 0a 20 20 3c 68 31 3e 54 68 69 73 20 66 69 6c 65
                                                                                                                        }. </style>.. <h1>This file
00000aa0 20 69 73 20 61 20 50 44 46 20 63 6f 6c 6c 69 73 69 6f 6e 20 61 6e 64 20 48 54 4d 4c 20 70 6f 6c is a PDF collision and HTML pol
00000ac0 79 67 6c 6f 74 20 74 68 61 74 20 63 6f 6c 6c 69 64 65 73 20 69 74 73 65 6c 66 2e 3c 2f 68 31 3e | vglot that collides itself.</hl>
00000ae0 0a 0a 20 20 3c 64 69 76 20 73 74 79 6c 65 3d 22 74 65 78 74 2d 61 6c 69 67 6e 3a 20 72 69 67 68 .. <div style="text-align: right">.. 
00000b00 74 3b 22 3e 0a 20 20 20 20 62 79 20 41 6e 67 65 20 41 6c 62 65 72 74 69 6e 69 20 61 6e 64 20 52 t;">.
                                                                                                                                by Ange Albertini and R
00000b20 61 66 61 26 23 33 32 32 3b 20 48 69 72 73 7a 0a 20 20 3c 2f 64 69 76 3e 0a 0a 20 20 3c 68 32 3e | afał Hirsz. </div>.. <h2>
00000b40 4120706f6c79676c6f743c2f68323e0a0a20203c703e546869732066696c6520 A polyglot</h2>.. This file
00000b60 697320616e2048544d4c20616e6420612050444620706f6c79676c6f742e3c2f is an HTML and a PDF polyglot.
00000b80 70 3e 0a 0a 20 20 3c 68 32 3e 41 6e 20 4d 44 35 20 63 6f 6c 6c 69 73 69 6f 6e 3c 2f 68 32 3e 0a p>.. <h2>An MD5 collision</h2>.
00000ba0 0a 20 20 3c 70 3e 49 74 27 73 20 61 6c 73 6f 20 61 20 63 6f 6c 6c 69 73 69 6f 6e 20 6f 66 20 32 . t's also a collision of 2
00000bc0 20504446733a3c62722f3e0a2020612074616c6b206f6e206861736820636f6c PDFs:<br/>br/>. a talk on hash col
00000be0 6c 69 73 69 6f 6e 2c 20 61 6e 64 20 61 20 77 6f 72 6b 73 68 6f 70 20 6f 6e 20 65 78 70 6c 6f 69 lision, and a workshop on exploi
```



restic

Backups done right!

RCLONE IST EIN BACKEND VON RESTIC

- Easy: Doing backups should be a frictionless process, otherwise Restic should be easy to configure and use, so that in the unlikely just restore it. Likewise, restoring data should not be complicated.
- Fast: Backing up your data with restic should only be limited by
 bandwidth so that you can backup your files every day. Nobody
 much time. Restoring backups should only transfer data that is no
 be restored, so that this process is also fast.
- Verifiable: Much more important than backup is restore, so restice that all data can be restored.
- Secure: Restic uses cryptography to guarantee confidentiality and cation where the backup data is stored is assumed to be an u shared space where others like system administrators are able to a built to secure your data against such attackers, by encrypting it w and authenticating it using Poly1305-AES.
- Efficient: With the growth of data, additional snapshots should or tual increment. Even more, duplicate data should be de-duplicate to the storage backend to save precious backup space.
- Free: restic is free software and licensed under the BSD 2-Claus oped on GitHub.

https://restic.net/

- DANKE
- 4 MINUTEN 58 SEKUNDEN

•

HAPPY HACKING

•

- FELIX BAUER
- FEEDBACK-TUEBIX@AI4ME.DE

