Main function

Table of Contents

Description: This will be the main function that runs the data parsing function for every one of the jpg and txt files.

Set (1) - R

Sets the file address and image address

```
fileAddr = '2022-04-18-16-17-10_coords_R.txt';
imageAddr = '2022-04-18-16-17-10_R.jpg';

% Calls the function which then creates a new figure and returns the
 text
% information
txt1 = DataParsing (fileAddr, imageAddr);
```


Set (1) - L

Will now repeat the process several times over:

```
fileAddr = '2022-04-18-16-17-10_coords_L.txt';
imageAddr = '2022-04-18-16-17-10_L.jpg';
txt2 = DataParsing (fileAddr, imageAddr);
%------------------------------------------------------------
```



Set (2) - R

```
fileAddr = '2022-04-18-16-16-51_coords_R.txt';
imageAddr = '2022-04-18-16-16-51_R.jpg';
txt3 = DataParsing (fileAddr, imageAddr);
```

Set (2) - L

```
fileAddr = '2022-04-18-16-16-51_coords_L.txt';
imageAddr = '2022-04-18-16-16-51_L.jpg';
txt4 = DataParsing (fileAddr, imageAddr);
%------------------------------------------------------------
```


Set (3) - R

```
fileAddr = '2022-04-18-16-14-13_coords_R.txt';
imageAddr = '2022-04-18-16-14-13_R.jpg';
txt5 = DataParsing (fileAddr, imageAddr);
```

Set (3) - L

```
fileAddr = '2022-04-18-16-14-13_coords_L.txt';
imageAddr = '2022-04-18-16-14-13_L.jpg';
txt6 = DataParsing (fileAddr, imageAddr);
%-----------------------------------------------------------
```


Set (4) - R

```
fileAddr = '2022-04-18-16-13-38_coords_R.txt';
imageAddr = '2022-04-18-16-13-38_R.jpg';
```

```
txt7 = DataParsing (fileAddr, imageAddr);
```


Set (4) - L

```
fileAddr = '2022-04-18-16-13-38_coords_L.txt';
imageAddr = '2022-04-18-16-13-38_L.jpg';
txt8 = DataParsing (fileAddr, imageAddr);
%------------------------------------------------------------
```


Published with MATLAB® R2020b