
Git guide

1. Git init

Creates a new, empty Git repository in the current folder


2. Git add .

Adds the changes so they’re included in the next commit to the current directory.



3. Git status

Shows the files in the repository that are modified, staged, or untracked, and which branch you’re on.



4. Git commit

Saves the files changes as a snapshot in the repository, with a message describing the change in GitHub.

```
jdora@JacksComputer UCRT64 ~/OneDrive - South East Technological University/sem1/Comm Skills/Git-Gu
de (master)
$ git commit -m "first commit"
[master (root-commit) 5f8ce50] first commit
 3 files changed, 1 insertion(+)
 create mode 100644 Git-Guide.docx
 create mode 100644 Git-Guide.pdf
 create mode 100644 Git-Guide.txt
```

5. Git remote

Connects to remote repositories on GitHub, origin is the name for the main remote which you also add the URL of your repository in GitBash with.

```
jdora@JacksComputer UCRT64 ~/OneDrive - South East Technological University/sem1/Comm Skills/Git-Gui
de (master)
$ git remote add origin https://github.com/JackDoran007/Git-Guide.git
```

6. Git push

Uploads your latest commit to the repository

```
jdora@JacksComputer UCRT64 ~/OneDrive - South East Technological University/sem1/Comm Skills/Git-Gui
de (master)
$ git push origin master
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 16 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 14.46 KiB | 14.46 MiB/s, done.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/JackDoran007/Git-Guide.git
   5f8ce50..fa44501  master -> master

jdora@JacksComputer UCRT64 ~/OneDrive - South East Technological University/sem1/Comm Skills/Git-Gui
de (master)
```

7. Git branch

Lists, creates, or deletes branches using, git branch feature-x to create a new branch and git branch -d feature-x deletes a merged branch

8. Git merge

Combines another branch into your current branch used for our group work and projects.

9. Git pull

Fetches changes from a remote repository and merges them into your current branch.

10. Git config

Gets or sets Git configuration, such as your identity, default editor, or aliases if it does not already know the user or there are multiple users on the system.

