# Hazard Analysis
# Software Engineering

Team #14, Troitsky Toolbox
Pedro Azevedo
Mason Azzopardi
Michael Roberts
Jack Easton

Table 1: Revision History

| Date | Developer(s) | Change |
|---|---|---|
| Date1 | Name(s) | Description of changes |
| Date2 | Name(s) | Description of changes |
| ... | ... | ... |

This document follows the capstone Hazard Analysis template. Changes made to the template are listed in Table 3 (Section 8).

# Contents


**1 Introduction** **1**
- 1.1 Background . . . 1
- 1.2 Hazard Definition . . . 1

**2 Scope and Purpose of Hazard Analysis** **1**

**3 System Boundaries and Components** **2**
- 3.1 Inside the System Boundary . . . 3
- 3.2 Outside the System Boundary . . . 4

**4 Critical Assumptions** **5**

**5 Failure Mode and Effect Analysis** **6**

**6 Safety and Security Requirements** **10**
- 6.1 Functional Requirements . . . 10
- 6.2 Non-Functional Requirements . . . 10

**7 Roadmap** **11**

**8 Appendix — Changes from Template** **12**

**9 Appendix — Generative AI Use Disclosure** **13**
- 9.1 AI Tools Used . . . 13
- 9.2 How and Where Used . . . 13
- 9.3 Verification of AI-Generated Content . . . 13

**10 Appendix — Reflection** **14**

[You are free to modify this template. —SS]

# 1 Introduction

## 1.1 Background

The Troitsky Toolbox is a web-based application that supports the McMaster Troitsky club, a student organization whose teams design, analyze, and build bridges out of popsicle sticks, white glue, and dental floss for the annual Troitsky Bridge Building Competition. The Toolbox centralizes the club's knowledge, including past designs, material testing data, and exit documents, and provides technical tools that allow teams to visualize their bridge models, estimate their performance, and check them against the competition rules. The problem and goals of the project are described in more detail in the Problem Statement and Goals document, and the system itself is specified in the Software Requirements Specification (SRS).

## 1.2 Hazard Definition

A hazard is defined as "a system state or set of conditions that, together with a particular set of worst-case environmental conditions, will lead to a loss" [**?**, p. 17]. For the Troitsky Toolbox, a hazard is therefore any condition of the system that, combined with how members use it, could lead to the loss of club knowledge, the disclosure or corruption of club data, the disruption of club activities, or members acting on incorrect information.

The Toolbox does not control any physical equipment, so the hazards it presents are primarily to the club's data and decisions rather than to people. The one exception is indirect: the Performance Analysis System produces estimates of a bridge's failure load, and a team that trusts an incorrect estimate may build or load test a bridge on that basis. This harm would be seen primarily in competition results, depending on the accuracy of the estimates. This document identifies these hazards, the failure modes that cause them, and the safety and security requirements that mitigate them.

# 2 Scope and Purpose of Hazard Analysis

The purpose of this hazard analysis is to identify the ways in which the Troitsky Toolbox could fail or be misused, assess their effects on the club and its members, and derive requirements that prevent or mitigate them. The resulting safety and security requirements are outlined in Section 6, and Section 7 states which of them will be implemented during the capstone, so that they are designed, implemented, and verified alongside the rest of the system.

The losses that could result from the hazards identified in this document are:

- **Loss of club knowledge:** Designs, test data, or exit documents are deleted, corrupted, or never captured, so that the knowledge the Toolbox exists to preserve is lost when members graduate. As the Toolbox becomes the club's central repository, a single failure can affect several years of accumulated information.
- **Loss of data integrity:** Stored data, such as material test results or competition rules, is incorrect or inconsistent, so that the results of the analysis tools are wrong.
- **Misleading analysis results:** A team relies on an incorrect performance estimate or compliance result, leading to a weaker bridge, a bridge that is disqualified for violating a competition rule, or wasted build time and materials.
- **Loss of confidentiality:** Members' personal information or the club's unpublished designs are disclosed to unauthorized users, including other competing universities.
- **Loss of availability:** The Toolbox, or one of its tools, is unavailable when members need it, such as in the weeks leading up to the competition.
- **Loss of trust:** Repeated failures lead members to stop using the Toolbox and return to scattered, undocumented information sharing, defeating the purpose of the project.

The analysis covers every software component of the Toolbox listed in Section 3, and the interfaces between the Toolbox and the external components it depends on, and the processes used to develop, deploy, and maintain the Toolbox, including its handover to future software subteam members. The following are outside the scope of this analysis:

- The physical construction and load testing of bridges, including the safety procedures followed by the club during testing.
- The CAD software that teams use to create their bridge models.
- The Troitsky Bridge Building Competition itself, including its rules and judging.
- Failures of the hosting infrastructure's physical hardware, beyond their effect on the availability and durability of the Toolbox's data.

# 3 System Boundaries and Components

The Troitsky Toolbox is structured around a central broker: each tool, as well as the shared data storage, is a service that registers with the broker, and all communication between services passes through it. The components below are

those described in Section S.1 of the SRS, and are shown in Figure 1. The requirements each component is responsible for are listed in Section S.2 of the SRS, using the prefixes given below.





Figure 1: Components of the Troitsky Toolbox and the interfaces through which they interact.

## 3.1 Inside the System Boundary

The following components are developed by the team and are within the system's control and responsibility:

- **Web Server (WS):** Serves the Toolbox Web App and the public landing page, handles member login, and forwards requests for club services to the Toolbox Broker.
- **Access Control System (AC):** Manages member accounts and roles,

authenticates members, and decides which services and data each role may access.

- **Toolbox Broker (BR):** Registers services, verifies every request with the Access Control System, and routes it to the service that provides the requested operation. Because all communication passes through the broker, a failure of the broker affects every tool.
- **Knowledge Repository (KR):** Stores all club information, including documents, bridge models, material test results, competition rules, and handoff documents, and allows members to search and contribute to it.
- **Model Analysis System (MA):** Imports bridge models in the STEP format, renders them in 3D, and extracts the bridge properties needed for analysis, such as its dimensions and mass.
  - **Performance Analysis System (PA):** Estimates the failure load and load-to-mass ratio of a bridge model, using the extracted model data and the material properties provided by the Material Testing Manager.
  - **Rule Compliance System (RC):** Checks a bridge model against the competition rules configured by club members.
- **Material Testing Manager (MT):** Imports and stores material test results from CSV and Excel files, compares them against previous years, and derives the material properties used by the Performance Analysis System.
- **Knowledge Transfer Manager (KT):** Collects exit documents and role records from executives and team leads, and stores them in the Knowledge Repository.

## 3.2 Outside the System Boundary

The following entities interact with the system, but are not under its direct control:

- **Club members:** The general members, executives, and software subteam maintainers who use the Toolbox. Their decisions, including how they act on the results of the analysis tools, are outside the system's control.
- **CAD software and STEP files:** The software teams use to design their bridges, and the STEP files it exports. The Toolbox receives these files but does not control how they are created.
- **CAD/geometry library:** The external library used by the Model Analysis System to read STEP files.

- **Static model analysis APIs:** The external APIs used to perform the static model analysis of bridge model STEP files (SRS E.2).
- **Material test data files:** The CSV and Excel files produced by members during material testing, whose content depends on how the tests were performed and recorded.
- **Competition rules:** The official rules published by the competition organizers, which change from year to year and must be configured into the Rule Compliance System by members.
- **Hosting infrastructure:** The server, operating system, database server, and network on which the Toolbox is deployed.
- **Web browsers:** The browsers through which members access the Toolbox Web App.

# 4 Critical Assumptions

The following assumptions are made about the system and its environment. Each assumption states the class of hazards it removes from the scope of this analysis. Assumptions have been kept to a minimum, and failures that the system can reasonably detect or mitigate, such as invalid input files, service outages, and data entry errors, remain within the scope of the analysis.

1. **Analysis results are advisory:** Members treat the results of the Performance Analysis and Rule Compliance Systems as guidance, and the club verifies the final design against the official competition rules and follows its own safety procedures when load testing bridges. This assumption removes physical injury during bridge testing from the scope of this analysis. Hazards caused by incorrect or misleading results, and by results being presented in a way that encourages over-reliance, remain in scope.
2. **Members act in good faith:** Authenticated members do not intentionally misuse their access, for example by deliberately deleting or falsifying club data. This assumption removes deliberate insider sabotage from the scope of this analysis. Accidental misuse by members, and attacks by people outside the club, remain in scope.
3. **STEP files reflect the intended design:** The STEP files that teams upload accurately represent the bridge they intend to build. This assumption removes differences between a team's CAD model and its physical bridge from the scope of this analysis. Files that are invalid, corrupted, or that cannot be read remain in scope.
4. **The CAD/geometry library is correct:** The external library used by the Model Analysis System correctly reads the geometry of valid STEP files. This assumption removes defects within the library itself from the

scope of this analysis. Errors in how the Toolbox uses the library's output remain in scope.

5. **Test data reflects the tests performed:** The material test results that members import were measured using the club's testing procedure. This assumption removes errors in the physical testing process from the scope of this analysis. Data entry errors, malformed files, and physically impossible values remain in scope.

6. **Hosting infrastructure is maintained:** The server, operating system, and database server on which the Toolbox is deployed are kept updated and secured by whoever hosts them. This assumption removes vulnerabilities within the hosting platform itself from the scope of this analysis. Outages of the hosting infrastructure, and their effect on the availability and durability of the Toolbox's data, remain in scope.

# 5 Failure Mode and Effect Analysis

[Include your FMEA table here. This is the most important part of this document. —SS] [The safety requirements in the table do not have to have the prefix SR. The most important thing is to show traceability to your SRS. You might trace to requirements you have already written, or you might need to add new requirements. —SS] [If no safety requirement can be devised, other mitigation strategies can be entered in the table, including strategies involving providing additional documentation, and/or test cases. —SS]

Table 2: Failure Mode and Effect Analysis (FMEA)

| Failure Mode | Effects of Failure | Causes of Failure | Risk (H/M/L) | | Recommended Action | SR | Ref. |
|---|---|---|---|---|---|---|---|
| | | | Sev. | Occ. | | | |
| **Web Server (WS)** — SRS S.2.1 | | | | | | | |
| Server down | | | | | | | H-WS-1 |
| Server externally attacked | | | | | | | H-WS-2 |
| Server overloaded from legitimate traffic | | | | | | | H-WS-3 |
| Server loses connection to internet | | | | | | | H-WS-4 |
| Server compromised | | | | | | | H-WS-5 |
| Rogue actor gets access to change server | | | | | | | H-WS-6 |
| **Access Control System (AC)** — SRS S.2.2 | | | | | | | |
| *Wrong user gets in* | | | | | | | |
| Data leak (I/E) | | | | | | | H-AC-1 |
| Password leak (I/E) | | | | | | | H-AC-2 |
| Convenience leak (Superior gives inferior account access without clearance) | | | | | | | H-AC-3 |
| Role category given extra rights | | | | | | | H-AC-4 |
| Wrong person assigned to role category | | | | | | | H-AC-5 |
| *Right user locked out* | | | | | | | |
| Forgot password | | | | | | | H-AC-6 |
| Role category given less rights | | | | | | | H-AC-7 |
| Right person not given role | | | | | | | H-AC-8 |

*Continued on next page*

*Table 2 continued*

| Failure Mode | Effects of Failure | Causes of Failure | Risk (H/M/L) | | Recommended Action | SR | Ref. |
|---|---|---|---|---|---|---|---|
| | | | Sev. | Occ. | | | |
| **Toolbox Broker (BR)** — SRS S.2.3 | | | | | | | |
| **Knowledge Repository (KR)** — SRS S.2.4 | | | | | | | |
| Stored data lost or corrupted | Club data stored since the last backup is lost | Host or server failure, backup failure | H | L | Store backup of system (KR) off the server, on another platform | NFR-KR-2, SR-KR-1 | H-KR-1 |
| Item overwritten or deleted by mistake | A design or document is lost | Member error | M | M | Create confirmation prompts for deletions and modifications (e.g. replacing a file if uploading a copy), Access control protects file modification and deletion from all members | FR-KR-5, SR-KR-2 | H-KR-2 |
| Team's files visible to another team during the competition year | A team's unreleased design is exposed, contrary to SRS E.3 | Access is checked by role only, not by which team owns the file | M | H | During the competition year, individual team files are marked as active and made available only to the owning team and executives | SR-KR-3 | H-KR-3 |
| Content cannot be found | Knowledge is lost in practice; work is duplicated | Missing or inconsistent tags, incorrect metadata | M | H | Require a title, a category from a fixed list, and a year on upload | FR-KR-3, SR-KR-4 | H-KR-4 |
| Repository unavailable | No saving or loading of stored data | Outage, storage capacity full | H | L | Tell the member when data was not saved | FR-BR-4, SR-KR-5 | H-KR-5 |
| **Model Analysis System (MA)** — SRS S.2.5 | | | | | | | |
| Corruption of input file | A partly read or corrupted model returns wrong analysis results | Bad or interrupted CAD export | H | L | Show an import summary for the member to confirm before analysis or further processing | FR-MA-2, SR-MA-1 | H-MA-1 |
| Output display wrong, model analysis display not clear | Member misses a design flaw, bridge state misassessed | Wrong units or scale, errors in PA | M | M | Show units and a scale reference in the 3D view; check usability of the interface in the Winter CD — Usability Report | NFR-MA-2, SR-MA-2, Winter CD usability test | H-MA-2 |
| Timeout | Member gets no response, either retries or gives up | Large model files, heavy load | M | M | Stop processing after MA_TIMEOUT and show error message | NFR-MA-1, SR-MA-3 | H-MA-3 |

*Continued on next page*

*Table 2 continued*

| Failure Mode | Effects of Failure | Causes of Failure | Risk (H/M/L) | | Recommended Action | SR | Ref. |
|---|---|---|---|---|---|---|---|
| | | | Sev. | Occ. | | | |
| **Performance Analysis System (PA)** — SRS S.2.5.1 | | | | | | | |
| Calculation API error | No estimate, or a wrong ultimate load prediction | External analysis API unavailable, changed, or returning invalid values | H | M | Show an error instead of an estimate when the API fails or returns an invalid value; have test models to check new API calls against | NFR-PA-1, SR-PA-1 | H-PA-1 |
| Output confidence not understood | Estimate is misread or treated as a guaranteed result | Assumptions and limitations hidden, misunderstanding of service | M | L | Show the assumptions and limitations next to each estimate; check usability of the interface in the Winter CD — Usability Report | FR-PA-4, Winter CD usability test | H-PA-2 |
| **Rule Compliance System (RC)** — SRS S.2.5.2 | | | | | | | |
| Misinterpretation of rules (risk high for high penalty rules) | A non-compliant bridge passes the check and is penalized or disqualified at competition | Rule entered incorrectly, wrong year's rule set active, rule cannot be checked from the model, unit errors cause misrepresented comparison | H | L | Show the year of the rule set used, and highlight rules that require a manual check | FR-RC-5, NFR-RC-1, SR-RC-1 | H-RC-1 |
| **Material Testing Manager (MT)** — SRS S.2.6 | | | | | | | |
| Calculation API error | | | | | | | H-MT-1 |
| Corruption of input file | | | | | | | H-MT-2 |
| Output display wrong | | | | | | | H-MT-3 |
| Output not understandable | | | | | | | H-MT-4 |
| Timeout | | | | | | | H-MT-5 |
| **Knowledge Transfer Manager (KT)** — SRS S.2.7 | | | | | | | |
| **System-Wide (SYS)** — SRS S.2.8 | | | | | | | |
| Upgrade causes our code to no longer compile | | | | | | | H-SYS-1 |
| Unchecked, unworking code pushed in haste | | | | | | | H-SYS-2 |

# 6 Safety and Security Requirements

[Newly discovered requirements. These should also be added to the SRS. (A rationale design process how and why to fake it.) —SS]

## 6.1 Functional Requirements

- **SR-KR-2:** The Knowledge Repository shall always prompt the user to confirm an action that will result in deletion or modification of stored files. [H-KR-2]
- **SR-KR-3:** The Knowledge Repository shall require that uploads of current competition year files are uploaded with a current team, limiting file access to only members of that team and executives. [H-KR-3]
- **SR-KR-4:** The Knowledge Repository shall reject an upload that does not include a title, a category selected from a standardized list, and a year. [H-KR-4]
- **SR-KR-5:** The Knowledge Repository shall return an error message whenever an uploaded file cannot be stored or a data retrieval error occurs. [H-KR-5]
- **SR-MA-1:** The Model Analysis System shall display a summary of inputted models to allow users to confirm the details and ensure accuracy and correctness. [H-MA-1]
- **SR-MA-2:** The Model Analysis System shall display the units of the inputted models, along with a scale reference in the 3D view. [H-MA-2]
- **SR-MA-3:** The Model Analysis System shall stop processing a model that has not finished within MA_TIMEOUT, and shall tell the member why processing stopped. [H-MA-3]
- **SR-PA-1:** The Performance Analysis System shall display an error message whenever the API fails, does not respond, or returns an inappropriate value. [H-PA-1]
- **SR-RC-1:** The Rule Compliance System shall display the competition year of the active rules with each result, and shall indicate when manual verification is required. [H-RC-1]

## 6.2 Non-Functional Requirements

- **SR-KR-1:** Backups of the Knowledge Repository shall be stored on an external platform. [H-KR-1]

# 7 Roadmap

[Which safety requirements will be implemented as part of the capstone timeline? Which requirements will be implemented in the future? —SS]

# 8 Appendix — Changes from Template

Table 3 lists the changes made to the structure of the capstone Hazard Analysis template and the reason for each.

Table 3: Changes from the capstone Hazard Analysis template

| **Change** | **Reason** |
|---|---|
| Divided the Introduction into Background and Hazard Definition. | Separates the description of the project from the definition of a hazard that the rest of the document relies on. |
| Divided System Boundaries and Components into Inside and Outside the System Boundary. | Separates the components the team controls from the external entities whose failures the system can only detect or mitigate. |
| Listed new safety and security requirements only in this document, with the prefix SR. | Keeps each new requirement next to the hazards it mitigates; the FMEA table traces existing SRS requirements by their SRS IDs. |
| Added a References section. | Gives the source of the hazard definition. |
| Added Appendix — Changes from Template. | The HA checklist requires changes made to the template to be described in the document. |

# 9 Appendix — Generative AI Use Disclosure

[ChatGPT (version 5) was used to brainstorm ideas for the template for this disclose section. —SS]

## 9.1 AI Tools Used

[Give the name of the AI tool(s) used and the version. —SS]

## 9.2 How and Where Used

[Explain what the tool(s) were used for. Examples include: brainstorming, explaining a technical concept, reviewing the document, generating or modifying text, generating or modifying diagrams, identifying errors or omissions or inconsistencies. —SS]

[For each of the uses, identify which parts of the document were affected. —SS]

[You do not need to report every interaction, but you should disclose the uses that materially contributed to your work —SS]

## 9.3 Verification of AI-Generated Content

[

- Describe how the team checked AI-generated or AI-assisted material before including it in the document.
- In particular, verify factual claims, technical assertions, requirements, calculations, references, and other information for which an AI system may produce incorrect or fabricated results.
- **The team is responsible for the accuracy, completeness, consistency, and appropriateness of the submitted document, regardless of whether material was generated by a human or an AI system.**

—SS]

# 10 Appendix — Reflection

[Not required for CAS 741 —SS]

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. Which of your listed risks had your team thought of before this deliverable, and which did you think of while doing this deliverable? For the latter ones (ones you thought of while doing the Hazard Analysis), how did they come about?
4. Other than the risk of physical harm (some projects may not have any appreciable risks of this form), list at least 2 other types of risk in software products. Why are they important to consider?