```
<?php
@ob_start();
session_start();
?>
<?php
session_start();
if (isset($ SESSION['data']) && (time() - $ SESSION['data'] > 1000)) {
$ SESSION = array();
session_destroy();
header("Location:/index.php?timeout=1");
}
?>
<!DOCTYPE html>
<?php
session_start();
$session_ruolo = htmlspecialchars($_SESSION['session_ruolo'], ENT_QUOTES, 'UTF-8');
if (!(isset($ SESSION['session id']))) {
header("location:index.php");
} else if ("amministrazione" != $session_ruolo) {
header("location:profiloutente.php");
$mail log = $ SESSION['session email'];
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Sportgym | Utenti | Cerca </title>
  <!-- Google Font: Source Sans Pro -->
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+San-</pre>
s+Pro:300,400,400i,700&display=fallback">
  <!-- Font Awesome -->
  <link rel="stylesheet" href="./plugins/fontawesome-free/css/all.min.css">
  <!-- lonicons -->
  <link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css">
  <!-- DataTables -->
  <link rel="stylesheet" href="./plugins/datatables-bs4/css/dataTables.bootstrap4.min.css">
  <link rel="stylesheet" href="./plugins/datatables-responsive/css/responsive.bootstrap4.min.css">
  <link rel="stylesheet" href="./plugins/datatables-buttons/css/buttons.bootstrap4.min.css">
  <!-- Theme style -->
  <link rel="stylesheet" href="./dist/css/adminIte.min.css">
  <!-- custom css -->
  <link rel="stylesheet" href="./dist/css/custom.css">
</head>
<body class="hold-transition sidebar-mini layout-fixed">
  <div class="wrapper">
    <?php
```

```
<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">
 <!-- Content Header (Page header) -->
 <div class="content-header">
   <div class="container-fluid">
     <div class="row mb-2">
      <div class="col-sm-6">
        <h1 class="m-0">Cerca Utenti</h1>
      </div>
      <!-- /.col -->
      <div class="col-sm-6">

    class="breadcrumb float-sm-right">

          <a href="./dashboard.php">Home</a>
          class="breadcrumb-item active">Utenti
          Cerca
        </div>
      <!-- /.col -->
     </div>
     <!-- /.row -->
   </div>
   <!-- /.container-fluid -->
 </div>
 <!-- /.content-header -->
 <!-- Main content -->
 <section class="content">
   <div class="container-fluid">
     <!-- row -->
     <div class="col-md-12">
      <div class="card card-primary">
        <div class="card-header">
          <h3 class="card-title">Utenti</h3>
        </div>
        <div class="card-body">
          <div class="card">
           <!-- /.card-header -->
           <div class="card-body">
             <thead>
                Utente
                  Contatto
```

include 'dashbase.php';

```
Data nascita
                    CF
                    Mail
                    Ruolo
                    </thead>
                 <?php
                  include 'config.php';
                  $risultato = $con->query("SELECT u.id_utente, u.nome, u.cognome, u.numero_tele-
fono, DATE FORMAT(u.data nascita,\"%d-%m-%Y\"), u.CF, l.email, l.ruolo, l.login id FROM utenti as u join
login as I on I.login_id = u.login_id where I.stato = 1");
                  while ($row = mysqli_fetch_array($risultato, MYSQLI_NUM)) {
                    echo "";
                    echo "$row[1]$!i>$row[2]";
                    echo " $row[3]";
                    echo " $row[4]";
                    echo " $row[5]";
                    echo " $row[6]";
                    echo " $row[7]";
                    echo "
                   <
                       <a class=\"btn btn-info btn-sm\" href=\"./schedautente.php?id=$row[0]\">
                        <i class=\"fas fa-folder\"> </i> Apri Scheda</a>
                       <|i>
                       <a id=\"$row[1] $row[2]\" onclick =\"setform()\" data-login=\"$row[8]\"
type=\"button\" class=\"btn btn-danger btn-sm\" data-toggle=\"modal\" data-target=\"#modal-primary\">
                        <i class=\"fas fa-trash\"> </i> Delete</a>
                   ";
                    echo " ";
                  }
                  ?>
                 </div>
              <!-- /.card-body -->
            </div>
            <div class="modal fade" id="modal-primary">
              <div class="modal-dialog">
               <div class="modal-content bg-primary">
```

```
<div class="modal-header">
                       <h4 class="modal-title">Cancella Utenti</h4>
                       <button type="button" class="close" data-dismiss="modal" aria-label="Close">
                         <span aria-hidden="true">&times;</span>
                       </button>
                     </div>
                     <form id="delete_utente" action="./upload_data.php" method="post">
                       <input type="hidden" id="id deletelogin" name="id delete" value="">
                       <div class="modal-footer justify-content-between">
                         <input class="btn btn-outline-light w-100" type="submit" value="Conferma
Cancellazione" name="Delete">
                       </div>
                     </form>
                   </div>
                   <!--/.modal-content -->
                 </div>
                 <!--/.modal-dialog -->
               </div>
             </div>
           </div>
         </div>
         <!-- /.card -->
       </div>
     </section>
   </div>
 </div>
 <!--/.content-wrapper -->
 <footer class="main-footer">
   <div class="float-right d-none d-sm-block">
     <b>Version</b> 1.0.0
   </div>
   <strong>Copyright &copy; 2022 SportGym .</strong> built together with html.it.
 </footer>
 <!-- Control Sidebar -->
 <aside class="control-sidebar control-sidebar-dark">
   <!-- Control sidebar content goes here -->
 </aside>
 <!-- jQuery -->
 <script src="./plugins/jquery/jquery.min.js"></script>
 <!-- Bootstrap 4 -->
 <script src="./plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
 <!-- DataTables & Plugins -->
 <script src="./plugins/datatables/jquery.dataTables.min.js"></script>
 <script src="./plugins/datatables-bs4/js/dataTables.bootstrap4.min.js"></script>
 <script src="./plugins/datatables-responsive/js/dataTables.responsive.min.js"></script>
 <script src="./plugins/datatables-responsive/js/responsive.bootstrap4.min.js"></script>
 <script src="./plugins/datatables-buttons/js/dataTables.buttons.min.js"></script>
```

```
<script src="./dist/js/adminIte.min.js"></script>
  <script src="./plugins/jquery-ui/jquery-ui.min.js"></script>
  <!-- Resolve conflict in jQuery UI tooltip with Bootstrap tooltip -->
  <script>
    $.widget.bridge('uibutton', $.ui.button)
  </script>
  <!-- Google Font: Source Sans Pro -->
  k rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+San-
s+Pro:300,400,400i,700&display=fallback">
  <!-- Font Awesome -->
  <link rel="stylesheet" href="./plugins/fontawesome-free/css/all.min.css">
  <!-- DataTables -->
  <link rel="stylesheet" href="./plugins/datatables-bs4/css/dataTables.bootstrap4.min.css">
  <link rel="stylesheet" href="./plugins/datatables-responsive/css/responsive.bootstrap4.min.css">
  <link rel="stylesheet" href="./plugins/datatables-buttons/css/buttons.bootstrap4.min.css">
  <!-- Theme style -->
  <link rel="stylesheet" href="./dist/css/adminIte.min.css">
  <!-- Page specific script -->
  <script>
    function logout() {
      window.location = "./logout.php";
    };
    $(function() {
      $("#example1").DataTable({
        "zeroRecords": "Nessun risultato",
        "responsive": true,
        "lengthChange": false,
        "autoWidth": false,
      }).buttons().container().appendTo('#example1 wrapper.col-md-6:eq(0)');
    });
    function successinserimento() {
      $(document).Toasts('create', {
        class: 'bg-success',
        title: 'Cancellato',
        subtitle: ",
        body: 'Cancellato con successo'
      })
    };
    function notsuccessinserimento() {
      $(document).Toasts('create', {
        class: 'bg-danger', //bg-info bg-warning
        title: 'NON Cancellato',
        subtitle: ",
        body: 'Non andato a buon fine'
      })
```

```
};
```

</html>

```
function setform() {
      var target = window.event.target;
      let id_cli = target.getAttribute('data-login') || target.getAttribute('data-login');
      console.log(id_cli)
      let nominativo = target.id
      let Inominiativo = "Utente da Cancellare: " + nominativo
      document.getElementById('id_deletelogin').value = id_cli;
      document.getElementById('id_nominativo').innerHTML = Inominiativo;
    }
  </script>
  <?php
  if (isset($_GET['cancellato'])) {
    $cancellato = htmlspecialchars($_GET['cancellato']);
    if (\text{scancellato} == 1) {
      echo "<script>successinserimento();</script>";
    } else {
      echo "<script>notsuccessinserimento();</script>";
    }
  }
  ?>
</body>
```