

This is unreleased documentation for alphaTab **1.5.0-alpha.1342** 🚧.

[API Reference](#)[ScoreRenderer](#)

ScoreRenderer

The `ScoreRenderer` is one of the low level APIs that can be used if no full alphaTab API object with UI interaction can be used or is needed. It is used to render a given score into a visual music sheet.

This page describes all methods, properties and events exposed by this class.

Name	Summary
Events	
<code>error</code> JavaScript <code>Error</code> .net <code>error</code> Android	This event is fired when an error within alphatab occurred.
<code>partialLayoutFinished</code> JavaScript <code>PartialLayoutFinished</code> .net <code>partialLayoutFinished</code> Android	Occurs whenever a part of the whole music sheet is layed out.
<code>partialRenderFinished</code> JavaScript <code>PartialRenderFinished</code> .net <code>partialRenderFinished</code> Android	Occurs whenever a part of the whole music sheet is rendered and can be displayed.
<code>postRenderFinished</code> JavaScript <code>PostRenderFinished</code> .net <code>postRenderFinished</code> Android	This event is fired when the rendering of the whole music sheet is finished, and all handlers of <code>RenderFinished</code> ran.
<code>preRender</code> JavaScript <code>PreRender</code> .net <code>preRender</code> Android	Occurs before the rendering of the tracks starts

Name	Summary
renderFinished JavaScript RenderFinished .net renderFinished Android	This event is fired when the rendering of the whole music sheet is finished.
Methods	
destroy() JavaScript Destroy() .net destroy() Android	Destroys the renderer and all related components.
render() JavaScript Render() .net render() Android	Initiates a re-rendering of the current setup.
renderResult() JavaScript RenderResult() .net renderResult() Android	Requests the rendering of a chunk which was layed out before.
renderScore() JavaScript RenderScore() .net renderScore() Android	Initiates the rendering of the specified tracks of the given score.
resizeRender() JavaScript ResizeRender() .net resizeRender() Android	Initiates a resize-optimized re-rendering of the score using the current settings.
updateSettings() JavaScript UpdateSettings() .net updateSettings() Android	Updates the settings to the given object.
Properties	
boundsLookup JavaScript BoundsLookup .net	The lookup which allows fast access to beats at a given position

Name	Summary
<code>boundsLookup</code> Android	
<code>width</code> JavaScript <code>Width</code> .net <code>width</code> Android	The width of the rendered score

 [Edit this page](#)