

The first and only bench top rotary creasing machine to give a letterpress quality crease


- **Quality Crease** - Patented creaser design works on both litho and digital print.
- **Gentle** - Unique rubber creasing rib is gentle on difficult stocks and can crease 3 time deeper than metal made systems.
- **Quick** - Speedcreasa gives a matrix style crease with the speed of rotary production.
- **Versatile** - Many finishing devices available including flat micro perf tool.
- **Efficient** - Produce 1 or 8 creases the same speed

Highfield® Speedcreasa

On the outside, this brand new machine has been designed as an easy to use compact and high speed creasing and finishing unit to enhance any modern 'on demand' print room environment. On the inside however, is an existing, 'tried and tested' system, developed by Tech-ni-fold in the form of the Tri-creaser, which until now has only been used on big high production equipment such as Stah/Heidelberg, MBO, GUK etc. In these environments the crease must withstand continuous operation over millions of cycles.

So it is no surprise to conclude that what you actually get with the Speedcreasa is a slight overkill on its design but a machine with the ability to produce work of the highest standards for a fraction of the cost for a long, long time.





Finishing accessories



Tri-creaser Easy-fit
Instant crease style change



Mult-tool
Keeping work away from
the Guillotine & Cylinder



Spine & Hinge Creaser
Close proximity creasing
solution for Perfect Bound books



CP Applicator
The ultimate close proximity
and perforating applicator



Micro-perforator
Produce fine, die quality micro-perfs
with this powerful accessory

More exciting devices are also being developed for the Speedcreasa


Specifications

Infeed width	480mm
Paper weight	80 - 500 g/m ²
Minimum format	80 x 100mm
Maximum format	480 x 500mm
Machine weight	41kg
Dimensions L x W x H	1100 x 605 x 300mm
Voltage	230v, 50hz, 115v, 60hz
Fuse protection	6A

Speedcreasa
High speed rotary creasing machine

...the future in versatile finishing

End your cracking problems !



Without
Speedcreaser

With
Speedcreaser



Highfield®

Finishing accessories




Tri-creaser Easy-fit
Instant crease style change



Mult-tool
Keeping work away from
the Guillotine & Cylinder



Spine & Hinge Creaser
Close proximity creasing
solution for Perfect Bound books



CP Applicator
The ultimate close proximity
and perforating applicator



Micro-perforator
Produce fine, die quality micro-perfs
with this powerful accessory

More exciting devices are also being developed for the Speedcreaser



Highfield Lane, Sheffield
South Yorkshire S13 9NA

Tel: 0114 269 3322 Fax: 0845 085 0077

Specifications


Infeed width	480mm
Paper weight	80 - 500 g/m ²
Minimum format	80 x 100mm
Maximum format	480 x 500mm
Machine weight	41kg
Dimensions L x W x H	1100 x 605 x 300mm
Voltage	230v, 50hz, 115v, 60hz
Fuse protection	6A



Speedcreasa
High speed rotary creasing machine

...the future in versatile finishing

End your cracking problems !



Without
Speedcreaser

With
Speedcreaser



Highfield®