




www.technifold.com



Tri-Creaser Fast Fit

The **Tri-Creaser Fast Fit** is so simple to use and has all the settings built in so you don't have to worry about cracking problems on your folding machine ever again.



- Completely **eliminate fibre cracking** on your folding machine
- Produce one of 8 crease style choices for any stock/print application imaginable
- Change from one crease setting to another instantly using the **simple colour coding system**
- Never remove the device from your machine again thanks to the clever and ingenious new split creasing rib technology

See inside for all the details...

So how does the **Tri-Creaser Fast Fit** work?


As with all Tech-ni-Fold creasing innovations the key lies in the patented rubber technology that is used to crease the stock.

The resilient rubber compound used to produce the creasing ribs penetrates the area of stock that is prone to cracking. This gentle rotary action manipulates and stretches the fibres instead of damaging them like common steel scoring methods.

The creasing rib is designed with a **special profile** that fits **perfectly** into a **locking hub** of the same shape. Once the locking system is opened up the split creasing rib can be easily inserted into the open compartment before being **secured** into position. As the creasing rib and locating collar are pushed together the creasing rib automatically adjusts to form a tight join.

The three **colour coded** crease styles represent the full range of stocks that pass through your folding machine.


Once the correct crease setting is chosen for the stock weight it is simply matched with the corresponding dot coded female channel.



■ The Tri-Creaser Fast Fit in action



■ locking into place




■ Blue
170-270gsm

■ Yellow
250-350gsm

■ Orange
85-200gsm

Incorporating ingenious split creasing rib technology

The big difference with the Tri-Creaser Fast Fit version is in the clever new patented creasing technology and the simple way in which it works. The new split creasing ribs provide users with a unique way to attach the correct setting without taking the device off the folding machine exit shafts. Applying one of three colour-coded creasing ribs is now so quick it reduces set up times dramatically.



What are the Tri-Creaser Fast Fit benefits?

- Completely **eliminates** fibre cracking 100% on stock ranges 85-350gsm
- Produces a crease that is as good as or better than a flatbed Cylinder impression
- Produces any one of a choice of multiple crease settings for any imaginable print/stock combination, and works like **magic** on difficult toner based digital output
- Incorporates split creasing ribs that allows instant change of crease styles without removing exit shafts from folding machine
- Works just as well when it creases and folds against the grain as it does with it
- Works as fast as your folding machine can run with no limitations on speed
- Takes only minutes to set up and seconds to change from one crease setting to another
- **Pays for itself** within 1-3 job runs
- Saves expensive transport and outsourcing costs
- Saves hours and hours of time
- Gets the work to your customer **faster**


For more information and to see a video of the Tri-Creaser Fast Fit in action visit our website www.technifold.com

The **Tri-Creaser Fast Fit** can be attached to all popular types of **Folding Machines** including **Stahl, Heidelberg, MBO, Herzog & Heymann, Horizon, Shoei, GUK and Baum**

“What a change the Tri-Creaser Fast Fit has made to our business already. The quality of the crease is excellent and it will be a great cost saving for our business. The installation and training was very professional and thorough, and we are looking forward to utilising the device to its full potential, whilst keeping control of our own creasing work.”

Glenn Felton, Managing Director
FM Print Ltd, Basingstoke, UK

Some of our other time saving products



Micro-Perf & Cut Multi-Tool

Produces razor sharp cutting and fine & flat micro-perforating



Micro-Perf, Cut & Crease Combo

Has everything all built in



Spine-Creaser

A solution to cracking problems on Saddle Stitching machines



Spine & Hinge Creaser

Produces cylinder quality creasing on Perfect Binding lines

www.technifold.com

Tel: +44 (0)1455 554 491 **Fax:** +44 (0)1455 554 526

Email: info@technifold.co.uk

Tech-ni-Fold Ltd

Unit 2, St John's Business Park, Lutterworth, Leicestershire, LE17 4HB, UK