

Meeting 1210

黃丞暘

國立東華大學應數統計所

December 10, 2025

Index

1 12.03 Discussion

2 12.03 Todo

3 Result - What I do this time

12.03 Discussion

Semiconductor Manufacturing Process



12.03 Todo

- ▶ Do the SMOTE before PCA after delete outliers
- ▶ Decide a x_k (p dimension) from neighbors of X_0 to do the regression

Results I PCA + KMeans, 2 clusters

cluster	0	1
$y = 0$	660	770
$y = 1$	58	37

Results I ns=10, 5-folds cv - mean

model	ACC	FAR	ROCAU
LR	0.8520	0.1011	0.5459
SVM	0.9304	0.0041	0.5027
DT	0.8149	0.1415	0.5309
RF	0.9304	0.0048	0.5074
XGB	0.9272	0.0096	0.5145

model	C_0 ACC	C_0 FAR	C_0 ROCAU	C_1 ACC	C_1 FAR	C_1 ROCAU
LR	0.8315	0.1152	*0.5545	*0.9009	*0.0649	*0.5586
SVM	0.9178	0.0015	0.4992	*0.9542	0.0000	0.5000
DT	*0.8273	0.1258	*0.5848	*0.8934	*0.0753	*0.5802
RF	0.9151	0.0045	0.4977	*0.9554	0.0000	*0.5143
XGB	0.9081	0.0197	*0.5341	*0.9554	*0.0013	*0.5261

The End

Questions & Comments