Tute 2 COMP1511 22T3

Jack Robbers

content

- operators
- types
- planning your code

operators


In groups: think of all the operators you've seen in C so far

Type of Operator Arithmetic + - * / % Logic && || ! Comparison < > <= >= != == Assignment =

also bitwise, increment/decrement, shortcut assignment operators but not necessary for 1511

flow charts

we don't directly assess you on these, but very useful



leap year flow chart

- Years divisible by 4 are leap years. (e.g. 1904 was a leap year)
- Except, years divisible by 100 are not leap years. (e.g. 1900 was NOT a leap year)
- Except, years divisible by 400 are always leap years.
 (e.g. 2000 was a leap year)

types

what have we seen so far?

how would you scan a value into these types with scanf?

| Type | format specifier | | |
|--------|------------------|--|--|
| int | %d | | |
| char | %C | | |
| double | %lf | | |
| void | N/A | | |

expressions

"math / conventional" result (if it makes sense)? result in C and what type does it have?

```
(7/2)
(3.0 / 2) + 1
'a' + 5
'F' - 'A' + 'a'
```

| Expression | Math | C | C type |
|-----------------|------|-----|---------|
| (7/2) | 3.5 | 3 | integer |
| (3.0 / 2) + 1 | 2.5 | 2.5 | double |
| 'a' + 5 | ? | 'f' | char |
| 'F' - 'A' + 'a' | ? | 'f' | char |

programming

- Scans in two integers (a and b).
- If the first integer is less than the second, prints out a short error message using a procedure.
- If the second integer is 0, prints out a short error message.
- If the first integer is larger than the second, prints a
 / b and (a * 1.0) / (b * 1.0).