












Design	Design log. Change(s)	PCB P/N	Signed By	Date:
Rev				
01	First release.			04/Jan/16



	2016-01-04		
Rev.	Date	Rev. details	App.
TITLE: Blazar_opensda			
P/N:	DWG NO.:		
MODEL NAME:	MODEL NO:		
Prepared:	Checked:		
dd:	dd:		




	2016-01-04		
Rev.	Date	Rev. details	App.
TITLE: Blazar_MCU			
P/N:		DWG NO.:	
MODEL NAME:		MODEL NO:	
Prepared:		Checked:	
dd:		dd:	




Rev.	2016-01-04	Rev. details	App.
TITLE: Blazar_LED			
P/N:	DWG NO.:		
MODEL NAME:	MODEL NO:		
Prepared:	Checked:		
dd:	dd:		


温度/电位器调电压/阳光传感器共用ADC, MCU:PTD1




I2C:接加速传感器, 温湿度传感器, 心率传感器




UART0:接 GPS 模块定位




PTC8: 接蜂鸣器



I2S: 接音频解码模块



注: UART1 可接外部GSM /WIFI IOT 模块



Rev.	2016-01-04	Rev. details	App.
TITLE: Blazar_external			
P/N:		DWG NO.:	
MODEL NAME:		MODEL NO:	
Prepared: dd:		Checked: dd:	