



澳門理工學院
Instituto Politécnico de Macau
Macao Polytechnic Institute

Online Learning Materials

COMP223: Software Engineering Requirement Engineering

Dr. Kim, Song-Kyoo (Amang)
Associate Professor,

Computer Science Program
MACAO POLYTECHNIC INSTITUTE
Macau, SAR



Session (Chapter 4) Objectives



- Functional and non-functional requirements.
- Requirements engineering processes.
- Requirements elicitation.
- Requirements specification.
- Requirements validation.
- Requirements change.



澳門理工學院
Instituto Politécnico de Macau
Macao Polytechnic Institute

Requirement Engineering (Part 2)



Requirements specification (1/13)



● Requirements specification

- The process of writing down the user and system requirements in a requirements document.
- User requirements have to be understandable by end-users and customers who do not have a technical background.
- System requirements are more detailed requirements and may include more technical information.
- The requirements may be part of a contract for the system development
- It is therefore important that these are as complete as possible.

Requirements specification (2/13)



● Ways of writing a system requirements specification

Notation	Description
Natural language	The requirements are written using numbered sentences in natural language. Each sentence should express one requirement.
Structured natural language	The requirements are written in natural language on a standard form or template. Each field provides information about an aspect of the requirement.
Design description languages	This approach uses a language like a programming language, but with more abstract features to specify the requirements by defining an operational model of the system. This approach is now rarely used although it can be useful for interface specifications.
Graphical notations	Graphical models, supplemented by text annotations, are used to define the functional requirements for the system; UML use case and sequence diagrams are commonly used.
Mathematical specifications	These notations are based on mathematical concepts such as finite-state machines or sets. Although these unambiguous specifications can reduce the ambiguity in a requirements document, most customers do not understand a formal specification. They cannot check that it represents what they want and are reluctant to accept it as a system contract

Requirements specification (3/13)



- Requirements and design

- In principle, requirements should state what the system should do and the design should describe how it does this.

- In practice, requirements and design are inseparable

- A system architecture may be designed to structure the requirements;
- The system may inter-operate with other systems that generate design requirements;
- The use of a specific architecture to satisfy non-functional requirements may be a domain requirement.
- This may be the consequence of a regulatory requirement.

Requirements specification (4/13)



- Natural language specification
 - Requirements are written as natural language sentences supplemented by diagrams and tables.
 - Used for writing requirements because it is expressive, intuitive and universal.
 - This means that the requirements can be understood by users and customers.

Requirements specification (5/13)



- Guidelines for writing requirements
 - Invent a standard format and use it for all requirements.
 - Use language in a consistent way. Use shall for mandatory requirements, should for desirable requirements.
 - Use text highlighting to identify key parts of the requirement.
 - Avoid the use of computer jargon.
 - Include an explanation (rationale) of why a requirement is necessary.

Requirements specification (6/13)



- Problems with natural language
 - **Lack of clarity**: Precision is difficult without making the document difficult to read.
 - **Requirements confusion**: Functional and non-functional requirements tend to be mixed-up.
 - **Requirements amalgamation**: Several different requirements may be expressed together.

Requirements specification (7/13)



● Example requirements for the insulin pump software system

3.2 The system shall measure the blood sugar and deliver insulin, if required, every 10 minutes. *(Changes in blood sugar are relatively slow so more frequent measurement is unnecessary; less frequent measurement could lead to unnecessarily high sugar levels.)*

3.6 The system shall run a self-test routine every minute with the conditions to be tested and the associated actions defined in Table 1. *(A self-test routine can discover hardware and software problems and alert the user to the fact the normal operation may be impossible.)*

Requirements specification (8/13)



- Structured specifications
 - An approach to writing requirements where the freedom of the requirements writer is limited and requirements are written in a standard way.
 - This works well for some types of requirements (e.g. requirements for embedded control system but is sometimes too rigid for writing business system requirements.)

Requirements specification (9/13)



- Form-based specifications
 - Definition of the function or entity.
 - Description of inputs and where they come from.
 - Description of outputs and where they go to.
 - Information about the information needed for the computation and other entities used.
 - Description of the action to be taken.
 - Pre and post conditions (if appropriate).
 - The side effects (if any) of the function.



Requirements specification (10/13)

- A structured specification of a requirement for an insulin pump

Insulin Pump/Control Software/SRS/3.3.2

Function Compute insulin dose: safe sugar level.

Description

Computes the dose of insulin to be delivered when the current measured sugar level is in the safe zone between 3 and 7 units.

Inputs Current sugar reading (r2); the previous two readings (r0 and r1).

Source Current sugar reading from sensor. Other readings from memory.

Outputs CompDose—the dose in insulin to be delivered.

Destination Main control loop.

Requirements specification (11/13)



- A structured specification of a requirement for an insulin pump (cont.)

Action

CompDose is zero if the sugar level is stable or falling or if the level is increasing but the rate of increase is decreasing. If the level is increasing and the rate of increase is increasing, then CompDose is computed by dividing the difference between the current sugar level and the previous level by 4 and rounding the result. If the result, is rounded to zero then CompDose is set to the minimum dose that can be delivered.

Requirements

Two previous readings so that the rate of change of sugar level can be computed.

Pre-condition

The insulin reservoir contains at least the maximum allowed single dose of insulin.

Post-condition r_0 is replaced by r_1 then r_1 is replaced by r_2 .

Side effects None.

Requirements specification (12/13)



- Tabular specification

- Used to supplement natural language.
- Particularly useful when you have to define a number of possible alternative courses of action.
- For example, the insulin pump systems bases its computations on the rate of change of blood sugar level and the tabular specification explains how to calculate the insulin requirement for different scenarios.

Requirements specification (13/13)



- Tabular specification of computation for an insulin pump (cont.)

Condition	Action
Sugar level falling ($r2 < r1$)	CompDose = 0
Sugar level stable ($r2 = r1$)	CompDose = 0
Sugar level increasing and rate of increase decreasing ($(r2 - r1) < (r1 - r0)$)	CompDose = 0
Sugar level increasing and rate of increase stable or increasing ($(r2 - r1) \geq (r1 - r0)$)	CompDose = round $((r2 - r1)/4)$ If rounded result = 0 then CompDose = MinimumDose

Use Case Analysis (1/2)




- Use-cases are a kind of scenario that are included in the UML.
- Use cases identify the actors in an interaction and which describe the interaction itself.
- A set of use cases should describe all possible interactions with the system.
- High-level graphical model supplemented by more detailed tabular description.
- UML sequence diagrams may be used to add detail to use-cases by showing the sequence of event processing in the system.

Use Case Analysis (2/2)



● Use cases for the Mentcare system






Requirements Documents (1/5)

- The software requirements document
 - The software requirements document is the official statement of what is required of the system developers.
 - Should include both a definition of user requirements and a specification of the system requirements.
 - It is NOT a design document. As far as possible, it should set of WHAT the system should do rather than HOW it should do it.

Requirements Documents (2/5)



● Users of a requirements document



Requirements Documents (3/5)



● Requirements document variability

- Information in requirements document depends on type of system and the approach to development used.
- Systems developed incrementally will, typically, have less detail in the requirements document.
- Requirements documents standards have been designed (e.g. IEEE standard).
- These are mostly applicable to the requirements for large systems engineering projects.

Requirements Documents (4/5)



● The structure of a requirements document

Chapter	Description
Preface	This should define the expected readership of the document and describe its version history, including a rationale for the creation of a new version and a summary of the changes made in each version.
Introduction	This should describe the need for the system. It should briefly describe the system's functions and explain how it will work with other systems. It should also describe how the system fits into the overall business or strategic objectives of the organization commissioning the software.
Glossary	This should define the technical terms used in the document. You should not make assumptions about the experience or expertise of the reader.
User requirements definition	Here, you describe the services provided for the user. The nonfunctional system requirements should also be described in this section. This description may use natural language, diagrams, or other notations that are understandable to customers. Product and process standards that must be followed should be specified.
System architecture	This chapter should present a high-level overview of the anticipated system architecture, showing the distribution of functions across system modules. Architectural components that are reused should be highlighted.

Requirements Documents (5/5)



● The structure of a requirements document (cont.)

Chapter	Description
System requirements specification	This should describe the functional and nonfunctional requirements in more detail. If necessary, further detail may also be added to the nonfunctional requirements. Interfaces to other systems may be defined.
System models	This might include graphical system models showing the relationships between the system components and the system and its environment. Examples of possible models are object models, data-flow models, or semantic data models.
System evolution	This should describe the fundamental assumptions on which the system is based, and any anticipated changes due to hardware evolution, changing user needs, and so on. This section is useful for system designers as it may help them avoid design decisions that would constrain likely future changes to the system.
Appendices	These should provide detailed, specific information that is related to the application being developed; for example, hardware and database descriptions. Hardware requirements define the minimal and optimal configurations for the system. Database requirements define the logical organization of the data used by the system and the relationships between data.
Index	Several indexes to the document may be included. As well as a normal alphabetic index, there may be an index of diagrams, an index of functions, and so on.

Requirements validation (1/5)



- Requirements validation
 - Concerned with demonstrating that the requirements define the system that the customer really wants.
 - Requirements error costs are high so validation is very important
 - Fixing a requirements error after delivery may cost up to 100 times the cost of fixing an implementation error.

Requirements validation (2/5)



● Requirements checking:

- **Validity**: Does the system provide the functions which best support the customer's needs?
- **Consistency**: Are there any requirements conflicts?
- **Completeness**: Are all functions required by the customer included?
- **Realism**: Can the requirements be implemented given available budget and technology
- **Verifiability**: Can the requirements be checked?

Requirements validation (3/5)



● Requirements validation techniques:

- **Requirements reviews:** Systematic manual analysis of the requirements.
- **Prototyping:** Using an executable model of the system to check requirements.
- **Test-case generation:** Developing tests for requirements to check testability.

Requirements validation (4/5)



- Requirements reviews

- Regular reviews should be held while the requirements definition is being formulated.
- Both client and contractor staff should be involved in reviews.
- Reviews may be formal (with completed documents) or informal.
- Good communications between developers, customers and users can resolve problems at an early stage.

Requirements validation (5/5)



- Review checks

- **Verifiability:** Is the requirement realistically testable?

- **Comprehensibility:** Is the requirement properly understood?

- **Traceability:** Is the origin of the requirement clearly stated?

- **Adaptability:** Can the requirement be changed without a large impact on other requirements?



Changing requirements (1/3)

- The business and technical environment of the system always changes after installation.
 - New hardware may be introduced, it may be necessary to interface the system with other systems, business priorities may change, and new legislation and regulations may be introduced that the system must necessarily abide by.
- The people who pay for a system and the users of that system are rarely the same people.
 - System customers impose requirements because of organizational and budgetary constraints. These may conflict with end-user requirements and, after delivery, new features may have to be added for user support if the system is to meet its goals.

Changing requirements (2/3)




- Large systems usually have a diverse user community, with many users having different requirements and priorities that may be conflicting or contradictory.
- The final system requirements are inevitably a compromise between them and, with experience, it is often discovered that the balance of support given to different users has to be changed.

Changing requirements (3/3)



- Requirements evolution



Requirements management (1/2)



- Requirements management is the process of managing changing requirements during the requirements engineering process and system development.
- New requirements emerge as a system is being developed and after it has gone into use.
- You need to keep track of individual requirements and maintain links between dependent requirements so that you can assess the impact of requirements changes.
- You need to establish a formal process for making change proposals and linking these to system requirements.

Requirements management (2/2)



● Requirements management planning

- Establishes the level of requirements management detail that is required.

■ Requirements management decisions:

- Requirements identification Each requirement must be uniquely identified so that it can be cross-referenced with other requirements.
- A change management process This is the set of activities that assess the impact and cost of changes. I discuss this process in more detail in the following section.
- Traceability policies These policies define the relationships between each requirement and between the requirements and the system design that should be recorded.
- Tool support Tools that may be used range from specialist requirements management systems to spreadsheets and simple database systems.

Requirements change management (1/2)



- Deciding if a requirements change should be accepted:

- Problem analysis and change specification

- During this stage, the problem or the change proposal is analyzed to check that it is valid. This analysis is fed back to the change requestor who may respond with a more specific requirements change proposal, or decide to withdraw the request.

- Change analysis and costing


- The effect of the proposed change is assessed using traceability information and general knowledge of the system requirements. Once this analysis is completed, a decision is made whether or not to proceed with the requirements change.

Requirements change management (2/2)



■ Change implementation

- The requirements document and, where necessary, the system design and implementation, are modified. Ideally, the document should be organized so that changes can be easily implemented.



Session Summary (3/4)



- Requirements specification is the process of formally documenting the user and system requirements and creating a software requirements document.
- The software requirements document is an agreed statement of the system requirements. It should be organized so that both system customers and software developers can use it.

Session Summary (4/4)



- Requirements validation is the process of checking the requirements for validity, consistency, completeness, realism and verifiability.
- Business, organizational and technical changes inevitably lead to changes to the requirements for a software system. Requirements management is the process of managing and controlling these changes.

