EXAMINE VARIABLES=NormalizedScores

/PLOT BOXPLOT STEMLEAF NPPLOT

/COMPARE GROUPS

/STATISTICS DESCRIPTIVES

/CINTERVAL 95

/MISSING LISTWISE

/NOTOTAL.

Explore

Notes

| Output Created | Dutput Created | | |
|------------------------|-----------------------------------|--|--|
| Comments | Comments | | |
| Input | Active Dataset | DataSet1 | |
| | Filter | <none></none> | |
| | Weight | <none></none> | |
| | Split File | <none></none> | |
| | N of Rows in Working Data File | 406 | |
| Missing Value Handling | Definition of Missing | User-defined missing values for dependent variables are treated as missing. | |
| | Cases Used | Statistics are based on cases with no missing values for any dependent variable or factor used. | |
| Syntax | | EXAMINE VARIABLES=NormalizedS cores /PLOT BOXPLOT STEMLEAF NPPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL. | |
| Resources | Processor Time | 00:00:00.95 | |
| | Elapsed Time | 00:00:00.45 | |

[DataSet1]

Case Processing Summary

| | Cases | | | | | |
|-------------------|-------|---------|---------|---------|-------|---------|
| | Valid | | Missing | | Total | |
| | N | Percent | N | Percent | N | Percent |
| Normalized Scores | 406 | 100.0% | 0 | 0.0% | 406 | 100.0% |

Descriptives

| | | | Statistic | Std. Error |
|-------------------|-----------------------------|-------------|-------------|------------|
| Normalized Scores | Mean | .0001978083 | .0496285868 | |
| | 95% Confidence Interval for | Lower Bound | 097363988 | |
| | Mean | Upper Bound | .0977596043 | |
| | 5% Trimmed Mean | .0101387482 | | |
| | Median | | .0133850272 | |
| | Variance | | 1.000 | |
| | Std. Deviation | | .9999883147 | |
| | Minimum | | -2.98670728 | |
| | Maximum | | 2.274993077 | |
| | Range | 5.261700360 | | |
| | Interquartile Range | | 1.350041540 | |
| | Skewness | | 148 | .121 |
| | Kurtosis | | 236 | .242 |

Tests of Normality

| | Kolmogorov-Smirnov ^a | | | | Shapiro-Wilk | (|
|-------------------|---------------------------------|-----|------|-----------|--------------|------|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| Normalized Scores | .044 | 406 | .053 | .995 | 406 | .164 |

a. Lilliefors Significance Correction

Normalized Scores

Normalized Scores Stem-and-Leaf Plot

| Frequency | Stem & | Leaf |
|-----------|----------|------------------------------------|
| 2.00 | Extremes | (=<-2.8) |
| 10.00 | -2 . | 0000112234 |
| 20.00 | -1 . | 55556666666677888999 |
| 36.00 | -1 | 0000000000001111112222223333333444 |

| -0 . | 55555555555666667777777778888888888899999999 | | | | | |
|---|--|--|--|--|--|--|
| -0 . | 0000000000000000001111111111111111111 | | | | | |
| 333333334444444444444444444444444444444 | | | | | | |
| 0. | 0000000000000001111111111111111111111 | | | | | |
| 333333334444444444444 | | | | | | |
| 0. | 555555555566666666777777777777778888889999999999 | | | | | |
| 1 . | 0000000000000001111111111112223333333333 | | | | | |
| 1 . | 5566666777788889999 | | | | | |
| 2. | 0001122 | | | | | |
| | 0 . | | | | | |

Stem width: 1.000000

Each leaf: 1 case(s)





