Some simple LR parse tables


Geoffrey Matthews

March 2, 2018

Left recursion: $S \to Sa \mid a$

Stack	Input
0	aaaa\$
0 a 1	aaa $\$$
0 S 2	aaa $\$$
0 S 2 a 3	a a \$
0 S 2	a a \$
0 S 2 a 3	a \$
0 S 2	a \$
0 S 2 a 3	\$
0 S 2	\$


	a	\$	S
0	1		2
1	$S \to a$		
2	3	accept	
3	$S \to Sa$	$S \to Sa$	



Right recursion: $S \rightarrow aS \mid a$

Stack	Input
0	aaaa $\$$
0 a 1	aaa $\$$
0 a 1 a 1	a a $\$$
0 a 1 a 1 a 1	a \$
$0 \ a \ 1 \ a \ 1 \ a \ 1 \ a \ 1$	\$
$0 \ a \ 1 \ a \ 1 \ a \ 1 \ S \ 2$	\$
0 a 1 a 1 S 2	\$
0 a 1 S 2	\$
0 S 3	\$


	a	\$	S
0	1		3
1	1	$S \to a$	2
2		$S \to aS$	
3		accept	



Middle recursion: $S \rightarrow aSa \mid bSb \mid c$

Stack	Input
0	abcba\$
0 a 1	bcba\$
0 a 1 b 2	cba\$
$0 \ a \ 1 \ b \ 2 \ c \ 3$	b a \$
$0 \ a \ 1 \ b \ 2 \ S \ 5$	b a \$
0 a 1 b 2 S 5 b 7	a \$
0 a 1 S 4	a \$
0 a 1 S 4 a 6	\$
0 S 8	\$

	a	b	С	\$	S
0	1	2	9		8
1	1	2	3		4
2	1	2	3		5
3	$S \to c$	$S \to c$			
4	6				
5		7			
6	$S \to aSa$	$S \to aSa$		$S \to aSa$	
7	$S \to bSb$	$S \to bSb$		$S \to bSb$	
8				accept	
9				$S \to c$	




Example: a^*b^*b

$$\begin{array}{ccc} S & \rightarrow & AB \\ A & \rightarrow & aA \mid \epsilon \\ B & \rightarrow & bB \mid b \end{array}$$

Stack	Input
0	a a b b b \$
0 a 1	a b b b \$
0 a 1 a 1	b b b \$
0 a 1 A 2	b b b \$
0 A 3	b b b \$
0 A 3 b 4	b b \$
0 A 3 b 4 b 4	b \$
0 A 3 b 4 b 4 b 4	\$
0 A 3 b 4 b 4 B 5	\$
0 A 3 b 4 B 5	\$
0 A 3 B 6	\$
0 S 7	\$

0 A 3 b 4 B 5

	a	b	\$	S	A	В
0	1	$A \to \epsilon$		7	3	
1	1	$A \to \epsilon$			2	
2		$A \rightarrow aA$				
3		4				6
4		4	$B \rightarrow b$			5
5			$B \to bB$			
6			$S \to AB$			
7			accept			



\$


Example: $a^m b^m c^{m+n}$, Part I

$$\begin{array}{ccc} S & \rightarrow & aSc \mid B \\ B & \rightarrow & bBc \mid \epsilon \end{array}$$

 $\begin{array}{ccc} \$ & B \to \epsilon \\ \$ & S \to B \end{array}$ 0 B 1

0

)	S	2	\$



	a	b	c	\$	S	В
0				$B \to \epsilon$	2	1
1				$S \to B$		
2				accept		


Example: $a^m b^m c^{m+n}$, Part II

$$\begin{array}{ccc} S & \rightarrow & aSc \mid B \\ B & \rightarrow & bBc \mid \epsilon \end{array}$$

$$S \overset{S \to B}{\Longrightarrow} B \overset{B \to bBc}{\Longrightarrow} bBc \overset{B \to \epsilon}{\Longrightarrow} bc$$

Stack	Input	Rule
0	bc\$	shift
0 b 3	c\$	$B \to \epsilon$
0 b 3 B 4	c\$	\mathbf{shift}
$0 \ b \ 3 \ B \ 4 \ c \ 5$	\$	$B \to bBc$
0 B 1	\$	$S \to B$
0 S 2	\$	$S \to B$

	a	b	c	\$	S	В
0		3		$B \to \epsilon$	2	1
1				$S \to B$		
2				accept		
3			$B \to \epsilon$			$\boxed{4}$
4			5			
5				$B \to bBc$		



Example: $a^m b^m c^{m+n}$, Part III


0 S 2

$$\begin{array}{ccc} S & \rightarrow & aSc \mid B \\ B & \rightarrow & bBc \mid \epsilon \end{array}$$

 $S \stackrel{S \to B}{\Longrightarrow} B \stackrel{B \to bBc}{\Longrightarrow} bBc \stackrel{B \to bBc}{\Longrightarrow} bbBcc \stackrel{B \to \epsilon}{\Longrightarrow} bbcc$

Stack	Input	Rule
0	bbcc\$	shift
0 b 3	bcc\$	shift
$0 \ b \ 3 \ b \ 3$	cc\$	$B \to \epsilon$
$0 \ b \ 3 \ b \ 3 \ B \ 4$	cc\$	shift
$0\ b\ 3\ b\ 3\ B\ 4\ c\ 5$	c\$	$B \to bBc$
0 b 3 B 4	c\$	shift
$0 \ b \ 3 \ B \ 4 \ c \ 5$	\$	$B \to bBc$
0 B 1	\$	$S \to B$

	a	b	c	\$	S	В
0		3		$B \to \epsilon$	2	1
1				$S \to B$		
2				accept		
3		3	$B \to \epsilon$			4
4			5			
5			$B \rightarrow bBc$	$B \rightarrow bBc$		



\$ accept


Example: $a^m b^m c^{m+n}$, Part IV

$$\begin{array}{ccc} S & \rightarrow & aSc \mid B \\ B & \rightarrow & bBc \mid \epsilon \end{array}$$

 $S \overset{S \to aSc}{\Longrightarrow} aSc \overset{S \to aSc}{\Longrightarrow} aaScc \overset{S \to B}{\Longrightarrow} aaBcc \overset{B \to \epsilon}{\Longrightarrow} aacc$

Stack	Input	Rule
0	aacc\$	shift
0 a 6	acc\$	shift
0 a 6 a 6	cc\$	$B \to \epsilon$
$0\ a\ 6\ a\ 6\ B\ 7$	cc\$	$S \to B$
$0\ a\ 6\ a\ 6\ S\ 8$	cc\$	shift
$0\ a\ 6\ a\ 6\ S\ 8\ c\ 9$	c\$	$S \to aSc$
0 a 6 S 8	c\$	shift
$0\ a\ 6\ S\ 8\ c\ 9$	\$	$S \to aSc$
0 S 2	\$	accept

	a	b	c	\$	S	В
0		3		$B \to \epsilon$	2	1
1				$S \to B$		
2				accept		
3		3	$B \to \epsilon$			4
4			5			
5			$B \to bBc$	$B \rightarrow bBc$		
6	6		$B \to \epsilon$			7
7			$S \to B$			
8			9			
9			$S \rightarrow aSc$	$S \to aSc$		




Example: $a^m b^m c^{m+n}$, Part V

$$\begin{array}{ccc} S & \rightarrow & aSc \mid B \\ B & \rightarrow & bBc \mid \epsilon \end{array}$$

 $S \overset{S \to aSc}{\Longrightarrow} aSc \overset{S \to aSc}{\Longrightarrow} aaScc \overset{S \to B}{\Longrightarrow} aaBcc \overset{B \to bBc}{\Longrightarrow} aabBccc \overset{B \to bBc}{\Longrightarrow} aabbBcccc \overset{B \to \epsilon}{\Longrightarrow} aabbbccc$

Stack	Input	Rule
0	aabbcccc\$	shift
0 a 6	abbcccc\$	shift
0 a 6 a 6	bbcccc\$	shift
0 a 6 a 6 b 10	bcccc\$	shift
$0\ a\ 6\ a\ 6\ b\ 10\ b\ 10$	cccs	$B \to \epsilon$
$0\ a\ 6\ a\ 6\ b\ 10\ b\ 10\ B\ 11$	cccs	shift
$0\ a\ 6\ a\ 6\ b\ 10\ b\ 10\ B\ 11\ c\ 12$	ccc\$	$B \to bBc$
$0\ a\ 6\ a\ 6\ b\ 10\ B\ 11$	ccc\$	shift
0 a 6 a 6 b 10 B 11 c 12	cc\$	$B \to bBc$
$0\ a\ 6\ a\ 6\ B\ 7$	cc\$	$S \to B$
$0\ a\ 6\ a\ 6\ S\ 8$	cc\$	shift
$0\ a\ 6\ a\ 6\ S\ 8\ c\ 9$	c\$	$S \to aSc$
0 a 6 S 8	c\$	shift
$0\ a\ 6\ S\ 8\ c\ 9$	\$	$S \to aSc$
0 S 2	\$	accept

	a	b	c	\$	S	В
0		3		$B \to \epsilon$	2	1
1				$S \to B$		
2				accept		
3		3	$B \to \epsilon$			4
4			5			
5			B o bBc	B o bBc		
6	6	10	$B \to \epsilon$			7
7			$S \to B$			
8			9			
9			$S \to aSc$	$S \to aSc$		
10		10				11
11			12			
12			$B \rightarrow bBc$			



Same number of as and bs, Part I

$$\begin{array}{ccc} S & \rightarrow & \epsilon \mid aB \mid bA \\ A & \rightarrow & aS \mid bAA \\ B & \rightarrow & bS \mid aBB \end{array}$$

$$S \Rightarrow \epsilon$$

 Stack
 Input


 0
 \$

 0 S 5
 \$

 $S \Rightarrow aB \Rightarrow abS \Rightarrow ab$

Stack	Input
0	a b \$
0 a 1 b 2	\$
$0 \ a \ 1 \ b \ 2 \ S \ 3$	\$
0 a 1 B 4	\$
0 S 5	\$

	a	b	\$	S	A	В
0	1		$S \to \epsilon$	5		
1		2				4
2			$S \to \epsilon$	3		
3			$B \to bS$			
4			$S \to aB$			
5			accept			




Same number of as and bs, Part II

$$\begin{array}{ccc} S & \rightarrow & \epsilon \mid aB \mid bA \\ A & \rightarrow & aS \mid bAA \\ B & \rightarrow & bS \mid aBB \end{array}$$

$$S \Rightarrow bA \Rightarrow baS \Rightarrow ba$$

Stack	Input
0	b a \$
0 b 6	a \$
$0\ \mathrm{b}\ 6\ \mathrm{a}\ 7$	\$
$0\ b\ 6\ a\ 7\ S\ 8$	\$
0 b 6 A 9	\$
0 S 5	\$

	a	b	\$	S	A	В
0	1	6		5		
1		2				4
2			$S \to \epsilon$	3		
3			$B \to bS$			
4			$S \to aB$			
5			accept			
6	7				9	
7			$S \to \epsilon$	8		
8			$A \to aS$			
9			$S \to bA$			




Same number of as and bs, Part III

$$\begin{array}{ccc} S & \rightarrow & \epsilon \mid aB \mid bA \\ A & \rightarrow & aS \mid bAA \\ B & \rightarrow & bS \mid aBB \end{array}$$

 $S \Rightarrow aB \Rightarrow aaBB \Rightarrow aaBbS \Rightarrow aaBb \Rightarrow aabSb \Rightarrow aabb$

Stack	Input
0	a a b b \$
0 a 1	a b b \$
0 a 1 a 1	b b \$
$0 \ a \ 1 \ a \ 1 \ b \ 2$	b \$
$0 \ a \ 1 \ a \ 1 \ b \ 2 \ S \ 3$	b \$
$0 \ a \ 1 \ a \ 1 \ B \ 4$	b \$
$0 \ a \ 1 \ a \ 1 \ B \ 4 \ b \ 10$	\$
0 a 1 a 1 B 4 b 10 S 11	\$

	a	b	\$	S	A	В
0	1	6		5		
1	1	2				4
2		$S \to \epsilon$	$S \to \epsilon$	3		
3		$B \to bS$	$B \to bS$			
4		10	$S \to aB$			
5			accept			
6	7				9	
7			$S \to \epsilon$	8		
8			$A \to aS$			
9			$S \to bA$			
10			$S \to \epsilon$	11		
11			$B \to bS$			




Same number of as and bs, Part IV

$$\begin{array}{ccc} S & \rightarrow & \epsilon \mid aB \mid bA \\ A & \rightarrow & aS \mid bAA \\ B & \rightarrow & bS \mid aBB \end{array}$$

 $S \Rightarrow aB \Rightarrow aaBB \Rightarrow aaBbS \Rightarrow aaBb \Rightarrow aabSb \Rightarrow aabb$

Stack	Input
0	a a b b \$
0 a 1	a b b \$
0 a 1 a 1	b b \$
$0 \ a \ 1 \ a \ 1 \ b \ 2$	b \$
$0 \ a \ 1 \ a \ 1 \ b \ 2 \ S \ 3$	b \$
0 a 1 a 1 B 4	b \$
$0\ a\ 1\ a\ 1\ B\ 4\ b\ 2$	\$
$0 \ a \ 1 \ a \ 1 \ B \ 4 \ b \ 2 \ S \ 3$	\$

	a	b	\$	S	A	В
0	1	6		5		
1	1	2				4
2		$S \to \epsilon$	$S \to \epsilon$	3		
3		$B \to bS$	$B \to bS$			
4		2	$S \to aB$			
5			accept			
6	7				9	
7			$S \to \epsilon$	8		
8			$A \to aS$			
9			$S \to bA$			




Same number of as and bs, Part V

$$\begin{array}{ccc} S & \rightarrow & \epsilon \mid aB \mid bA \\ A & \rightarrow & aS \mid bAA \\ B & \rightarrow & bS \mid aBB \end{array}$$

 $S \Rightarrow aB \Rightarrow aaBB \Rightarrow aaBbS \Rightarrow aaBb \Rightarrow aabSb \Rightarrow aabb$

Stack	Input
0	a a b b \$
0 a 1	a b b \$
0 a 1 a 1	b b \$
$0 \ a \ 1 \ a \ 1 \ b \ 2$	b \$
$0 \ a \ 1 \ a \ 1 \ b \ 2 \ S \ 3$	b \$
$0 \ a \ 1 \ a \ 1 \ B \ 4$	b \$
$0\ a\ 1\ a\ 1\ B\ 4\ b\ 2$	\$
$0 \ a \ 1 \ a \ 1 \ B \ 4 \ b \ 2 \ S \ 3$	\$
$0 \ a \ 1 \ a \ 1 \ B \ 4 \ B \ 10$	\$

	a	b	\$	S	A	В
0	1	6		5		
1	1	2				4
2		$S \to \epsilon$	$S \to \epsilon$	3		
3		$B \to bS$	$B \to bS$			
4		2	$S \to aB$			10
5			accept			
6	7				9	
7			$S \to \epsilon$	8		
8			$A \to aS$			
9			$S \to bA$			
10			$B \to aBB$			




Same number of as and bs, Part VI

$$\begin{array}{ccc} S & \rightarrow & \epsilon \mid aB \mid bA \\ A & \rightarrow & aS \mid bAA \\ B & \rightarrow & bS \mid aBB \end{array}$$

 $S \Rightarrow aB \Rightarrow aaBB \Rightarrow aaBbS \Rightarrow aaBb \Rightarrow aabSb \Rightarrow aabb$

Stack	Input
0	a a b b \$
0 a 1	a b b \$
0 a 1 a 1	b b \$
$0 \ a \ 1 \ a \ 1 \ b \ 2$	b \$
$0 \ a \ 1 \ a \ 1 \ b \ 2 \ S \ 3$	b \$
$0 \ a \ 1 \ a \ 1 \ B \ 4$	b \$
$0 \ a \ 1 \ a \ 1 \ B \ 4 \ b \ 2$	\$
$0\ a\ 1\ a\ 1\ B\ 4\ b\ 2\ S\ 3$	\$
$0 \ a \ 1 \ a \ 1 \ B \ 4 \ B \ 10$	\$
0 a 1 B 4	\$
0 S 5	\$

	a	b	\$	S	A	В
0	1	6		5		
1	1	2				4
2		$S \to \epsilon$	$S \to \epsilon$	3		
3		$B \to bS$	$B \to bS$			
4		2	$S \to aB$			10
5			accept			
6	7				9	
7			$S \to \epsilon$	8		
8			$A \to aS$			
9			$S \to bA$			
10			$B \to aBB$			



Same number of as and bs, Part VII

$$\begin{array}{ccc} S & \rightarrow & \epsilon \mid aB \mid bA \\ A & \rightarrow & aS \mid bAA \\ B & \rightarrow & bS \mid aBB \end{array}$$

 $S \Rightarrow bA \Rightarrow bbAA \Rightarrow bbAaS \Rightarrow bbAa \Rightarrow bbaSa \Rightarrow bbaa$

		$\overline{}$						$\overline{}$
Ct. 1	т ,		a	b	\$	S	Α	B
Stack	Input	0	1	6		5		
0	bbaa\$	1	1	2				4
0 b 6	baa\$	2		$S \to \epsilon$	$S \to \epsilon$	3		
0 b 6 b 6	a a \$	3		$B \rightarrow bS$	$B \to bS$			\vdash
0 b 6 b 6 a 7	a \$							10
0 b 6 b 6 a 7 S 8	a \$	4		2	$S \to aB$			10
0 b 6 b 6 A 9	a \$	5			accept			
0 b 6 b 6 A 9 a 7	\$	6	7				9	
	\$	7	$S \to \epsilon$		$S \to \epsilon$	8		
0 b 6 b 6 A 9 a 7 S 8		8	$A \rightarrow aS$		$A \rightarrow aS$			
0 b 6 b 6 A 9 A 11	\$	9	7		$S \to bA$			
0 b 6 A 9	\$	10	•		$B \rightarrow aBB$			\vdash
0 S 5	\$							
		11			$A \rightarrow bAA$			i I

By symmetry:

