LAPORAN PRAKTIKUM BASIS DATA LANJUT

JOBSHEET 12: METADATA

Disusun Oleh:

MUHAMMAD ULIL FAHMI MA'RIFATULLOH (2341760194)

KELAS SIB-2F/20

PROGRAM STUDI D-IV SISTEM INFORMASI BISNIS

JURUSAN TEKNOLOGI INFORMASI

POLITEKNIK NEGERI MALANG

Jl. Soekarno Hatta No. 9, Jattimulyo, Kec. Lowokwaru, Kota Malang, Jawa Timur 65141

Nama : Muhammad Ulil Fahmi Ma'rifatulloh
Kelas : SIB 2F
Absen : 20
NIM : 2341760194

Topik

1. Melakukan Query Terhadap Metadata Microsoft SQL Server

Tujuan

1. Mahasiswa memahami maksud dari Metadata
2. Mahasiswa mampu menampilkan informasi tentang database yang sedang aktif
3. Mahasiswa mampu menampilkan informasi tentang tabel-tabel yang berada pada suatu database
4. Mahasiswa mampu menampilkan informasi kolom yang terdapat pada suatu tabel
5. Mahasiswa mampu menampilkan informasi session yang sedang aktif
6. Mahasiswa mampu menampilkan informasi tentang CPU dan RAM yang ada pada server
7. Mahasiswa mampu menampilkan definisi dari objek-objek buatan seperti View, Stored Procedure, dlsb.

Petunjuk Umum

1. Ikuti langkah-langkah pada bagian-bagian praktikum sesuai dengan urutan yang diberikan.
2. Anda dapat menggunakan SQL Server 2012 Standard Edition maupun SQL Server 2016 Express Edition untuk mencoba praktikum pada jobsheet ini. Sesuaikan dengan kondisi komputer Anda.
3. Jawablah semua pertanyaan bertanda [Soal-X] yang terdapat pada langkah-langkah tertentu di setiap bagian praktikum.
4. Dalam setiap langkah pada praktikum terdapat penjelasan yang akan membantu Anda dalam menjawab pertanyaan-pertanyaan pada petunjuk nomor 3, maka baca dan kerjakanlah semua bagian praktikum dalam jobsheet ini.
5. Tulis jawaban dari soal-soal pada petunjuk nomor 3 pada sebuah laporan yang dikerjakan menggunakan aplikasi word processing (Word, OpenOffice, atau yang lain yang sejenis). Ekspor sebagai file **PDF** dengan format nama sebagai berikut:
   - **BDL_12_Kelas_NamaLengkapAnda**.pdf
   - Contoh:
     - **BDL_12_2E_Fulan**.pdf
   - Perhatikan baik-baik format penamaanya.
   - Kumpulkan file PDF tersebut sebagai laporan praktikum kepada dosen pengampu.
   - Selain pada nama file, tulislah identitas Anda pada halaman pertama laporan tersebut.

Praktikum – Bagian 1: View-view yang Berkaitan dengan System Catalog

Langkah	Keterangan
1	[Soal-1] Buatlah SQL yang menampilkan nama, id, dan tanggal pembuatan semua database yang ada di server SQL Server

Results | Messages

	name	database_id	create_date
1	master	1	2003-04-08 09:13:36.390
2	tempdb	2	2017-12-01 13:31:10.330
3	model	3	2003-04-08 09:13:36.390
4	msdb	4	2016-04-30 00:46:38.773
5	ReportServer$SQLEXPRESS	5	2017-05-17 08:32:30.007
6	ReportServer$SQLEXPRESSTempDB	6	2017-05-17 08:32:30.810
7	akademik	7	2017-06-04 00:12:56.963
8	akademik_mi1e	8	2017-06-05 11:09:00.717
9	akademik_ti1f	9	2017-06-06 09:47:32.610
10	akademik_ti1g	10	2017-06-06 11:52:52.633
11	TSQL2012	11	2017-11-09 20:08:18.197
12	MarketDev	12	2017-11-28 00:38:09.040
13	DbBaru	13	2017-11-28 01:11:58.457
14	NewDb	14	2017-11-28 10:13:30.700
15	Branch	15	2017-11-28 10:22:03.573
16	TestIE	17	2017-11-29 14:33:19.213

- Query

```
SELECT name, database_id, create_date
FROM sys.databases;
```

- Hasil Query

Results | Messages

	name	database_id	create_date
1	master	1	2003-04-08 09:13:36.390
2	tempdb	2	2024-11-14 20:52:13.410
3	model	3	2003-04-08 09:13:36.390
4	msdb	4	2022-10-08 06:31:57.550
5	TSQL	5	2024-10-15 21:22:10.923
6	tokosepeda	6	2024-11-14 21:15:29.040
7	TSQL2012	7	2024-11-14 21:30:23.567

Query executed successfully. | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 7 rows

2

[Soal-2] Buatlah SQL yang menampilkan data-data semua tabel yang dibuat oleh pengguna (users)!

Petunjuk: Perhatikan tabel berikut untuk memfilter tabel yang sesuai!

Results | Messages

	type	type_desc
1	SQ	SERVICE_QUEUE
2	U	USER_TABLE
3	V	VIEW
4	S	SYSTEM_TABLE
5	IT	INTERNAL_TABLE
6	P	SQL_STORED_PROCEDURE

Pastikan hasil akhirnya seperti berikut:

Results | Messages

	object_id	name	schema_id	type	type_desc	create_date	modify_date
1	117575457	spt_fallback_db	1	U	USER_TABLE	2003-04-08 09:18:01.557	2016-04-30 00:48:23.147
2	133575514	spt_fallback_dev	1	U	USER_TABLE	2003-04-08 09:18:02.870	2016-04-30 00:48:23.167
3	149575571	spt_fallback_usg	1	U	USER_TABLE	2003-04-08 09:18:04.180	2016-04-30 00:48:23.187
4	279672044	Employees	5	U	USER_TABLE	2017-11-29 14:41:27.130	2017-11-29 14:41:27.130
5	599673184	test	1	U	USER_TABLE	2017-12-01 14:23:34.293	2017-12-01 14:23:34.293
6	615673241	TabelNyobaSaja	5	U	USER_TABLE	2017-12-01 14:24:45.213	2017-12-01 14:24:45.213

- Query

```sql
SELECT
    object_id,
    name,
    schema_id,
    type,
    type_desc,
    create_date,
    modify_date
FROM
    sys.objects
WHERE
type = 'U';
```

- Hasil Query

Results | Messages

	object_id	name	schema_id	type	type_desc	create_date	modify_date
1	901578250	Employees	5	U	USER_TABLE	2024-11-14 21:30:24.450	2024-11-14 21:30:24.480
2	965578478	Suppliers	6	U	USER_TABLE	2024-11-14 21:30:24.453	2024-11-14 21:30:24.463
3	997578592	Categories	6	U	USER_TABLE	2024-11-14 21:30:24.460	2024-11-14 21:30:24.467
4	1029578706	Products	6	U	USER_TABLE	2024-11-14 21:30:24.460	2024-11-14 21:30:24.490
5	1141579105	Customers	7	U	USER_TABLE	2024-11-14 21:30:24.467	2024-11-14 21:30:24.483
6	1173579219	Shippers	7	U	USER_TABLE	2024-11-14 21:30:24.473	2024-11-14 21:30:24.480
7	1205579333	Orders	7	U	USER_TABLE	2024-11-14 21:30:24.477	2024-11-14 21:30:24.500
8	1301579675	OrderDetails	7	U	USER_TABLE	2024-11-14 21:30:24.487	2024-11-14 21:30:24.493
9	1461580245	Tests	8	U	USER_TABLE	2024-11-14 21:30:24.493	2024-11-14 21:30:24.497
10	1493580359	Scores	8	U	USER_TABLE	2024-11-14 21:30:24.493	2024-11-14 21:30:24.497
11	1557580587	Nums	1	U	USER_TABLE	2024-11-14 21:30:25.327	2024-11-14 21:30:25.327

Query executed successfu... | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 11 rows

3	[Soal-3] Dengan maksud dan tujuan yang sama seperti task sebelumnya, buatlah SQL dengan memanfaatkan tabel sys.tables!

Results | Messages

	object_id	name	schema_name	type	type_desc	create_date	modify_date
1	117575457	spt_fallback_db	dbo	U	USER_TABLE	2003-04-08 09:18:01.557	2016-04-30 00:48:23.147
2	133575514	spt_fallback_dev	dbo	U	USER_TABLE	2003-04-08 09:18:02.870	2016-04-30 00:48:23.167
3	149575571	spt_fallback_usg	dbo	U	USER_TABLE	2003-04-08 09:18:04.180	2016-04-30 00:48:23.187
4	279672044	Employees	HR	U	USER_TABLE	2017-11-29 14:41:27.130	2017-11-29 14:41:27.130
5	599673184	test	dbo	U	USER_TABLE	2017-12-01 14:23:34.293	2017-12-01 14:23:34.293
6	615673241	TabelNyobaSaja	HR	U	USER_TABLE	2017-12-01 14:24:45.213	2017-12-01 14:24:45.213
7	1483152329	spt_monitor	dbo	U	USER_TABLE	2016-04-30 00:46:37.557	2016-04-30 00:48:23.213
8	1787153412	MSreplication_options	dbo	U	USER_TABLE	2016-04-30 00:47:59.690	2017-05-17 08:33:05.127

- Query

```sql
SELECT
    object_id,
    name,
    SCHEMA_NAME(schema_id) AS schema_name,
    type,
    type_desc,
    create_date,
    modify_date
FROM
sys.tables;
```

- Hasil Query

Results | Messages

	object_id	name	schema_name	type	type_desc	create_date	modify_date
1	901578250	Employees	HR	U	USER_TABLE	2024-11-14 21:30:24.450	2024-11-14 21:30:24.480
2	965578478	Suppliers	Production	U	USER_TABLE	2024-11-14 21:30:24.453	2024-11-14 21:30:24.463
3	997578592	Categories	Production	U	USER_TABLE	2024-11-14 21:30:24.460	2024-11-14 21:30:24.467
4	1029578706	Products	Production	U	USER_TABLE	2024-11-14 21:30:24.460	2024-11-14 21:30:24.490
5	1141579105	Customers	Sales	U	USER_TABLE	2024-11-14 21:30:24.467	2024-11-14 21:30:24.483
6	1173579219	Shippers	Sales	U	USER_TABLE	2024-11-14 21:30:24.473	2024-11-14 21:30:24.480
7	1205579333	Orders	Sales	U	USER_TABLE	2024-11-14 21:30:24.477	2024-11-14 21:30:24.500
8	1301579675	OrderDetails	Sales	U	USER_TABLE	2024-11-14 21:30:24.487	2024-11-14 21:30:24.493
9	1461580245	Tests	Stats	U	USER_TABLE	2024-11-14 21:30:24.493	2024-11-14 21:30:24.497
10	1493580359	Scores	Stats	U	USER_TABLE	2024-11-14 21:30:24.493	2024-11-14 21:30:24.497
11	1557580587	Nums	dbo	U	USER_TABLE	2024-11-14 21:30:25.327	2024-11-14 21:30:25.327

Query executed successfu... | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 11 rows

4

[Soal-4] Tampilkan semua kolom yang dimiliki tabel Sales.Customers berikut tipe data yang digunakan pada masing-masing kolom.

Results | Messages

	column_name	column_id	data_type	max_length	precision	scale	collation_name
1	custid	1	int	4	10	0	NULL
2	companyname	2	nvarchar	80	0	0	SQL_Latin1_General_CP1_CI_AS
3	contactname	3	nvarchar	60	0	0	SQL_Latin1_General_CP1_CI_AS
4	contacttitle	4	nvarchar	60	0	0	SQL_Latin1_General_CP1_CI_AS
5	address	5	nvarchar	120	0	0	SQL_Latin1_General_CP1_CI_AS
6	city	6	nvarchar	30	0	0	SQL_Latin1_General_CP1_CI_AS
7	region	7	nvarchar	30	0	0	SQL_Latin1_General_CP1_CI_AS
8	postalcode	8	nvarchar	20	0	0	SQL_Latin1_General_CP1_CI_AS
9	country	9	nvarchar	30	0	0	SQL_Latin1_General_CP1_CI_AS
10	phone	10	nvarchar	48	0	0	SQL_Latin1_General_CP1_CI_AS
11	fax	11	nvarchar	48	0	0	SQL_Latin1_General_CP1_CI_AS

- Query

```sql
SELECT
    column_id,
    name AS column_name,
    type_name(user_type_id) AS data_type,
    max_length,
    precision,
    scale,
    collation_name
FROM
    sys.columns
WHERE
object_id = OBJECT_ID('Sales.Customers');
```

- Hasil Query

Results | Messages

	column_id	column_name	data_type	max_length	precision	scale	collation_name
1	1	custid	int	4	10	0	NULL
2	2	companyname	nvarchar	80	0	0	SQL_Latin1_General_CP1_CI_AS
3	3	contactname	nvarchar	60	0	0	SQL_Latin1_General_CP1_CI_AS
4	4	contacttitle	nvarchar	60	0	0	SQL_Latin1_General_CP1_CI_AS
5	5	address	nvarchar	120	0	0	SQL_Latin1_General_CP1_CI_AS
6	6	city	nvarchar	30	0	0	SQL_Latin1_General_CP1_CI_AS
7	7	region	nvarchar	30	0	0	SQL_Latin1_General_CP1_CI_AS
8	8	postalcode	nvarchar	20	0	0	SQL_Latin1_General_CP1_CI_AS
9	9	country	nvarchar	30	0	0	SQL_Latin1_General_CP1_CI_AS
10	10	phone	nvarchar	48	0	0	SQL_Latin1_General_CP1_CI_AS
11	11	fax	nvarchar	48	0	0	SQL_Latin1_General_CP1_CI_AS

Query executed successfu... | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 11 rows

Praktikum – Bagian 2: Melakukan Kueri Terhadap System Functions

Langkah	Keterangan

1

[Soal-5] Buatlah SELECT query untuk menampilkan database yang dipakai, dan pengguna saat ini!

Results | Messages

	database_id	database_name	user_id	user_name
1	11	TSQL2012	1	dbo

- Query

```
SELECT
 DB_ID() AS database_id,
 DB_NAME() AS database_name,
 USER_ID() AS user_id,
 USER_NAME() AS user_name;
```

- Hasil Query

Results | Messages

	database_id	database_name	user_id	user_name
1	7	TSQL2012	1	dbo

Query executed successfully. | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 1 rows

2

[Soal-6] Tulis SQL untuk menampilkan nama objek dan nama schema.

Results | Messages

	name	type_desc	object_id	schema_name
1	sysrscols	SYSTEM_TABLE	sysrscols	sys
2	sysrowsets	SYSTEM_TABLE	sysrowsets	sys
3	sysclones	SYSTEM_TABLE	sysclones	sys
4	sysallocunits	SYSTEM_TABLE	sysallocunits	sys
5	sysfiles1	SYSTEM_TABLE	sysfiles1	sys
6	sysseobjvalues	SYSTEM_TABLE	sysseobjvalues	sys
7	syspriorities	SYSTEM_TABLE	syspriorities	sys
8	sysdbfrag	SYSTEM_TABLE	sysdbfrag	sys
9	sysfgfrag	SYSTEM_TABLE	sysfgfrag	sys
10	sysdbfiles	SYSTEM_TABLE	sysdbfiles	sys
11	[illegible]	SYSTEM_TABLE	[illegible]	sys

- Query

```
SELECT
    o.name, type_desc,
    o.name AS object_id,
    s.name AS schema_name
FROM
    sys.objects o
```

```
JOIN
    sys.schemas s ON o.schema_id = s.schema_id;
```

- Hasil Query

Results | Messages

	name	type_desc	object_id	schema_name
1	sysrscols	SYSTEM_TABLE	sysrscols	sys
2	sysrowsets	SYSTEM_TABLE	sysrowsets	sys
3	sysclones	SYSTEM_TABLE	sysclones	sys
4	sysallocunits	SYSTEM_TABLE	sysallocunits	sys
5	sysfiles1	SYSTEM_TABLE	sysfiles1	sys
6	sysseobjvalues	SYSTEM_TABLE	sysseobjvalues	sys
7	syspriorities	SYSTEM_TABLE	syspriorities	sys
8	sysdbfrag	SYSTEM_TABLE	sysdbfrag	sys
9	sysfgfrag	SYSTEM_TABLE	sysfgfrag	sys
10	sysdbfiles	SYSTEM_TABLE	sysdbfiles	sys
11	syspru	SYSTEM_TABLE	syspru	sys
12	sysbrickfiles	SYSTEM_TABLE	sysbrickfiles	sys
13	sysphfg	SYSTEM_TABLE	sysphfg	sys
14	sysprufiles	SYSTEM_TABLE	sysprufiles	sys
15	sysftinds	SYSTEM_TABLE	sysftinds	sys
16	sysowners	SYSTEM_TABLE	sysowners	sys

Query executed successf... | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 159 rows

3

[Soal-7] Buatlah SQL untuk menampilkan data semua kolom dari tabel yang dibuat oleh user, yang di nama kolomnya ada kata "name"

Results | Messages

	column_name	table_name	schema_name
1	firstname	Employees	HR
2	lastname	Employees	HR
3	companyname	Suppliers	Production
4	contactname	Suppliers	Production
5	categoryname	Categories	Production
6	productname	Products	Production
7	companyname	Customers	Sales
8	contactname	Customers	Sales
9	companyname	Shippers	Sales
10	shipname	Orders	Sales

- Query

```
SELECT
    c.name AS column_name,
    t.name AS table_name,
    s.name AS schema_name
FROM
    sys.columns c
JOIN
    sys.tables t ON c.object_id = t.object_id
JOIN
    sys.schemas s ON t.schema_id = s.schema_id
WHERE
    c.name LIKE '%name%';
```

- Hasil Query

Results | Messages

	column_name	table_name	schema_name
1	firstname	Employees	HR
2	lastname	Employees	HR
3	companyname	Suppliers	Production
4	contactname	Suppliers	Production
5	categoryname	Categories	Production
6	productname	Products	Production
7	companyname	Customers	Sales
8	contactname	Customers	Sales
9	companyname	Shippers	Sales
10	shipname	Orders	Sales

Query executed successfu... | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 10 rows

4

[Soal-8] Tampilkan 'definisi' dari sebuah view yang bernama 'Sales.CustOrders'!

Messages

```
CREATE VIEW Sales.CustOrders
  WITH SCHEMABINDING
AS

SELECT
  O.custid,
  DATEADD(month, DATEDIFF(month, 0, O.orderdate), 0) AS ordermonth,
  SUM(OD.qty) AS qty
FROM Sales.Orders AS O
  JOIN Sales.OrderDetails AS OD
    ON OD.orderid = O.orderid
GROUP BY custid, DATEADD(month, DATEDIFF(month, 0, O.orderdate), 0);
```

150 %

- Query

```
PRINT OBJECT_DEFINITION(OBJECT_ID('Sales.CustOrders'));
```

- Hasil Query

Messages

```
CREATE VIEW Sales.CustOrders
  WITH SCHEMABINDING
AS

SELECT
  O.custid,
  DATEADD(month, DATEDIFF(month, 0, O.orderdate), 0) AS ordermonth,
  SUM(OD.qty) AS qty
FROM Sales.Orders AS O
  JOIN Sales.OrderDetails AS OD
    ON OD.orderid = O.orderid
GROUP BY custid, DATEADD(month, DATEDIFF(month, 0, O.orderdate), 0);

Completion time: 2024-11-14T22:37:19.7799611+07:00
```

110 %

Query executed successfully. | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 0 rows

Praktikum – Bagian 3: System Dynamic Management View

Langkah	Keterangan
1	[Soal-9] Tampilkan semua session yang sedang aktif saat ini!

Results | Messages

	session_id	login_time	host_name	language	login_name	date_format
27	27	2017-12-03 11:45:41.940	NULL	us_english	sa	mdy
28	28	2017-12-03 11:45:41.940	NULL	us_english	sa	mdy
29	34	2017-12-03 11:41:11.457	NULL	us_english	sa	mdy
30	39	2017-12-03 11:37:11.013	NULL	us_english	sa	mdy
31	51	2017-12-01 13:34:39.057	YUNHASNAWA-MBP	us_english	MicrosoftAccount\yunhasnawa@live.com	mdy
32	52	2017-12-03 11:44:14.303	YUNHASNAWA-MBP	us_english	NT SERVICE\SQLTELEMETRY$SQLEXPRESS	mdy
33	56	2017-12-03 08:08:06.937	YUNHASNAWA-MBP	us_english	MicrosoftAccount\yunhasnawa@live.com	mdy

- Query

```sql
SELECT
    session_id,
    login_time,
    host_name,
    language,
    login_name,
    date_format
FROM
sys.dm_exec_sessions;
```

- Hasil Query

Results | Messages

	session_id	login_time	host_name	language	login_name	date_format
44	44	2024-11-14 22:45:23.930	NULL	us_english	sa	mdy
45	46	2024-11-14 20:52:13.140	NULL	us_english	sa	mdy
46	47	2024-11-14 20:52:13.140	NULL	us_english	sa	mdy
47	48	2024-11-14 20:52:13.157	NULL	us_english	sa	mdy
48	49	2024-11-14 20:52:13.157	NULL	us_english	sa	mdy
49	50	2024-11-14 20:52:13.423	NULL	us_english	sa	mdy
50	51	2024-11-14 20:52:13.423	NULL	us_english	sa	mdy
51	52	2024-11-14 20:52:13.423	NULL	us_english	sa	mdy
52	53	2024-11-14 20:52:13.157	NULL	us_english	sa	mdy
53	54	2024-11-14 20:52:13.423	NULL	us_english	sa	mdy
54	55	2024-11-14 21:31:53.987	DESKTO...	us_english	DESKTOP...	mdy
55	56	2024-11-14 22:44:05.663	DESKTO...	us_english	NT SERVI...	mdy
56	58	2024-11-14 21:32:02.377	DESKTO...	us_english	DESKTOP...	mdy
57	61	2024-11-14 22:42:23.650	NULL	us_english	sa	mdy
58	68	2024-11-14 22:42:23.650	NULL	us_english	sa	mdy
59	71	2024-11-14 22:44:09.727	DESKTO...	us_english	DESKTOP...	mdy

Query executed successf... | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 59 rows

2

[Soal-10] Eksekusilah SQL berikut dan screenshot-lah hasilnya!

```sql
SELECT
    cpu_count AS [Logical CPU Count],
    hyperthread_ratio AS [Hyperthread Ratio],
    cpu_count / hyperthread_ratio AS [Physical CPU Count],
    physical_memory_kb / 1024 AS [RAM (MB)],
    sqlserver_start_time AS [Last SQL Server Start]
FROM
    sys.dm_os_sys_info;
```

- Hasil Query

Results | Messages

	Logical CPU Count	Hyperthread Ratio	Physical CPU Count	RAM (MB)	Last SQL Server Start
1	12	12	1	16087	2024-11-14 20:52:12.410

Query executed successf... | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 1 rows

3

[Soal-11] Tulislah SQL untuk menampilkan info memory (RAM) dari PC Anda!

Results | Messages

	Total RAM (GB)	Available RAM (GB)	Total Page File (GB)	Available Page File (GB)	RAM Availability Status
1	15	11	18	13	Available physical memory is high

- Query

```sql
SELECT
    total_physical_memory_kb / (1024 * 1024) AS [Total RAM (GB)],
    available_physical_memory_kb / (1024 * 1024) AS [Available RAM
(GB)],
    total_page_file_kb / (1024 * 1024) AS [Total Page File (GB)],
    available_page_file_kb / (1024 * 1024) AS [Available Page File
(GB)],
    system_memory_state_desc AS [RAM Availability Status]
FROM
    sys.dm_os_sys_memory;
```

- Hasil Query

Results | Messages

	Total RAM (GB)	Available RAM (GB)	Total Page File (GB)	Available Page File (GB)	RAM Availability Status
1	15	8	19	9	Available physical memory is high

Query executed successf... | DESKTOP-9LCN9IC (16.0 RTM) | DESKTOP-9LCN9IC\Ulil F... | TSQL2012 | 00:00:00 | 1 rows

--- Selamat Mengerjakan ----