

MR2976788 (Review) 55Q40 55Q10 55Q15

Behrens, Mark [Behrens, Mark J.] (1-MIT)

The Goodwillie tower and the EHP sequence. (English summary)

Mem. Amer. Math. Soc. **218** (2012), no. 1026, xii+90 pp. ISBN 978-0-8218-6902-4

This monograph studies the interaction between two machines for computing the 2-primary unstable homotopy groups of spheres: the EHP sequence and the Goodwillie tower of the identity functor.

Let all spaces be implicitly localized at 2. Let S^n be the n -dimensional sphere. The Goodwillie tower of the identity functor evaluated at S^n is a tower of fibrations whose homotopy inverse limit is equivalent to S^n . The “layers” (i.e., the homotopy fibers) in the Goodwillie tower are infinite loop spaces. The k -th layer is equivalent to $\Omega^\infty \Sigma^{n-k} L(k)_n$, where $\{L(k)_n\}_{k,n \geq 0}$ is a family of spectra that have been studied before. In particular, the homology of the spectra $L(k)_n$ is well known. The Goodwillie tower gives rise to a spectral sequence relating the stable and unstable homotopy groups of spheres. Following the author, we call it the Goodwillie spectral sequence, and denote it GSS.

For every $n > 0$ there is a homotopy fibration sequence, constructed by I. M. James,

$$\Omega^2 S^{2n+1} \xrightarrow{P} S^n \xrightarrow{E} \Omega S^{n+1} \xrightarrow{H} \Omega S^{2n+1}.$$

This is the EHP sequence. Combining EHP sequences for all values of n , one gets another spectral sequence relating the stable and unstable homotopy groups of spheres (EHPSS). Calculating the differentials in this spectral sequence is a difficult problem.

In the author’s own words: “In this book we shall demonstrate that when the EHPSS and the GSS are computed in tandem, well understood aspects of each shed light on the more mysterious aspects of the other.”

There are many interesting ideas in this book. We can mention only a few. For starters, it is observed that the EHP sequence gives rise to a fibration sequence between layers in the Goodwillie tower. Specifically, for each n and k there is a fibration sequence of spectra

$$(1) \quad \Sigma^n L(k-1)_{2n+1} \xrightarrow{P} L(k)_n \xrightarrow{E} L(k)_{n+1}.$$

The author shows that this sequence induces a short exact sequence in homology. To prove it, he introduces certain homology operations on the layers in the Goodwillie tower. The existence of these operations should be of independent interest. En route, he describes the action of the Steenrod algebra on the cohomology of $L(k)_n$. Here he corrects an imprecise statement in the paper of G. Z. Arone and M. E. Mahowald [Invent. Math. **135** (1999), no. 3, 743–788; [MR1669268](#)]. The description given in that paper is only valid up to lower terms in a certain filtration. Fortunately, none of the results of [op. cit.] are affected.

The author studies the Atiyah-Hirzebruch spectral sequence (AHSS) for the spectra $L(k)_n$. Letting k vary, these spectral sequences calculate the E_1 term of the Goodwillie spectral sequence. The author uses the sequence (1), for varying n and k , to extract from the AHSS information about differentials in the EHP spectral sequence. Conversely, he shows that information about the EHP sequence can be used to extract differentials in the Goodwillie spectral sequence. To illustrate his methods the author recalculates the unstable homotopy groups $\pi_{n+i}(S^i)$ for $i \leq 6$ and $n \leq 19$ (the “Toda range”).

Gregory Z. Arone

References

1. Greg Arone and Michael Ching, *Operads and chain rules for calculus of functors*, to appear in *Astérisque*. cf. [MR2840569](#)
2. G. Z. Arone and W. G. Dwyer, *Partition complexes, Tits buildings and symmetric products*, *Proc. London Math. Soc.* (3) **82** (2001), no. 1, 229–256. [MR1794263](#) (2002d:55003) [MR1794263](#)
3. Gregory Z. Arone, William G. Dwyer, and Kathryn Lesh, *Loop structures in Taylor towers*, *Algebr. Geom. Topol.* **8** (2008), no. 1, 173–210. [MR2377281](#) (2008m:55025) [MR2377281](#)
4. Greg Arone and Marja Kankaanrinta, *A functorial model for iterated snaith splitting with applications to calculus of functors*, *Stable and unstable homotopy. Proceedings of workshops held during 1996 at the Fields Institute, Waterloo, Canada, Fields Inst. Commun.*, vol. 19, Amer. Math. Soc., Providence, RI, 1998, pp. 1–30. [MR1622334](#) (99b:55009) [MR1622334](#)
5. Gregory Z. Arone and Kathryn Lesh, *Augmented Γ -spaces, the stable rank filtration, and a bu analogue of the Whitehead conjecture*, *Fund. Math.* **207** (2010), no. 1, 29–70. [MR2576278](#) (2011c:55025) [MR2576278](#)
6. Greg Arone and Mark Mahowald, *The Goodwillie tower of the identity functor and the unstable periodic homotopy of spheres*, *Invent. Math.* **135** (1999), no. 3, 743–788. [MR1669268](#) (2000e:55012) [MR1669268](#)
7. Greg Arone, *Iterates of the suspension map and Mitchell’s finite spectra with A_k -free cohomology*, *Math. Res. Lett.* **5** (1998), no. 4, 485–496. [MR1653316](#) (2000a:55026) [MR1653316](#)
8. Mark Behrens, *The Goodwillie tower for S^1 and Kuhn’s theorem*, Available at <http://arxiv.org/abs/1012.0810>.
9. A. K. Bousfield and D. M. Kan, *Localization and completion in homotopy theory*, *Bull. Amer. Math. Soc.* **77** (1971), 1006–1010. [MR0296935](#) (45:5994) [MR0296935](#)
10. R. R. Bruner, J. P. May, J. E. McClure, and M. Steinberger, *H_∞ ring spectra and their applications*, *Lecture Notes in Mathematics*, vol. 1176, Springer-Verlag, Berlin, 1986. [MR836132](#) (88e:55001) [MR0836132](#)
11. Michael Ching, *Bar constructions for topological operads and the Goodwillie derivatives of the identity*, *Geom. Topol.* **9** (2005), 833–933 (electronic). [MR2140994](#) (2006a:55012) [MR2140994](#)
12. F. R. Cohen, J. P. May, and L. R. Taylor, *Splitting of certain spaces CX* , *Math. Proc. Cambridge Philos. Soc.* **84** (1978), no. 3, 465–496. [MR503007](#) (80a:55010) [MR0503007](#)
13. Thomas G. Goodwillie, *Calculus. I. The first derivative of pseudoisotopy theory*, *K-Theory* **4** (1990), no. 1, 1–27. [MR1076523](#) (92m:57027) [MR1076523](#)
14. Thomas G. Goodwillie, *Calculus. III. Taylor series*, *Geom. Topol.* **7** (2003), 645–711 (electronic). [MR2026544](#) (2005e:55015) [MR2026544](#)
15. Thomas G. Goodwillie, *Calculus. II. Analytic functors*, *K-Theory* **5** (1991/92), no. 4, 295–332. [MR1162445](#) (93i:55015) [MR1162445](#)
16. Mark Hovey, *Model categories*, *Mathematical Surveys and Monographs*, vol. 63, American Mathematical Society, Providence, RI, 1999. [MR1650134](#) (99h:55031) [MR1650134](#)
17. Po Hu, *Transfinite spectral sequences*, *Homotopy invariant algebraic structures* (Baltimore, MD, 1998), *Contemp. Math.*, vol. 239, Amer. Math. Soc., Providence, RI, 1999, pp. 197–216. [MR1718081](#) (2001a:18010) [MR1718081](#)
18. I. M. James, *Reduced product spaces*, *Ann. of Math.* (2) **62** (1955), 170–197. [MR0073181](#) (17:396b) [MR0073181](#)
19. Brenda Johnson, *The derivatives of homotopy theory*, *Trans. Amer. Math. Soc.* **347**

- (1995), no. 4, 1295–1321. MR1297532 (96b:55012) [MR1297532](#)
20. N. J. Kuhn, S. A. Mitchell, and S. B. Priddy, *The Whitehead conjecture and splitting $B(\mathbb{Z}/2)^k$* , Bull. Amer. Math. Soc. (N.S.) **7** (1982), no. 1, 255–258. MR656206 (83h:55009) [MR0656206](#)
 21. Nicholas J. Kuhn, *The geometry of the James-Hopf maps*, Pacific J. Math. **102** (1982), no. 2, 397–412. MR686560 (85c:55006) [MR0686560](#)
 22. Nicholas J. Kuhn, *A Kahn-Priddy sequence and a conjecture of G. W. Whitehead*, Math. Proc. Cambridge Philos. Soc. **92** (1982), no. 3, 467–483. MR677471 (85f:55007a) [MR0677471](#)
 23. Nicholas J. Kuhn, *Chevalley group theory and the transfer in the homology of symmetric groups*, Topology **24** (1985), no. 3, 247–264. MR815479 (87g:20088) [MR0815479](#)
 24. Nicholas J. Kuhn, *New relationships among loopspaces, symmetric products, and Eilenberg MacLane spaces*, Cohomological methods in homotopy theory (Bellaterra, 1998), Progr. Math., vol. 196, Birkhäuser, Basel, 2001, pp. 185–216. MR1851255 (2002f:55026) [MR1851255](#)
 25. Mark Mahowald, *The metastable homotopy of S^n* , Memoirs of the American Mathematical Society, No. 72, American Mathematical Society, Providence, R.I., 1967. MR0236923 (38:5216) [MR0236923](#)
 26. Mark Mahowald, *The image of J in the EHP sequence*, Ann. of Math. (2) **116** (1982), no. 1, 65–112. MR662118 (83i:55019) [MR0662118](#)
 27. J. Peter May, *A general algebraic approach to Steenrod operations*, The Steenrod Algebra and its Applications (Proc. Conf. to Celebrate N. E. Steenrod's Sixtieth Birthday, Battelle Memorial Inst., Columbus, Ohio, 1970), Lecture Notes in Mathematics, Vol. 168, Springer, Berlin, 1970, pp. 153–231. MR0281196 (43:6915) [MR0281196](#)
 28. Mark E. Mahowald and Douglas C. Ravenel, *The root invariant in homotopy theory*, Topology **32** (1993), no. 4, 865–898. MR1241877 (94h:55025) [MR1241877](#)
 29. Stewart B. Priddy, *Transfer, symmetric groups, and stable homotopy theory*, Algebraic K -theory, I: Higher K -theories (Proc. Conf., Battelle Memorial Inst., Seattle, Wash., 1972), Lecture Notes in Math. Vol. 341, Springer, Berlin, 1973, pp. 244–255. MR0350727 (50:3219) [MR0350727](#)
 30. Douglas C. Ravenel, *Complex cobordism and stable homotopy groups of spheres*, Pure and Applied Mathematics, vol. 121, Academic Press Inc., Orlando, FL, 1986. MR860042 (87j:55003) [MR0860042](#)
 31. Shin-ichiro Takayasu, *On stable summands of Thom spectra of $B(\mathbb{Z}/2)^n$ associated to Steinberg modules*, J. Math. Kyoto Univ. **39** (1999), no. 2, 377–398. MR1709300 (2000g:55011) [MR1709300](#)
 32. Hirosi Toda, *Composition methods in homotopy groups of spheres*, Annals of Mathematics Studies, No. 49, Princeton University Press, Princeton, N.J., 1962. MR0143217 (26:777) [MR0143217](#)
 33. Michael Weiss, *Orthogonal calculus*, Trans. Amer. Math. Soc. **347** (1995), no. 10, 3743–3796. MR1321590 (96m:55018) [MR1321590](#)
 34. George W. Whitehead, *Elements of homotopy theory*, Graduate Texts in Mathematics, vol. 61, Springer-Verlag, New York, 1978. MR516508 (80b:55001) [MR0516508](#)

Note: This list reflects references listed in the original paper as accurately as possible with no attempt to correct errors.