Programming Fundamental - ENSF 337 Lab 8 M. Moussavi Jay Chuang B01 November 7, 2019

```
jaych@DESKTOP-DILG265 /cygdrive/c/ensf337/lab8/exA
$ g++ -wall lab8Clock.cpp lab8Clock.h lab8ExA.cpp
jaych@DESKTOP-DILG265 /cygdrive/c/ensf337/lab8/exA
$ ./a.exe
Object t1 is created. Expected time is: 00:00:00
00:00:00
Object t1 incremented by 86400 seconds. Expected time is: 00:00:00
00:00:00
Object t2 is created. Expected time is: 00:00:05
00:00:05
Object t2 decremented by 6 seconds. Expected time is: 23:59:59
23:59:59
After setting t1's hour to 21. Expected time is: 21:00:00
21:00:00
Setting t1's hour to 60 (invalid value). Expected time is: 21:00:00
21:00:00
Setting t2's minute to 20. Expected time is: 23:20:59
23:20:59
Setting t2's second to 50. Expected time is 23:20:50
23:20:50
Adding 2350 seconds to t2. Expected time is: 00:00:00
00:00:00
Adding 72000 seconds to t2. Expected time is: 20:00:00
Adding 216000 seconds to t2. Expected time is: 08:00:00
08:00:00
Object t3 is created. Expected time is: 00:00:00
00:00:00
Adding 1 second to clock t3. Expected time is: 00:00:01
00:00:01
After calling decrement for t3. Expected time is: 00:00:00
00:00:00
After incrementing t3 by 86400 seconds. Expected time is: 00:00:00
00:00:00
After decrementing t3 by 86401 seconds. Expected time is: 23:59:59
23:59:59
After decrementing t3 by 864010 seconds. Expected time is: 23:59:49
23:59:49
t4 is created with invalid value (25 for hour). Expected to show: 00:00:00
00:00:00
t5 is created with invalid value (-8 for minute). Expected to show: 00:00:00
00:00:00
t6 is created with invalid value (61 for second). Expected to show: 00:00:00
00:00:00
t7 is created with invalid value (negative value). Expected to show: 00:00:00
00:00:00
```