


TASK / PROCEDURE (15 implemented)


SCRIPTED TEACHER (priv.)



● public

edge.actor_of
actor $\leftrightarrow$ its events


SCRIPTED TEACHER (priv.)



● public

edge.consumed_by
receipt $\leftrightarrow$ consuming event

SCRIPTED TEACHER (priv.)



● public

edge.destination_of
destination $\leftrightarrow$ event


SCRIPTED TEACHER (priv.)



● public

edge.enables
event $\rightarrow$ required-done event


SCRIPTED TEACHER (priv.)



● public

edge.maintained
event $\rightarrow$ required-active event


SCRIPTED TEACHER (priv.)



● public

edge.node_actor_of
action node $\rightarrow$ its events


SCRIPTED TEACHER (priv.)



● public

edge.output_to
event $\leftrightarrow$ consumer of output


SCRIPTED TEACHER (priv.)



● public

edge.patient_of
patient $\leftrightarrow$ events acting on it


SCRIPTED TEACHER (priv.)



● public

edge.pred_arg
predicate $\leftrightarrow$ its arguments

SCRIPTED TEACHER (priv.)



● public

edge.produced
receipt $\leftrightarrow$ producing event


SCRIPTED TEACHER (priv.)



● public

edge.role_in_event
role slot $\leftrightarrow$ its event

SCRIPTED TEACHER (priv.)



● public

edge.role_points_to
role slot $\rightarrow$ bound entity


SCRIPTED TEACHER (priv.)



● public

edge.support_of
support role $\leftrightarrow$ event


SCRIPTED TEACHER (priv.)



● public

edge.target_of
target / source $\leftrightarrow$ event

SCRIPTED TEACHER (priv.)



◆ est-probe


▲ selected: gt train-only

● candidates

task.next_contact
hand $\rightarrow$ next graspable (gated)

LOCOMOTION (2 implemented)

SCRIPTED + RL TRACKER t=61



▲ gt train-only

leg.com_support
COM stability margin

SCRIPTED + RL TRACKER t=48



▲ gt train-only ◆ est-probe

leg.foothold
swing foot $\rightarrow$ touchdown cell

UI (5 implemented)


RESET STATE (no controller)



● public

ui.above
signed render order


RESET + TEACHER GOAL (priv.)



▲ gt train-only ◆ est-probe

ui.drag_to
drag handle $\rightarrow$ drop widget


RESET STATE (no controller)



● public

ui.focus_next
consecutive in tab order


RESET STATE (no controller)



● public

ui.label_for
label $\rightarrow$ its widget

RESET STATE (no controller)



● public

ui.same_window
widgets of the same window