Bank - clear top-down map



Map uses same decoded entities as topdown_stage_clear.svg; table below is annotated_entities.csv.

Legend

- 🟦 START: Player/start (1)
- 🟩 VICTIM: Survivor base (6)
- 🟩 ALT: RNG alt spot (4)
- 🟥 FIRE: Fire dot (72)
- 🟦 HOSE: Hose (0)
- 🟦 VALVE: Valve (0)
- 🟧 EXIT: Exit arrow (11)
- 🟫 DOOR: Door/model (12)

Label meaning

S# start
V# survivor base
A# RNG alt spot
E# exit
H# hose
W# valve
F# fire
D# door/model

Coordinate bounds

X: -2596 to 1520
Z: -2368 to 2032
Projection: X/Z top-down

Entity Table: annotated_entities.csv

label	category	entity_index	class	name	x	y	z	victim_link	scripts
S1	START	334	RCS_PlayerRescue	RCS_PlayerRescue1	-697.0	160.0	1196.0		equip axe
F1	FIRE	337	RCS_FireRescue	RCS_FireRescue1	144.0	216.0	-1324.0		
F2	FIRE	338	RCS_FireRescue	RCS_FireRescue2	60.0	208.0	-1200.0		
F3	FIRE	339	RCS_FireRescue	RCS_FireRescue3	508.0	216.0	-296.0		
F4	FIRE	340	RCS_FireRescue	RCS_FireRescue4	404.0	0.0	-224.0		
F5	FIRE	350	RCS_FireRescue	RCS_FireRescue5	548.0	224.0	172.0		
T1	TRIGGER	352	RCS_BoundsTrigger	fgh	96.0	0.0	120.0		touch: tell break open | touch: once (playsnd Pressure2 0)
F6	FIRE	353	RCS_FireRescue	RCS_FireRescue6	760.0	-40.0	-344.0		
F7	FIRE	355	RCS_FireRescue	RCS_FireRescue7	702.0	-41.0	-238.0		
V1	VICTIM	357	RCS_VictimRescue	betty	1176.0	0.0	-672.0		
V2	VICTIM	359	RCS_VictimRescue	RCS_VictimRescue2	-331.0	0.0	-287.0		roam 1000
F8	FIRE	360	RCS_FireRescue	RCS_FireRescue8	-473.0	-39.0	361.0		
F9	FIRE	361	RCS_FireRescue	RCS_FireRescue9	-425.0	-39.0	494.0		
F10	FIRE	362	RCS_FireRescue	RCS_FireRescue10	-417.0	-46.0	655.0		
D1	DOOR	365	RCS_BModel	door6	1025.0	73.0	-1626.0		*Door
V3	VICTIM	369	RCS_VictimRescue	RCS_VictimRescue3	735.0	0.0	-2184.0		
F11	FIRE	370	RCS_FireRescue	RCS_FireRescue11	744.0	-37.0	-2020.0		
F12	FIRE	371	RCS_FireRescue	RCS_FireRescue12	1133.0	-38.0	-2105.0		
D2	DOOR	372	RCS_BModel	door7	-155.0	72.0	-1627.0		*Door
F13	FIRE	373	RCS_FireRescue	RCS_FireRescue13	-984.0	-35.0	-1630.0		
F14	FIRE	393	RCS_FireRescue	RCS_FireRescue14	-523.0	-33.0	-2119.0		
F15	FIRE	394	RCS_FireRescue	RCS_FireRescue15	-584.0	0.0	-1695.0		
V4	VICTIM	395	RCS_VictimRescue	RCS_VictimRescue4	-768.0	0.0	-2160.0		
F16	FIRE	404	RCS_FireRescue	RCS_FireRescue16	913.0	-44.0	640.0		
F17	FIRE	405	RCS_FireRescue	RCS_FireRescue17	842.0	-44.0	716.0		
F18	FIRE	406	RCS_FireRescue	RCS_FireRescue18	1128.0	-44.0	628.0		
F19	FIRE	407	RCS_FireRescue	RCS_FireRescue19	1047.0	-42.0	696.0		
F20	FIRE	408	RCS_FireRescue	RCS_FireRescue20	828.0	-38.0	318.0		
F21	FIRE	409	RCS_FireRescue	RCS_FireRescue21	875.0	0.0	365.0		
F22	FIRE	410	RCS_FireRescue	RCS_FireRescue22	870.0	-28.0	-802.0		
F23	FIRE	411	RCS_FireRescue	RCS_FireRescue23	773.0	-30.0	-565.0		
F24	FIRE	419	RCS_FireRescue	RCS_FireRescue24	748.0	212.0	-516.0		
D3	DOOR	421	RCS_BModel	door8	688.0	328.0	-744.0		*Door
D4	DOOR	422	RCS_BModel	door9	684.0	328.0	476.0		*Door
F25	FIRE	423	RCS_FireRescue	<null>14	820.0	212.0	-312.0		
F26	FIRE	424	RCS_FireRescue	<null>15	776.0	212.0	-108.0		
F27	FIRE	425	RCS_FireRescue	<null>16	1212.0	212.0	-868.0		
F28	FIRE	426	RCS_FireRescue	<null>17	1188.0	212.0	-616.0		
F29	FIRE	427	RCS_FireRescue	<null>18	1240.0	212.0	-456.0		
F30	FIRE	428	RCS_FireRescue	<null>19	1148.0	212.0	-352.0		
F31	FIRE	429	RCS_FireRescue	<null>20	1224.0	212.0	-148.0		
F32	FIRE	430	RCS_FireRescue	<null>21	1176.0	212.0	56.0		
P1	PROP	431	RCS_PropModel	er	-1709.0	51.0	-1579.0		setscale 0.2 0.2 0.2 | touch: *RefillExt
F33	FIRE	435	RCS_FireRescue	RCS_FireRescue33	-1305.0	-30.0	-829.0		
F34	FIRE	436	RCS_FireRescue	<null>23	-937.0	0.0	-570.0		
F35	FIRE	437	RCS_FireRescue	<null>24	-1130.0	-18.0	-682.0		
F36	FIRE	440	RCS_FireRescue	<null>28	-1390.0	-30.0	-947.0		
D5	DOOR	441	RCS_BModel	vault	-1211.0	0.0	-1928.0		*VaultDoor
D6	DOOR	442	RCS_BModel	door10	1012.0	328.0	252.0		*Door
F37	FIRE	443	RCS_FireRescue	RCS_FireRescue37	876.0	216.0	388.0		
D7	DOOR	444	RCS_BModel	door11	688.0	64.0	476.0		*Door
D8	DOOR	445	RCS_BModel	door12	688.0	72.0	-744.0		*Door
F38	FIRE	446	RCS_FireRescue	<null>29	-852.0	0.0	-1867.0		
F39	FIRE	447	RCS_FireRescue	<null>30	-446.0	-46.0	-1755.0		
F40	FIRE	448	RCS_FireRescue	<null>31	-323.0	-39.0	-1788.0		
F41	FIRE	449	RCS_FireRescue	<null>32	-233.0	-38.0	-2121.0		
F42	FIRE	450	RCS_FireRescue	<null>33	-34.0	0.0	-1775.0		
F43	FIRE	451	RCS_FireRescue	<null>34	98.0	-36.0	-1768.0		
V5	VICTIM	456	RCS_VictimRescue	RCS_VictimRescue5	1128.0	284.0	684.0		
F44	FIRE	458	RCS_FireRescue	RCS_FireRescue44	-599.0	-37.0	-1526.0		
F45	FIRE	459	RCS_FireRescue	<null>35	-405.0	-37.0	-1503.0		
T2	TRIGGER	460	RCS_BoundsTrigger	RCS_BoundsTrigger3	1283.0	3.0	-2174.0		makezone (Safety Deposit Boxes) | touch: tell player oxyon | untouch: tell player oxyoff | touch: fogenable 0 250 50 50 50 | untouch: fogenable *DefaultFogParams
T3	TRIGGER	461	RCS_BoundsTrigger	RCS_BoundsTrigger4	-649.0	21.0	-2217.0		makezone (Break Room)
T4	TRIGGER	462	RCS_BoundsTrigger	RCS_BoundsTrigger5	-2434.0	21.0	-2199.0		makezone (Vault)
T5	TRIGGER	463	RCS_BoundsTrigger	RCS_BoundsTrigger6	742.0	21.0	-1293.0		makezone (Office Area)
T6	TRIGGER	464	RCS_BoundsTrigger	RCS_BoundsTrigger7	748.0	224.0	-1228.0		makezone (Conference Room) | touch: tell player oxyon | untouch: tell player oxyoff | touch: fogenable 0 250 50 50 50 | untouch: fogenable *DefaultFogParams
T7	TRIGGER	465	RCS_BoundsTrigger	RCS_BoundsTrigger8	732.0	232.0	604.0		makezone (Bank Manager's Office) | touch: fogenable 0 250 50 50 50 | untouch: fogenable *DefaultFogParams
T8	TRIGGER	466	RCS_BoundsTrigger	RCS_BoundsTrigger9	-1895.0	21.0	-1272.0		makezone (Lobby)
T9	TRIGGER	467	RCS_BoundsTrigger	RCS_BoundsTrigger10	179.0	21.0	1159.0		makezone (Bank)
D9	DOOR	469	RCS_BModel	door13	-1956.0	336.0	-108.0		*Door
T10	TRIGGER	470	RCS_BoundsTrigger	<null>36	-2189.0	240.0	-157.0		makezone (Security Office) | touch: tell player oxyon | untouch: tell player oxyoff | touch: fogenable 0 250 50 50 50 | untouch: fogenable *DefaultFogParams
V6	VICTIM	473	RCS_VictimRescue	RCS_VictimRescue6	-2213.0	314.0	699.0		roam 500
T11	TRIGGER	474	RCS_BoundsTrigger	RCS_BoundsTrigger12	-915.0	67.0	1359.0		touch: tell player escape | touch: tell player finalexit
E1	EXIT	475	RCS_EscapeArrow	RCS_EscapeArrow1	-692.0	67.0	421.0		
E2	EXIT	476	RCS_EscapeArrow	RCS_EscapeArrow2	-1662.0	67.0	186.0		
E3	EXIT	477	RCS_EscapeArrow	RCS_EscapeArrow3	206.0	67.0	204.0		
E4	EXIT	478	RCS_EscapeArrow	RCS_EscapeArrow4	1002.0	67.0	68.0		
E5	EXIT	479	RCS_EscapeArrow	RCS_EscapeArrow5	272.0	67.0	-639.0		
E6	EXIT	480	RCS_EscapeArrow	RCS_EscapeArrow6	812.0	308.0	468.0		
E7	EXIT	481	RCS_EscapeArrow	RCS_EscapeArrow7	-158.0	67.0	-1436.0		
F46	FIRE	483	RCS_FireRescue	<null>37	174.0	-37.0	-1432.0		
F47	FIRE	484	RCS_FireRescue	<null>38	368.0	-37.0	-1409.0		
F48	FIRE	485	RCS_FireRescue	<null>39	728.0	-37.0	-1449.0		
F49	FIRE	486	RCS_FireRescue	<null>40	541.0	-37.0	-1454.0		
P2	PROP	487	RCS_PropModel	er1	1319.0	51.0	-1494.0		setscale 0.2 0.2 0.2 | touch: *RefillExt
T12	TRIGGER	489	RCS_BoundsTrigger	g	-1792.0	36.0	-1529.0		touch: tell player escape
A1	ALT	495	RCS_VictimAltSpot	RCS_VictimAltSpot1	-2423.0	-6.0	-1914.0	RCS_VictimRescue4	
A2	ALT	496	RCS_VictimAltSpot	RCS_VictimAltSpot2	1192.0	1.0	-772.0	RCS_VictimRescue1	
A3	ALT	497	RCS_VictimAltSpot	RCS_VictimAltSpot3	1256.0	312.0	-1312.0	RCS_VictimRescue5	
A4	ALT	498	RCS_VictimAltSpot	RCS_VictimAltSpot4	-511.0	172.0	-578.0	RCS_VictimRescue3	
E8	EXIT	511	RCS_EscapeArrow	wret	538.0	308.0	-47.0		
T13	TRIGGER	512	RCS_BoundsTrigger	edhr	-1900.0	67.0	470.0		touch: tell column open | touch: once (playsnd Pressure2 0)
F50	FIRE	513	RCS_FireRescue	RCS_FireRescue50	-1892.0	210.0	-565.0		
F51	FIRE	514	RCS_FireRescue	<null>48	-1816.0	210.0	-686.0		
E9	EXIT	515	RCS_EscapeArrow	RCS_EscapeArrow9	-1845.0	298.0	-337.0		
T14	TRIGGER	516	RCS_BoundsTrigger	RCS_BoundsTrigger15	-579.0	67.0	1129.0		makezone (Outside) | touch: fogdisable | untouch: fogenable *DefaultFogParams
F52	FIRE	517	RCS_FireRescue	RCS_FireRescue52	-368.0	-42.0	-1670.0		
E10	EXIT	518	RCS_EscapeArrow	<null>49	272.0	324.0	-638.0		
E11	EXIT	519	RCS_EscapeArrow	<null>50	1019.0	67.0	-1434.0		
D10	DOOR	520	RCS_BModel	door16	-1190.0	72.0	-1401.0		*Door
F53	FIRE	521	RCS_FireRescue	<null>51	758.0	-37.0	-1068.0		
F54	FIRE	522	RCS_FireRescue	<null>52	716.0	-37.0	-1211.0		
F55	FIRE	523	RCS_FireRescue	RCS_FireRescue55	484.0	-39.0	-420.0		
F56	FIRE	524	RCS_FireRescue	<null>53	583.0	-39.0	-378.0		
F57	FIRE	525	RCS_FireRescue	<null>54	580.0	206.0	-423.0		
F58	FIRE	526	RCS_FireRescue	RCS_FireRescue58	-1829.0	211.0	-473.0		
F59	FIRE	527	RCS_FireRescue	RCS_FireRescue59	-1738.0	-52.0	-466.0		
F60	FIRE	528	RCS_FireRescue	<null>55	-1924.0	-52.0	-349.0		
F61	FIRE	529	RCS_FireRescue	<null>56	-1875.0	-52.0	-504.0		
F62	FIRE	530	RCS_FireRescue	RCS_FireRescue62	-1424.0	-39.0	-151.0		
F63	FIRE	531	RCS_FireRescue	<null>26	-1441.0	-39.0	0.0		
F64	FIRE	532	RCS_FireRescue	<null>27	-1287.0	-39.0	8.0		
F65	FIRE	533	RCS_FireRescue	<null>57	192.0	-39.0	460.0		
F66	FIRE	534	RCS_FireRescue	<null>58	325.0	-39.0	391.0		
F67	FIRE	535	RCS_FireRescue	<null>59	-828.0	-39.0	-133.0		
F68	FIRE	536	RCS_FireRescue	<null>60	-723.0	-39.0	-136.0		
F69	FIRE	537	RCS_FireRescue	<null>61	-985.0	-39.0	-7.0		
F70	FIRE	538	RCS_FireRescue	<null>62	-1379.0	-39.0	708.0		
F71	FIRE	539	RCS_FireRescue	<null>63	-1225.0	-39.0	716.0		
F72	FIRE	540	RCS_FireRescue	<null>64	-923.0	-39.0	701.0		
D11	DOOR	541	RCS_BModel	door14	-680.0	59.0	752.0		*Door
D12	DOOR	542	RCS_BModel	door15	-680.0	59.0	552.0		*Door