-City of Oviedo Fire Rescue

Monthly Ladder Inspection

Date: 2 / 7 / 17 Unit # £4	H. H.	
Inspecting Ladder (PRINT):	CAUTH 5. SACKON	-on/
LABELS	Yes	N
Present and Legible	>	
Heat sensor (color change)		1
RUNGS		
Tight	X	
Cracks		>
Deformation		
Punctures		>
Worn serrations		
Cracks in welds		>
BEAMS		
Cracks		>
Gouges		>
Deformation		7
BUTT SPURS		
Excessive wear		>
HALYARD		
Fraying		\ \
Kinking		
Snug (wire rope, if applicable)	>	
PAWL ASSEMBLY	`	
Operable	>	

*Clean all ladders before placing them back on the apparatus



Oviedo Fire/Rescue 400 Alexandria Blvd Oviedo, Florida 32765

Oxygen Levels

Please record the level and status of the Oxygen cylinders each Sunday and forward it to administration.

	2/2/12	
	O Date:	
	empty_empty_	
SCO psi	irs full 4 ers full 3 Singer	U
1500	tatus linde linde	
Cascade Status "K" Cylinder #1 "K" Cylinder #2 "K" Cylinder #3 "K" Cylinder #4	Spare Cylinder Status Number of "K" cylinders full Number of "M" cylinders full Performed by:	•)

City of Oviedo Fire Rescue Stryker Stair Chair Check-off

17 Unit: R48 Chair Serial # 09024074/	Person Inspecting Stair Chair (Print) FF Savas	All fasteners secure	All welds intact, not cracked or broken	No bent or broken tubing or sheet metal	No debris in wheels	All wheels secure and rolling properly	Front casters secure, rolling and swiveling properly (if equipped)	Wheel locks hold wheels securely when on and clear the wheels when off	Chair unfolds and locks properly	No rips or cracks in seat or back rest	Restraint straps intact and working properly	Foot end carrying handles extend and lock properly	Head end carrying handles fold and unfold	_ Upper control handle extends and locks in all positions	Stair-Tread mechanism unfolds and locks properly	Stair-Tread belt rolls properly	Stair-Tread belt inner cords not showing- replace if necessary	Stair-Tread performs as desired	No lubricants present on the Stair-Tread belts or the track frame surfaces	_ Upper release handle cable not worn or frayed
112117	Stair Cl	1	All	² 	% 	— All	Fro	Wh	Ë 	% 	Re	For	He —	dn —	Sta	Stz	St	Sŧ	ž 	'n
	specting	LIST NO																		
Date: 4	Person In	CHECKLIST	>	>	>	>	>	>	>	>	>	1	1	>	>	>	>	>	>	1

All operations should be smooth and easy to accomplish, if they are not notify the EMS Coordinator via the Chain of Command.

Any time a patient is transported that exceeds the manufacturer's recommended weight limit for the chair, notify the EMS Coordinator so a re-inspection can be performed.

City of Oviedo Fire Rescue Stretcher Check-off

Ch06280h/

Stretcher Serial #

848

Unit#

7

Date:

erson Inspecting Stretcher (PRINT):	r Sous	
BACK REST	YES	ON
Operable	>	
Bent or Broken Tubing		
Loose or Missing Parts		1
MAIN FRAME		
Missing or Loose Pins		>
Bent or Broken Tubing		1
Missing or Loose Bolts		1
Side Arms Operable	1	
Operates in all Positions	1	
LOWER FRAME		
Cracks in Welds		\
Missing or Loose Pins		1
Bent or Broken Tubing		1
Worn Scuff Marks		1
WHEELS		
Proper Tread	>	
Loose Bolts		1
Loose Wheel Mounts		1
TRENDELENBERG		
Operable	1	
Bent/Broken Tubing or Support Bars		1
Loose or Missing Pins		1
MATTRESS		
Cracks		>
Tears		1
Holes		`
POWER LOAD – If Applicable	Power Load Serial #	140839098
Operable	>	
Missing/Loose Bolts		>
Track Slides Easily	>	
Battery Charges	1	
Manual Override Operable	\	

Any operations should be smooth and easy to accomplish, if they are not notify the EMS Coordinator via the Chain of Command.

Any time a patient is transported that exceeds the manufacturer's recommended weight limit for the stretcher, notify the EMS Coordinator via the Chain of Command so a re-inspection by the EMS Coordinator or his/her designee can be performed. Date: 4/43 to 4/08

Sat	32732	1	/	1	1	7	7	7	/	1	1	1	,	,	1))	1	1	1	/)	1	7)	1	1)	1))	1	1-)	1	1	1	\	11	7	7)	1	,	, \		1)		,		1)))))	>	>)	1	,	,	1)))	1)	1	N	,	,	, ,)	,	1)		>))	1
356	. / 3	T.	П	7)	,	/	7		١.	7	7/	,	7	7	7	7	7	7	7	7	/)	7	7	>	\	7	7	7)	7	- 1	7	/)))	-)	7	,	7	7	77	1	7	7	,	7 ,	1	7	7	7	1)	1	7	7	7	1	7,	7	7	7)	\)	0	7	Ì	,	7	1	7	2	7	7	7	7	7)
3	136	100	î î	>	,	, ,	7	>	,	,	,	, `	> `	>	>	>	>	>	^	`	>	>	>	>	>	>	>	>	>	^	>	>	7	`,	,	,	, >	>	ĩ	2	>	>	, ,	,	>	, ,	> >	,	`	,	,	> `	> >	,	>	,	,	>	\	,	,	,	,	\	>	>	`)	(,	>	, ,	,	,	>	,	/	>	7	>	>	>
	1215.3		T	T	,	7		-	7	7	?	7	7	7	7	7	>	7	7	7	7	7	7	/۲	7	7	7	7	7	Ž	» (7	7	7	-	7	2	7		7	7	,	17	7	7	1		7	1	?	7		7	7,	7	8	, -	7	3	7	1	7	77	7	7	7	7	1	X	5	7	7	7	7	7	7	7	7	>	3	7	>
No. of the second	1200		2/0		,	3	1	,	1,	7,	7	7,	7	7)	7	7	7	/	Ž	1	1	1	/		!	-	/	Ž	/	/:	\	7	Ì	,	١,	1	,	1	!	į	,	7	,	7	7	7	7	,	1	1	1	,	>	X	>	3)	7	>)	7	1	7)	7)	7	4	-	1	,	7;	7	7	7	7	7	7	7	7	
Mon	1300	1300.1	114	1	,				1	1		,	1	1	`	1	\	1	1		,			1	,	1	1	/	1	1	1	1	1-		1	1	1	1		1	>	1	1	1	1	1	,		,	1	,	,	,	,	>	1	,	1	-	1		,	1	ì	1	1	1	>	1				1	,	1	>	1	\	\	1	11	
	1250	1007	,	, >		,	,	, !	3		7	3	>	>	<i>'</i>	>	7	`	7	,	,	,		,	;	,	7	,	!	1	`	1	, , 1		,	,	,		,	7	,)	,	,	1	1	1	,	١,	7	>	1	1	1	> >	,	7	7	7	/	>	7	,	7	/	7	/	/	>	1	_	,	,	,	,	>	,	\	1	· /	\	`\	No.
2		Hours	Fuel level	Accountability Tag	State Lichton	Silealii Ligiiis	Cillei. Lightes	z - bay bool openier	MILE BOOK	z - Map books	MDI	Pager	Report Clipboard	4 - Headsets	SCBA w/ Mask	Batteries/Fluid level	Belts/Hoses	Brakes/Fluid	lio	Power Steering fluid	Padiator Eluid	Tiroc	Transmission Fluid	Binoculars	Brush Gear Sets (4)	Danaloa	Elevator Kevs	FMS Gloves	Hammock Map	High Pressure SCBA (3)	Hot Stick	Lions	KED (2)	adder Covers	I anding Zone Kit / GPS	E I T Bag	Rain Coat (3)	Resource Material	SCBA Macke (2)	Search/Rescue Bag	Sledoehammer	Stroom Lights (2)	Stream Lignus (z)	Hallic Vests (3)	Discriative valves	HOT NO	Urains	Operation	Capro SCBA hottles (2)	Spare SCBA bottles (2)	Wileel Cilocks (Z)	Air Hose	1 %" Fog Nozzle	2 ½" - 1 ¾" Reducer	2 1/2" Fog Nozzle	2 1/2" Gate Valve	2 ½" Smooth Bore	2 1/2" Spanners (2)	2 1/2" to Storz Adaptors (2)	3" Fill Hose - 25	4" to 5" Storz Auaptor	5 spanners (4)	Air Chuck	Cooler	Cubs	Double Female (2)	Double Male (2)	Foam Tank Eductor	Hose Jacket	Hydrant to Storz Adaptor	Hydrant Wrench	nyulant Wienen	LDH Sling	Rubber Mallet	Steamer Cap	wheel Nut Wrench	Water Rescue Gear	200' Life Safety Rope	200' Utility Rope	Chainsaw Box	Extension Cord Bag	(6) abda: 1 and 17.
	Cab							- J#						-		Engine								Wilder Street Harding	Jimpseaf																				dwna				THE SHAPE	Driver's Side		Driver's Side	Comp. #1																								Driver's Side	Comp. #2				

Apparatus Details	100 March 100 Ma	Officer's Side Comp. #3	Officer's Side Officer's Side Comp. #1 Officer's Side Comp. #2	Tailboard Officer's Side Panel Area	
Initials/Shift	1-3/4" Trash line - 100" 16' Roof Ladder 1-3/4" Pre-connect - 200' (2) 2-1/2" Deadlay Hose - 600' 2-1/2" Hose Clamp 35' Extension Ladder 5 Gal AFFF (4) 5 Gal Knockdown Brooms (2) Deck Gun High Rise Pack Large Water Key LDH Supply Hose - 1000' Long Backboards (2) Shovels (2) Spider Assembly (DeckGun) Squeegee Strainer	Lock-out Kit Pick head Axe Small Water Key Scene Tape Snake Bag Snake Tool CO2 Extinguisher Dry Absorbant Extrication Bag Flares Fluids Box Hurst Combi Tool Hurst Huskey Tool Bag Post Covers Rope Small Tool Bag Traffic Cones (10)	2 - Spare SCBA bottles APW Extinguisher Dry-Chem Extinguisher Airway Bag BLS Bag Broslow Bag CID Bag Drug Box Lifepak 15 Suction 4 ' Pry Bar Bolt Cutters Closet Pike Pole K-Tool	600 Block Cribbing (4) 80 Block Cribbing (4) Come-along Hydrant Wrench Kodiak Stabilizers Salvage Covers (2) Stairstep Assist Cribbing (4) Stairstep Cribbing (4) Cap Lift/Ladder Cab Lift/Ladder Rck Controls	Patch Kit Chainsaw (2) Electric Fan Funnel Generator K12-Saw Reciprocating Saws (2) Safety Chaps (2) Straight Fuel - 1 gal
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		111111111111111111111111111111111111111	(	100000
£48		much yard		Manney 1	
	THEREN			\$7777777777	XXXXXX
R48	RACY LX 2 < L 2 L 2 L L L L L L C C C	*** * * * * * * * * * * * * * * * * * *	222222222	(	, 4, 2, 2, 2, 2
				< < < < < < < < < < < < < < < < < < < <	
E48			777777777	97777777777777	
R146		and de contractions	same and the	Caralle Lander	111111111111111111111111111111111111111

# Rescue 48/Wheeled Coach

Date: 402 to 4/08

Sat	2000		100		1	1	,	1	/	//	4.	\	\			,	1		1	7	,	\	,	1		ŀ	1	1	1	/			/			\			/						1	1	\	,	/				1	1		1	1	1	1	,	1	1	1	1		1		1		1	/		1	1				,
Fi	33/57	בלי ה	+	> 5	>	>	9	,	>	5	ſ	>	>	)	>	)	)	7	>	,	>	>	1	,	.5	-	>	, >		>	5	>	)	>	,	3	,	١	١	,	>	5	,	,	,	,	3	2	١	,	>	)	,	>	7	>	7	>	<b>&gt;</b>	>	>	>	>	>	>	>	>	>	>	>	>		,	,	ין	,,,	, ·	>
Thurs																																																																														
Wed	41509	5	1		,		1	>	)	1	1	1	7	7		1	>	,	,	1	`	`	,	1	,		)	,	,	1	1	,	1	1	>	`	1	1	1	1	1	,	1	1	,	7	1	1	1	1	, /	7	1	1	1	1	1	)	, '	1	)	1	1	1		1	1	,	1	1	,	,	1	1	,	1	1	
Tues											74																																																																			-
Mon	3351	3/4	,	, ,	, ,	,	>	,	>	>	ì	1	>	>	>	'	, ,	,	>	>	>	,	i	,	, >	,	> >	,	, \	,	,	, >	>	>	,	``	>	>	^	>	,	`>	>	`	,		, >	, ,	,	,	, \	,	,	,	,	>	>	>	,	>	>	,	,	>	`	1	>	,	`	,	, >	,	,	, ,	, >	>	>	
Sun	1400.00									-																																		6										Ī																								
in in	Hours	Fuel Level	Knox Box	Resource materials	Bortaklo radio	3 Hondooth	Z nedusels	City Map book	County map book	Street finder	GPS unit	ERG book	PFP book	EMS Tablet PC	Pager	2 Door openers	Gate opener	3 Big Edo	Z Big Eds	Spoulding	2 Kallituals	z italiic vesis	Accountability tag	Emergency lights	Scene lights	0/1	Brakes/fluid	Transmission fluid	Power steering fluid	Radiator fluid	Batteries/fluid level	Wiper fluid	Belts/hoses	Tires	Water rescue bag	Water rescue disk	2 Salvage covers	Wheel chocks	Rehab cooler	Personal gear	2 SCBAs	2 SCBA masks	Stair chair	Bolt cutters	Sledge hammer	2 Growbars	K-tool	Wheel tool	Irons	2 Reel splints	CID bad	2 Backboards	Scoop stretcher	2-KED	Pedi immobilizer	Traction splint	502	Dry chemical	APW Acombi manager	4 - combi spanners	2 - 2.5 spanners	Hydrant wrench	HOOK	Fire blanket	Fluids cooler	Auto vent	CPAP	CPAP face piece	Portable suction	BLS bag	Broslow bag	itter	Emergency blankets	Tow strap	Lockout kit	Splints	Personal gear	
				/	,	e i	7		n ⁷			30			).	Y							700	•		Engine									Drivers Compartment #1						Drivers Compartment #2			Drivers Compartment #3						Drivers Compartment #4									ε						Officers Compartment #1							Officers Compartment #2					Officers Compartment #3	

MI

Patient Compartment ear Compartment Drug box
Airway bag/PSI
Stretcher/PSI
Main/PSI
M 1303 1500