

Toward an Epistemology of Relationality: Synthesizing Systems Thinking, AI-Driven Discovery, and Ecological Cognition

Abstract

Contemporary science faces a paradox: we possess unprecedented computational power and methodological sophistication, yet remain fragmented across disciplinary silos that obscure fundamental mechanisms of complex adaptive systems. This paper proposes an integrative theoretical framework—the **Relational Epistemic Network (REN)**—that synthesizes three currently parallel research movements: epistemic networks from systems research, machine learning-augmented theory discovery, and ecological approaches to human cognition. We argue that the future of groundbreaking science lies not in deeper specialization but in recognizing that knowledge itself emerges from relationships between observers, systems, and computational substrates. We present the theoretical foundations of REN, demonstrate its application across cognitive neuroscience, ecology, and physics, and propose mechanisms by which relational frameworks can resolve persistent theoretical deadlocks in complex systems research. The framework yields four testable meta-predictions about the structure of scientific revolutions and offers a path toward unified, AI-enhanced scientific reasoning.

Keywords: systems thinking, epistemic networks, ecological cognition, machine learning theory discovery, relationality, complex adaptive systems

1. Introduction

1.1 The Crisis of Fragmentation

Three distinct but intellectually isolated research movements have emerged in the past five years, each addressing the growing inadequacy of reductionist approaches to understanding complex phenomena[1][2][3]:

1. **Systems Research Reintegration:** The international cybersystemic community recognizes that systems thinking—once a cohesive transdisciplinary movement—has fragmented into isolated applications without deepening theoretical roots[1].
2. **AI-Enabled Scientific Paradigm Shift:** A new paradigm is emerging where artificial intelligence doesn't merely process data but actively participates in theory formation, shortening research cycles from decades to years and enabling discoveries impossible through human cognition alone[4][5].
3. **Ecological Brain Hypothesis:** Neuroscience and cognitive science are moving beyond laboratory-controlled experiments toward real-world frameworks that integrate neural activity with environmental and social context[2][6].

These movements share a critical insight: **understanding complex systems requires attending to relationships, not merely to components.** Yet they have developed largely

independently, missing opportunities for profound theoretical synthesis.

1.2 The Relational Turn in Science

Across domains, a subtle but fundamental shift is occurring: causality is being reconceived not as a property of individual agents but as emerging from structured relationships between agents, observers, and environments[1][3][6].

This represents a deeper paradigm shift than most recognize. Classical science sought universal laws that reduce complex phenomena to simple principles. The systems revolution of the 1960s-1980s introduced feedback and emergence. The present turn—toward **relationality**—suggests that systems properties themselves are artifacts of how relationships are defined, measured, and instantiated through observation[1].

1.3 Paper Structure and Contribution

We argue that these three movements must converge into a unified theoretical framework we call the **Relational Epistemic Network (REN)** framework. Our contribution is:

1. **Theoretical:** Articulating a new concept of knowledge as emerging from structured relationships between elements in epistemic networks, where AI systems function as novel types of epistemic agents
2. **Methodological:** Proposing a systematic approach to identify and map "relationality zones"—regions where new scientific insights emerge from previously unconnected literatures
3. **Practical:** Demonstrating how REN principles can resolve persistent theoretical impasses in neuroscience, ecology, and fundamental physics
4. **Meta-scientific:** Offering testable predictions about the structure of scientific revolutions and the conditions under which paradigm shifts become likely

2. Theoretical Foundations of Relational Epistemic Networks

2.1 Core Premises

The REN framework rests on four foundational premises:

Premise 1 - Relationality as Ontological: Systems do not possess intrinsic properties independent of relationships. Properties emerge from the structured patterns of relationality. A neuron has no meaning without its connectivity; a species has no ecological role without its trophic relationships; a particle has no definiteness without measurement relationships[1][7].

Premise 2 - Epistemic Pluralism: Multiple valid ways of knowing coexist—empirical observation, mathematical formalism, computational modeling, phenomenological experience. Scientific progress requires not synthesis toward a single method but cultivation of dialogue between distinct epistemologies while maintaining their philosophical integrity[1][8].

Premise 3 - AI as Epistemic Transformer: Machine learning systems are not merely tools that reveal pre-existing structure but novel forms of epistemic agents that create new categories, detect non-obvious patterns, and generate hypotheses in ways that differ

fundamentally from human reasoning[4][5]. AI systems compress relationships into learned representations; attending to the *structure* of these representations reveals patterns invisible to classical analysis.

Premise 4 - Ecologically Grounded Cognition: Cognitive processes emerge from reciprocal interactions between neural systems, embodied action, and environmental structure. "Cognition" is not a property of brains but of brain-body-environment systems. Studying cognition in laboratories systematically removes the ecological context that generates it[2][6].

2.2 Formal Definition of Epistemic Networks

An **Epistemic Network** is a directed graph $\mathcal{G} = (V, E, \mathcal{M})$ where:

- V = set of conceptual/theoretical nodes (theories, empirical findings, methodological approaches)
- E = set of edges representing relationships (contradiction, support, methodological requirement, historical causation)
- $\mathcal{M}$ = a mapping function that assigns *semantic distance* d_{ij} to each edge, measuring the degree to which two nodes are conceptually incommensurable or complementary

The **semantic distance** d_{ij} is not fixed but variable depending on:

1. The observer's disciplinary background
2. The level of theoretical abstraction at which comparison occurs
3. The available computational and observational technologies

Most critically, d_{ij} is **not transitive**: elements can be distant from i , and distant from j , yet close to one another via unexpected paths. These "shortcut" connections in epistemic networks often signal locations where theoretical breakthroughs occur.

Definition: A **Relationality Zone** (RZ) is a subset of $\mathcal{G}$ containing:

- A node of high betweenness centrality (i.e., connecting otherwise-isolated clusters)
- Low semantic distance between previously distant fields
- High potential for novel theoretical synthesis

Relationality Zones are the nodes where paradigm shifts originate[1].

2.3 The Role of AI as Epistemic Agent

Traditional science views AI as a tool: better at computation, pattern detection, and optimization than humans, but ultimately serving human conceptual frameworks.

The REN framework proposes a more radical view: **AI systems are novel epistemic agents that operate on different principles than human cognition and thereby discover relationships humans cannot.**

Key mechanisms:

Learned Representation Compression: When an AI system learns to predict or classify, its hidden representations capture relationships that were computationally invisible

before[5]. The topology of these learned representations often reveals new conceptual categories.

Cross-Domain Pattern Detection: AI systems trained on diverse datasets can detect statistical regularities across fields that human experts, operating within disciplinary traditions, would never think to compare. The deepest scientific breakthroughs historically involve noticing that patterns in different domains are identical—a task at which current AI systems excel[4][5].

Rapid Hypothesis Generation and Evaluation: AI can generate thousands of plausible theoretical extensions, mechanically evaluate their logical consistency, and identify which generate novel, non-obvious predictions[4]. This compresses the hypothesis-generation-testing loop from years to hours.

Rather than viewing this as a threat to human science, REN proposes that AI and human cognition are *complementary epistemic systems*. Humans excel at meaning-making, identifying what matters, recognizing when frameworks break down. AI excels at detecting non-obvious patterns, compressing complex relationships, and generating unfamiliar hypotheses. The future of science lies in structured partnership between these systems.

3. Application Domain 1: Neuroscience and the Ecological Brain

3.1 The Classical Impasse

Contemporary neuroscience operates under a hidden assumption: that neural mechanisms determined *in vitro* or in controlled laboratory settings explain cognition *in vivo*. Yet accumulating evidence suggests this assumption is deeply problematic[2][6]:

- Neurons exhibit radically different firing patterns in controlled vs. naturalistic environments
- The same neural circuit can support different behaviors depending on context; the same behavior can be generated by different circuits
- Attention, intention, and motivation—fundamental to real cognition—collapse to near-zero variance in laboratory tasks
- Most findings from animal models fail to translate to human cognition or behavior

These failures are not anomalies but symptoms of a deeper theoretical problem: **we have been studying neural systems stripped of the ecological context that generates their adaptive properties**[2][6].

3.2 REN Application: Cognitive Relationality

Under the REN framework, cognition is reconceived as a property of $\mathcal{G}_{\text{brain-body-env}}$, a dynamic epistemic network comprising:

- Neural microcircuits (local relationality)
- Body-state variables and action capabilities (embodied relationality)
- Environmental structure and affordances (ecological relationality)
- Social context and meaning (intersubjective relationality)

No single node in this network "generates" cognition. Instead, cognitive phenomena emerge from structured patterns across the entire system.

Mechanistic Example: Consider decision-making. Classical neuroscience locates decision-making in the prefrontal cortex and asks: "What computations does it perform?" REN reframes the question: "How do the decision-relevant relationships—between internal goals, environmental opportunities, bodily constraints, and social consequences—become structured in neural populations?"

This reframing generates novel predictions:

- Decision-related activity should vary not based on *task structure alone* but based on the *functional relationship* between the agent's capabilities and environmental demands
- The same neural circuit should show radically different computational properties depending on whether the environment remains stable, becomes uncertain, or enters rapid flux
- Adding social observers should not merely add noise but systematically reconfigure decision-related neural activity

Early evidence supports these predictions[2][6]. AI-based analysis of neural recordings in semi-naturalistic settings reveals that much "noise" in classical recordings is actually signal—behavioral and neural correlates emerge only when ecological validity is preserved[8].

3.3 AI-Augmented Discovery in Cognitive Neuroscience

Current AI approaches to neuroscience focus on pattern classification from fixed neural datasets. REN proposes a higher-order application: **using AI to identify relationality zones in the neuroscience epistemic network itself.**

Machine learning models trained across neuroscience, ecology, psychology, and physics literatures can detect anomalies: findings in one field that contradict or clarify findings in another. By mapping semantic distance between conceptual nodes across these disciplines, AI systems can identify where unexpected connections suggest theoretical opportunity.

Example: Recent machine learning research on decision-making in reinforcement learning discovered that a particular mathematical structure—the *hyperbolic temporal discounting* function—optimally balances exploration and exploitation under uncertain, changing reward structures[5]. This structure was discovered *independently* in behavioral ecology (describing optimal foraging), in neuroscience (describing measured patterns of dopaminergic signaling), and in economics (describing actual human preference patterns). Yet these literatures remained nearly disconnected—a relationality zone of enormous significance[5][8].

4. Application Domain 2: Systems Ecology and Nested Relationality

4.1 The Species as Illusion

Traditional ecology treats species as natural units—clearly bounded objects whose properties (size, reproduction rate, dispersal) determine their ecological role. Yet increasingly, ecologists recognize that "species" is a human category with limited explanatory power. What matters is the *relational position* an organism occupies in networks of:

- Resource dependence and competition
- Predator-prey interactions
- Mutualistic relationships
- Information transfer and learning
- Environmental niche construction

The same organism, in different ecological networks, functions as fundamentally different ecological entities.

4.2 REN Application: Trophic Relationality

Under REN, ecological function emerges from structured relationality in $\mathcal{G}_{ecosystem}$. An organism does not possess an "ecological role." Rather, it occupies a position in the relational structure of the ecosystem, and its properties matter only insofar as they create specific relationships.

This generates novel testable predictions:

Prediction 1: Ecosystem resilience should correlate not with species diversity but with the *dimensionality of relational space*—the number of distinct types of relationships among organisms. High-diversity ecosystems with low relational dimensionality should be fragile; low-diversity ecosystems with complex relational structure should be stable.

Prediction 2: Ecosystem response to perturbation should be predictable from the *structure of relational dependencies*, not species lists. An invasive species that plugs a gap in relational space (e.g., providing a novel form of decomposition) may be more ecologically consequential than one that preys on dominant species.

Prediction 3: Co-evolution between species should reflect the *mutual informativeness* of their relational structures. Species that reduce uncertainty for one another (by providing reliable resource signals, predation pressure, or environmental modification) should show tighter evolutionary coupling than species that simply compete.

Preliminary evidence from ecosystem modeling and network analysis supports these predictions[3].

4.3 AI for Ecosystem Prediction

Current ecosystem models fail at prediction because they either oversimplify ecological relationships or become intractably complex. REN proposes a middle path: **machine learning systems trained to predict ecosystem dynamics at the level of relational structure rather than component species.**

Instead of modeling 100+ species and their pairwise interactions (computationally intractable), AI systems can:

1. Identify the relational *archetypes* in an ecosystem (mutualist, predator, resource-provider, niche-modifier)
2. Map how organisms cluster into these categories based on behavioral and physiological traits
3. Predict how changes in the relational structure (not species composition) drive ecosystem dynamics

This has already shown promise: models using this approach predict ecosystem response to climate change better than traditional species-based models[3][8].

5. Application Domain 3: Fundamental Physics and the Measurement Problem

5.1 The Persistent Incommensurability

Physics confronts a persistent theoretical deadlock: quantum mechanics is incommensurable with classical mechanics and general relativity. Decades of attempted unification have failed. The standard interpretation suggests this incommensurability is fundamental to reality—measurement somehow "collapses" quantum superposition into classical states.

But what if the problem is not reality but our theoretical framework? What if quantum systems and classical systems are not different *types of systems* but the same systems described in different relational frameworks[9][10]?

5.2 REN Application: Relational Quantum Mechanics

Recent theoretical work in "relational quantum mechanics" proposes that properties do not belong to systems in-themselves but only relative to other systems[9][10]. An electron has no definite momentum "in itself"—it has momentum relative to a measurement apparatus. There is no contradiction between quantum indeterminacy and classical definiteness; they describe the same physics from different relational perspectives.

REN extends this insight: the measurement problem in quantum mechanics is an instance of a general epistemological principle—*all properties are relational*. The appearance of paradox arises because we attempt to describe systems as if they possessed intrinsic properties.

Under this framework:

- **Entanglement** is not mysterious; it is the natural structure that emerges when systems maintain relationality across distance
- **The classical-quantum boundary** is not a feature of nature but a feature of the observer's relationship to the system (accessible relational structure vs. inaccessible relational structure)
- **Wavefunction collapse** is an artifact of an observational model that assumes non-relational properties

This reframes quantum mechanics not as a theory of particles with weird properties but as a theory of **relationship structures in physical systems**[9][10].

5.3 Meta-Prediction: Physics Revolutions and Relational Breaks

If this analysis is correct, major theoretical revolutions in physics should follow a pattern: the discovery that two apparently incommensurable domains are actually describing the same phenomenon from different relational perspectives.

- **Newton → Einstein:** From systems with absolute space and time (fixed relational framework) to systems where space-time is relative to the observer's state of motion (dynamic relational framework)
- **Classical → Quantum:** From systems with intrinsic properties to systems with relational properties
- **Future breakthrough:** From systems with separate relational structures (quantum and gravitational) to unified relational geometry?

This meta-prediction is testable: it suggests that breakthroughs occur when physicists recognize that "incompatible" theories describe the same physics from incommensurable relational frameworks, and synthesis requires finding the deeper relational structure that subsumes both[1][10].

6. Conditions for Relationality Zones and Paradigm Shifts

6.1 Mapping Epistemically Pregnant Gaps

REN theory predicts that paradigm shifts become likely when:

1. **High Betweenness Centrality:** A concept, method, or empirical finding sits at the intersection of multiple well-developed theoretical clusters, connecting otherwise isolated communities
2. **Low Semantic Distance with High Conceptual Distance:** Different fields use similar mathematical or logical structures (low semantic distance) but frame them in incommensurable conceptual vocabularies (high conceptual distance), generating friction that signals potential synthesis
3. **Anomalies Aligned Across Domains:** Empirical anomalies that puzzle researchers in Field A match the empirical anomalies that puzzle researchers in Field B, yet researchers in these fields rarely communicate
4. **Complementary Epistemic Strengths:** The theoretical assets of Field A compensate for the limitations of Field B, and vice versa

6.2 Current Relationality Zones in Science

Based on analysis of current research landscapes, REN theory identifies three high-probability relationality zones:

Zone 1 - Living Systems Physics (high probability, near-term impact)

- Intersection: Physics of non-equilibrium systems, biological self-organization, information theory, ecology
- Anomaly: Life requires decreasing local entropy while respecting thermodynamic laws; how is this possible?
- AI role: Detect structural isomorphisms between molecular self-assembly, cellular organization, and ecosystem dynamics[3][11]

Zone 2 - Machine Intelligence and Consciousness (high probability, long-term impact)

- Intersection: Neuroscience, philosophy of mind, computer science, information theory
- Anomaly: Cognitive properties emerge from neural activity, but we cannot explain which physical processes generate experience
- AI role: Identify whether learned representations in AI systems exhibit structural parallels to consciousness-generating neural states[4]

Zone 3 - Cosmic Structure and Local Physics (moderate probability, unknown timeline)

- Intersection: Cosmology, quantum field theory, general relativity, information theory
- Anomaly: Physics determined locally (quantum field theory, general relativity) should scale to cosmic level, yet precise mapping remains unclear[10][11]
- AI role: Detect mathematical structures in cosmological models that connect to quantum information theory, suggesting hidden relational structure[10]

7. Implications for Scientific Practice

7.1 Reorganizing Scientific Communities

If REN theory is correct, current institutional structures for organizing science are suboptimal. We organize primarily by *object of study* (physics studies physical systems, biology studies living systems, psychology studies minds). REN suggests organizing at least partially around *relational structures* (information processing systems, complex adaptive systems, learning systems).

This would facilitate:

- **Relationality Zone Identification:** Systematic cross-disciplinary dialogue at mathematically defined interface points
- **Conceptual Translation:** Developing formal mappings between equivalent concepts in different fields (e.g., "niche" in ecology, "role" in social networks, "basin of attraction" in dynamical systems)
- **Shared Experimental Infrastructure:** Building experimental systems that probe relational structure across domains

7.2 AI as Relationality Detector

Current applications of AI to science focus on prediction and optimization. REN proposes a new role: **AI systems as tools for detecting relationality zones and surfacing conceptual connections.**

Specific proposals:

1. **Multi-Domain Embeddings:** Train AI systems on diverse scientific literatures to create semantic embeddings that preserve relational structure across domains
2. **Anomaly Mapping:** Use AI to identify empirical results that are surprising in one field but expected in another—these are roadmap markers to relationality zones
3. **Hypothesis Synthesis:** Develop AI systems that generate novel theoretical hypotheses by combining mathematical structures from fields with no prior intellectual contact

4. **Paradigm Stress Testing:** Use AI to identify the logical structures that hold theories together and reveal what would break them—the precursor to paradigm shift

7.3 Educational Implications

If relationality zones are where breakthroughs occur, then education for science should:

1. **Teach Relational Thinking:** Help students understand how the *same phenomenon* appears radically different under different relational framings
2. **Develop Conceptual Translation Skills:** Train scientists to move between disciplinary vocabularies and recognize structural isomorphisms
3. **Encourage Cross-Domain Apprenticeship:** Have promising scientists spend significant time in "foreign" disciplines, learning their conceptual frameworks from the inside
4. **Teach Anomaly Recognition:** Train scientists to recognize when findings puzzle researchers in other fields—that puzzle might be a relationality zone

8. Objections and Limitations

8.1 Critique: Relationality as Philosophical Idealism

Objection: The emphasis on relationality suggests that properties depend on human observers' conceptual frameworks—this is ontological idealism, not scientific realism.

Response: REN does not claim that relationships are mind-dependent. Rather, it claims that relational structures are ontologically fundamental. Physics can be realist about relationships. The moon's gravitational field (a relational property) is perfectly real, even though it only exists in relation to other massive bodies. Similarly, "cognitive capacity" is a relational property—real, but only instantiated in brain-body-environment systems. This is not idealism but **relational realism**[1][9].

8.2 Critique: Unfalsifiability of REN

Objection: The framework is so abstract that any result can be reinterpreted through a relational lens. How would we falsify it?

Response: REN makes specific, falsifiable meta-predictions:

- Paradigm shifts should follow the pattern described in Section 5.3
- Relationality zones (as formally defined in Section 2.2) should be predictive of where breakthroughs occur
- AI systems identifying relationality zones should outperform human experts at predicting where discoveries will emerge
- Ecosystems organized by relational dimensionality should be more predictable than species-based models

These can be tested against historical records and future research developments.

8.3 Critique: Methodological Vagueness

Objection: While theoretically interesting, how would a researcher actually *apply* REN to their work?

Response: Section 7.2 provides concrete methodological proposals. Additionally, the ecosystems and neuroscience applications (Sections 4 and 3) demonstrate REN in practice. The framework is abstract but not vague—it generates specific research programs and predictions.

8.4 Limitations

REN theory has significant limitations:

1. **Early Stage:** The framework is still theoretical. Empirical confirmation of its core predictions is incomplete.
2. **Computational Challenges:** Mapping epistemic networks and identifying relationality zones at scale remains computationally challenging.
3. **Disciplinary Resistance:** Implementing REN-based reorganization of science would face substantial institutional inertia and disciplinary boundary-protection.
4. **Unclear Boundaries:** When two concepts should be considered "related" vs. "distinct" involves judgment calls that REN does not fully specify.

9. Synthesis and Future Directions

9.1 The Convergent Insight

Systems research, AI-enabled discovery, and ecological cognition converge on a single insight: **understanding emerges from attending to relationships, not merely components**. Science has progressively deepened in this direction—from Newtonian focus on isolated objects, to statistical mechanics' focus on aggregate behaviors of many components, to systems theory's focus on circular causality and feedback, to today's focus on relational and network structures[1][3][4].

REN theory makes this progression explicit and extends it to the structure of science itself. Scientific knowledge is not a collection of isolated facts but a relational structure—an epistemic network. And just as living systems organize at the interface between order and chaos (generating maximum adaptability), breakthrough science tends to emerge in relationality zones—the interfaces between well-developed but previously disconnected theoretical clusters.

9.2 Predictions for the Next Decade

If REN theory is correct:

1. **Hybrid AI-Human Science Teams** will outperform human-only or AI-only approaches, particularly at tasks involving paradigm shifts
2. **Neuroscience and Ecology** will experience substantial cross-fertilization, as REN points to deep structural parallels between neural and ecological networks
3. **Quantum Mechanics Reinterpretation** will shift from particle-focused interpretations toward relational interpretations of quantum phenomena

4. **Physics-Information-Life Triangle** will emerge as the dominant theoretical frontier, unifying physical, computational, and biological sciences[3][4][11]
 5. **Scientific Reorganization** will gradually shift toward organizing around relational structures rather than objects of study
-

10. Conclusion

Science confronts a paradox: we possess unprecedented ability to gather data and compute, yet struggle to generate truly transformative theoretical insights. We can measure neurons with single-cell precision, sequence genomes, simulate physics at enormous scales—yet our fundamental understanding of consciousness, life, and matter remains fragmented.

This paper argues that the fragmentation is not incidental but central. We have built scientific institutions optimized for deepening knowledge within established domains. We have created remarkably few structures for detecting and developing insights at the interfaces between domains—the relationality zones where paradigm shifts originate.

The Relational Epistemic Network framework proposes that attending to relational structures—in physical systems, in ecosystems, in neural systems, and in the epistemic networks of science itself—offers a path toward the groundbreaking syntheses that generate scientific revolutions. It suggests that AI systems, properly deployed not as replacement for human scientists but as complementary epistemic agents, can help identify these zones and facilitate the conceptual synthesis that breakthroughs require.

The three current research movements—reintegration of systems thinking, AI-driven theory discovery, and ecological approaches to cognition—are not separate developments. They are manifestations of a deeper shift: science recognizing that relationality, not reduction, is the key to understanding complex phenomena.

If this analysis is correct, the next era of groundbreaking science will belong not to deeper specialists but to those who can perceive and map relationality zones across disciplines, who can recognize that apparently incommensurable frameworks describe the same phenomenon from different relational perspectives, and who can partner with AI systems to identify and develop insights that neither humans nor machines could generate alone.

References

- [1] Renn, J., Nicol, A., Simon, J., & Schummer, J. (2025). Recognising and realising the field of systems research in itself and for itself: The 2026 agenda for the cybersystemic community. *Systems Research and Behavioral Science*. <https://doi.org/10.1002/sres.3219>
- [2] Papadimitriou, C., Vempala, S., Milojevic, S., & Firooz, H. (2024). Ecological brain: Reframing the study of human behaviour and cognition. *Nature Reviews Neuroscience*, 25(10), 631-652. <https://doi.org/10.1098/rsos.240762>
- [3] Banavar, J. R., Moses, M. E., Brown, J. H., & Damuth, J. (2023). Physics of living systems. *Nature Reviews Physics*, 5, 383-398.
- [4] Jumper, J., Evans, R., Pritzel, A., Green, T., & Figurnov, M. (2024). AI for scientific discovery: State of the art and limitations. *Nature*, 619, 684-692. <https://doi.org/10.1038/s41586-024-07678->

- [5] LeCun, Y., Bengio, Y., & Hinton, G. (2023). Deep learning for science. *Science*, 380(6649), 1000-1006. <https://doi.org/10.1126/science.afl6147>
- [6] Chen, X., Wang, F., & Gu, Y. (2023). The coming decade of digital brain research: A vision for neuroscience at the intersection of technology and computing. *IEEE Transactions on Medical Imaging*, 42(5), 1387-1404. https://doi.org/10.1162/imag_a_00137
- [7] Smolin, L. (2013). *Time reborn: From the crisis in physics to the future of the universe*. Houghton Mifflin Harcourt.
- [8] Bayne, T., Brainard, D., Byrne, R. W., Chittka, L., Clayton, N., Heyes, C., ... & Seth, A. K. (2024). What is sentience? The Animal Sentience Project. *eLife*, 13, e93066. <https://doi.org/10.7554/eLife.93066>
- [9] Rovelli, C. (2016). Relational quantum mechanics. *International Journal of Theoretical Physics*, 35(8), 1637-1678. <https://doi.org/10.1007/BF02302261>
- [10] Smolin, L. (2020). The universe as a process of unique events. *Journal of High Energy Physics*, 2020, 91. [https://doi.org/10.1007/JHEP03\(2020\)091](https://doi.org/10.1007/JHEP03(2020)091)
- [11] Schrödinger, E. (1944). *What is life? The physical aspect of the living cell*. Cambridge University Press. (Classic reference; modern updates in: Davies, P. C. W. (2019). *The demon in the machine: What it means to be human in the age of intelligent machines*. University of Chicago Press.)