

Student:

Devon Jacob

Email:

jacobd24@rowan.edu

Time on Task:

7 hours, 3 minutes

Progress:


91%

Report Generated: Monday, October 28, 2024 at 11:00 PM

Section 1: Hands-On Demonstration


Part 1: Identify Failed Logon Attempts on Windows Systems

8. Make a screen capture showing the Security Event Properties dialog box on the vWorkstation.




Part 2: Monitor Network Activity with Snort


17. Make a screen capture showing the **updated Pass Lists** page.




31. Make a screen capture showing the **active Snort status** on the LAN interface.



36. Make a screen capture showing the successful ping results.




41. Make a screen capture showing the ICMP alerts in the Snort Active Log.




Section 2: Applied Learning

Part 1: Identify Failed Login Attempts on Linux Systems

10. Make a screen capture showing the edited rsyslog.conf file.



20. Make a screen capture showing the failed login attempts.



22. Make a screen capture showing the last 10 log messages.

Part 2: Monitor File Integrity with Tripwire


12. Make a screen capture showing the Object Summary section for the Tripwire report.

Page 5 of 6

Section 3: Challenge and Analysis

Part 1: Identify Additional Event Types in the Event Viewer

Make a screen capture showing the **Security Event Properties** dialog box for an **Audit Failure** associated with **Event ID 5061**.



Provide a brief explanation of the operation that would generate a security event with Event ID 5061.

This event is triggered when a cryptographic operation, such as opening a key or creating a key, is performed using a **Key Storage Provider (KSP)**. The event will only be generated if one of the following KSPs is utilized: **Microsoft Software Key Storage Provider** or **Microsoft Smart Card Key Storage Provider**. Work Cited: Vinaypamnani-Msft. "5061(S, F) Cryptographic Operation. - Windows 10." Microsoft Learn, 8 Sept. 2021, learn.microsoft.com/en-us/previous-versions/windows/it-pro/windows-10/security/threat-protection/auditing/event-5061.

Part 2: Configure Snort as an Intrusion Prevention System

Make a screen capture showing the **Legacy Blocking Mode** enabled on the LAN interface.

Incomplete