\$cmps112-wm/Assignments/asg3-smalltalk-hzip/phuffman/ test1.lis

1/1

```
1: ::::::::::::
2: test1.in
3: ::::::::::
4: eeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee
5: eeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee
7: aaaaaaaaaaaaaaaa
8: 00000000000000000
9: ::::::::::::
10: test1.out
11: :::::::::::
12: x0A 5 01101
13: a
        20 0111
       100 1
14: e
       20 010
15: o
16: t
        40 00
17: EOF
         1 01100
```

11/08/16

12:25:24

```
1: :::::::::::
2: test2.in
3: ::::::::::
7: aaaaaaaaaaaaaaaa
8: 00000000000000000
9: iiiiiiiiii
10: nnnnn
11: sssss
12: h
13: r
14: :::::::::::
15: test2.out
16: :::::::::::
     10 11001
17: x0A
18: x20
        5 110001
19: a
       20 1101
19: a 20 11
20: e 100 0
       1 11000010
21: h
21: n
22: i
        10 11100
23: n
        5 111010
24: o
       20 1111
        1 11000011
25: r
26: s
        5 111011
27: t
        40 10
28: EOF 1 1100000
```

```
1: :::::::::::
2: test3.in
3: :::::::::::
6: cccccccc cccccccc cccccccc cccccccc
7: ddddddddd ddddddddd ddddddddd
8: eeeeeeee eeeeeeee eeeeeeee
10: ggggggggg ggggggggg ggggggggg
11: hhhhhhhhh hhhhhhhhhh hhhhhhhhh
14: :::::::::::
15: test3.out
16: ::::::::::
17: x0A
       10 10001
18: x20
       30 1001
19: a
       40 1010
20: b
       40 1011
21: c
       40 1100
22: d
       40 1101
       40 1110
23: e
24: f
       40 1111
25: g
       40 000
26: h
       40 001
27: i
       40 010
28: ј
       40
         011
       1
29: EOF
         10000
```

```
1: :::::::::::
2: test1.in
3: ::::::::::::
7: aaaaaaaaaaaaaaaaa
8: 00000000000000000
9: :::::::::::
10: test1.out
11: :::::::::::::
12: x0A 5 01101
13: a 20 0111
14: e 100 1
15: o
       20 010
       40 00
16: t
17: EOF 1 01100
18: :::::::::::
19: test2.in
20: :::::::::::
22: eeeeeeeeeeeeeee eeeeeeeeeeeeee eeeeee
23: tttttttttttttttttt ttttttttttttttt
24: aaaaaaaaaaaaaaaa
25: 00000000000000000
26: iiiiiiiiii
27: nnnnn
28: sssss
29: h
30: r
31: :::::::::::
32: test2.out
33: :::::::::::
34: x0A 10 11001
35: x20 5 110001
36: a 20 1101
37: e 100 0
1 11000010
10 11100
       1 11000011
5 111011
46: ::::::::::::
47: test3.in
48: :::::::::::
52: ddddddddddddddddddddddddddddddddddd
53: :::::::::::
54: test3.out
55: ::::::::::::
56: x0A 4 11011
57: x20
       4 1100
        40 111
58: a
```

11/08/16 12:21:34	\$cmps	s112-wm/Ass	signments/asg3-sma tests.lis	lltalk-hzip/phuffman/	2/2
59: b 60: c 61: d 62: EOF	40 40 40 1	00 01 10 11010			

```
1: #!/bin/sh
2: # $Id: mk, v 1.13 2016-11-08 12:25:22-08 - - $
3:
4: cat >test1.in <<__END_
6: eeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeeee
8: aaaaaaaaaaaaaaaa
9: 00000000000000000
10: __END__
11:
12: cat >test2.in <<__END_
13: eeeeeeeeeeeeeeee eeeeeeeeeeeeeeeee
14: eeeeeeeeeeeeeee eeeeeeeeeeeeee eeeeee
16: aaaaaaaaaaaaaaaaa
17: 000000000000000000
18: iiiiiiiiii
19: nnnnn
20: sssss
21: h
22: r
23: __END__
24:
25: cat >test3.in << __END_</pre>
26: aaaaaaaaa aaaaaaaaa aaaaaaaaaa
28: cccccccc cccccccc cccccccc
30: eeeeeeeee eeeeeeee eeeeeeee
32: ggggggggg ggggggggg ggggggggg
33: hhhhhhhhh hhhhhhhhh hhhhhhhhhh
36: ___END___
37:
38: cid $0 phuffman.perl
39: for infile in test?.in
40: do
41:
    outfile=$(echo $infile | sed s/in/out/)
42:
    lisfile=$(echo $infile | sed s/in/lis/)
43:
    phuffman.perl <$infile >$outfile 2>&1
44:
    more $infile $outfile >$lisfile </dev/null
45: done
46: mkpspdf Listing.ps test?.lis $0 phuffman.perl
```

```
1: #!/usr/bin/perl
2: # $Id: phuffman.perl,v 1.4 2016-11-08 12:16:25-08 - - $
3:
4: use strict;
5: use warnings;
6:
7: $0 = "s|/*$||;
8: $0 = "s|^*.*/||;
9: my $exit_status = 0;
10: sub note(@) {print STDERR "$0: @_"}
11: $SIG{__WARN__} = sub {note @_; $exit_status = 1};
12: $SIG{__DIE__} = sub {warn @_; exit};
13: END {exit $exit_status}
14:
16:
17: sub newtree($$;$$) {
      my ($char, $count, $leftp, $rightp) = @_;
18:
19:
      my $tree = {CHAR=> $char, COUNT=> $count};
20:
      $tree->{CHILDREN} = [$leftp, $rightp] if $leftp || $rightp;
21:
      return $tree;
22: }
23:
24: sub cmptree($$) {
      my ($tree1p, $tree2p) = @_;
25:
26:
      return $tree1p->{COUNT} <=> $tree2p->{COUNT}
27:
          || $tree1p->{CHAR} <=> $tree2p->{CHAR}
28: }
29:
30: sub hencode($$$);
31: sub hencode($$$) {
      my ($encodings, $tree, $encoding) = @_;
32:
33:
      if ($tree->{CHILDREN}) {
34:
         hencode $encodings, $tree->{CHILDREN}->[$_], $encoding . $_
                 for 0 .. $#{$tree->{CHILDREN}}
35:
36:
      }else {
37:
         $encodings->[$tree->{CHAR}] = $encoding;
38:
39: }
40:
```

```
41:
44: use constant ROOT=> 1;
45:
46: sub parent($) {my ($index) = @_; $index >> 1}
47: sub lchild($) {my ($index) = @_; $index << 1}
48: sub rchild($) {my ($index) = @_; $index << 1 | 1}
49: sub empty($) {my ($pqueue) = @_; $#$pqueue < ROOT}
50: sub newpqueue() {[0]}
51:
52: sub swap($$$) {
      my ($pqueue, $index1, $index2) = @_;
53:
      @$pqueue[$index1, $index2] = @$pqueue[$index2, $index1];
54:
55: }
56:
57: sub rootward($$$) {
      my ($pqueue, $index1, $index2) = @_;
58:
59:
      return (cmptree $pqueue->[$index1], $pqueue->[$index2]) < 0
60: }
61:
62: sub insert($$) {
63:
      my ($pqueue, $tree) = @_;
64:
      push @$pqueue, $tree;
      for (my $child = $#$pqueue; $child > ROOT; ) {
65:
66:
         my $parent = parent $child;
67:
         last if rootward $pqueue, $parent, $child;
68:
         swap $pqueue, $child, $parent;
69:
         $child = $parent;
70:
      }
71: }
72:
73: sub deletemin($) {
74:
      my (pqueue) = 0;
75:
      die "deletemin: pqueue is empty" if empty $pqueue;
76:
      swap $pqueue, ROOT, $#$pqueue;
77:
      my $result = pop @$pqueue;
78:
      my $parent = ROOT;
79:
      for (;;) {
80:
         my $child = lchild $parent;
81:
         last if $child > $#$pqueue;
         my $rchild = rchild $parent;
82:
         $child = $rchild if $rchild <= $#$pqueue</pre>
83:
                          && rootward $pqueue, $rchild, $child;
84:
85:
         last if rootward $pqueue, $parent, $child;
86:
         swap $pqueue, $parent, $child;
87:
         $parent = $child;
88:
89:
      return $result;
90: }
91:
```

```
92:
95: # 1. Load frequency table.
96:
97: my @frequencies;
98: for my $filename (@ARGV ? @ARGV : "-") {
       open my $file, "<$filename" or do {warn "$filename: $!\n"; next};
       map {++$frequencies[ord $_]} split "" while <$file>;
100:
101:
       close $file;
102:
       $frequencies[256] = 1;
103: }
104:
105: # 2. Load priority queue from frequency table.
106:
107: my $pqueue = newpqueue;
108: for my $char (0..$#frequencies) {
       insert $pqueue, newtree $char, $frequencies[$char]
109:
110:
              if $frequencies[$char];
111: }
112:
113: # 3. Unload priority queue into Huffman tree.
114:
115: my $tree;
116: for (;;) {
117:
       last if empty $pqueue;
118:
       $tree = deletemin $pqueue;
119:
       last if empty $pqueue;
       my $rtree = deletemin $pqueue;
120:
       insert $pqueue, newtree $tree->{CHAR},
121:
122:
                       $tree->{COUNT} + $rtree->{COUNT}, $tree, $rtree;
123: }
124:
125: # 4. Traverse Huffman tree into encoding array.
126:
127: my @encodings;
128: hencode \@encodings, $tree, "" if $tree;
130: # 5. Print out frequency and encoding table.
131:
132: for my $char (0 .. $#frequencies) {
       next unless $frequencies[$char];
133:
       my $fmt = (chr $char) = m/[[:graph:]]/ ? " %c " : "x%02X";
134:
       printf $char == 256 ? "EOF"
135:
            : (chr $char) = m/[[:graph:]]/ ? " %c "
136:
137:
            : "x%02X", $char;
       printf "%8d %s\n", $frequencies[$char], $encodings[$char];
138:
139: }
140:
```