System Verification and Validation Plan for ChemCode

Samuel Crawford

February 19, 2023

Contents

| 1 | Revision History | | | |
|---|------------------|--|----------------|--|
| 2 | Syn | abols, Abbreviations and Acronyms | iv | |
| 3 | Ger | neral Information | 1 | |
| | 3.1 | Summary | 1 | |
| | 3.2 | Objectives | 1 | |
| | 3.3 | Relevant Documentation | 1 | |
| 4 | Pla | n | 1 | |
| | 4.1 | Verification and Validation Team | 1 | |
| | 4.2 | SRS Verification Plan | 2 | |
| | 4.3 | Design Verification Plan | 3 | |
| | 4.4 | Verification and Validation Plan Verification Plan | 3 | |
| | 4.5 | Implementation Verification Plan | 3 | |
| | 4.6 | Automated Testing and Verification Tools | 3 | |
| | 4.7 | Software Validation Plan | 4 | |
| 5 | Svs | tem Test Description | 4 | |
| | 5.1 | Tests for Functional Requirements | $\overline{4}$ | |
| | | 5.1.1 Element Support Testing | 4 | |
| | | 5.1.2 Feasible Reaction Testing | 5 | |
| | | 5.1.3 Infeasible Reaction Testing | 6 | |
| | 5.2 | Tests for Nonfunctional Requirements | 6 | |
| | | 5.2.1 Accuracy Testing | 7 | |
| | | 5.2.2 Understandability Testing | 7 | |
| | | 5.2.3 Usability Testing | 7 | |
| | | 5.2.4 Portability Testing | 7 | |
| | | 5.2.5 Verifiability Testing | 8 | |
| | 5.3 | Traceability Between Test Cases and Requirements | 8 | |
| 6 | Uni | t Test Description | 8 | |
| | 6.1 | Unit Testing Scope | 8 | |
| | 6.2 | Tests for Functional Requirements | 9 | |
| | | 6.2.1 Module 1 | 9 | |
| | | 6.2.2 Module 2 | 10 | |
| | 6.3 | Tests for Nonfunctional Requirements | 10 | |

| | | 6.3.1 Module? | .0 |
|---------|----------------|---|--|
| | | 6.3.2 Module? | .0 |
| | 6.4 | Traceability Between Test Cases and Modules | . 1 |
| 7 | App | pendix 1 | 2 |
| | 7.1 | Symbolic Parameters | 2 |
| | 7.2 | Usability Survey | 2 |
| ${f L}$ | \mathbf{ist} | of Tables Table of Teammates and Their Roles | 2 |
| ${f L}$ | \mathbf{ist} | of Figures | odule ? 10 ty Between Test Cases and Modules 11 Parameters 12 Survey 12 les Teammates and Their Roles 2 Ires |
| | [Rer | nove this section if it isn't needed —SS] | |

1 Revision History

| Date | Version | Notes |
|------------------|---------|--|
| Feb. 5, 2023 | 0.0 | Create document and remove inapplicable |
| | | content |
| Feb. 7-8, 2023 | 0.1 | Add input tests |
| Feb. 8, 2023 | 0.1.1 | Improve referencing of tests |
| | 0.1.2 | Add matrix conversion tests and improve in- |
| | | put tests, including rationale, labelling, and |
| | | chemical equations |
| Feb. 9, 2023 | 0.1.3 | Add tests for trivial equation |
| | 0.1.4 | Add feasibility tests |
| Feb. 13, 2023 | 0.1.5 | Clarify notion of matrices having the |
| | | same solution after swapping rows and/or |
| | | columns |
| Feb. 13-14, 2023 | 0.1.6 | Add balancing and output tests |
| Feb. 14, 2023 | 0.1.7 | Add accuracy test for balancing |
| Feb. 16, 2023 | 0.1.8 | Move (reordered) "system tests" to unit test |
| | | section (commented out), convert them to |
| | | true system tests, and tweak balancing ac- |
| | | curacy test appropriately |
| | 0.1.9 | Add static test for element support |
| Feb. 18, 2023 | 0.1.10 | Improve formatting of existing tests, includ- |
| T.1. 40. 0000 | | ing adding references to requirements |
| Feb. 19, 2023 | 0.1.11 | Add remaining tests for nonfunctional re- |
| | | quirements (except for NFR4 [add link — |
| | 0.2.0 | SC]) |
| | 0.2.0 | Fill in Plan section |
| | 0.2.1 | Fill in General Information section |

2 Symbols, Abbreviations and Acronyms

| symbol | description |
|--------|------------------------|
| CAS | Computing and Software |
| SUS | System Usability Scale |
| Τ | Test |

[symbols, abbreviations or acronyms — you can simply reference the SRS

[1] tables, if appropriate —SS]

[Remove this section if it isn't needed —SS]

3 General Information

This document outlines the plan for verifying and validating ChemCode. It provides a brief overview of ChemCode, as well as the main objectives of this document and references to other relevant documentation, an overview of the verification and validation of various artifacts, a description of the system and unit tests, and any other relevant information.

3.1 Summary

The software that will be tested is ChemCode, a tool for automatically balancing chemical equations so that they may be useful [2].

3.2 Objectives

The primary objectives of this plan are to build confidence in the software's correctness and to ensure that this project meets the goals of both CAS 741 and Drasil.

3.3 Relevant Documentation

This plan outlines the process for verifying the SRS [add link—SC] and this VnV Plan in Sections 4.2 and 4.4, respectively; these are the only relevant pieces of documentation for this plan. (Note that design documentation would also be relevant, but since ChemCode is being built in Drasil which doesn't generate this documentation, it is out of the scope of this project.)

4 Plan

This section outlines the plan for verifying and validating ChemCode, which will be performed by a team. This plan includes verifying the SRS, design, VnV Plan, and implementation. It also includes the user of automated tools for testing and verification and external data for validation.

4.1 Verification and Validation Team

Each teammate has its role listed in Table of Teammates and Their Roles according to the following roles:

- **Author**: The person writing the documentation and Drasil implementation of ChemCode.
- **Project Supervisor**: The person in charge of the ChemCode project, including its implementation in Drasil.
- Reviewer: A person in charge of ensuring that the documentation and/or implementation of ChemCode meets the needs of the CAS 741 course (this may be limited to one artifact).
- Validator: A person in charge of ensuring that the documentation and/or implementation of ChemCode meets the goals of its implementation in Drasil.
- Verifier: A person in charge of ensuring that the implementation of ChemCode meets the requirements from its SRS.

| Name | Role |
|-------------------|---|
| Dr. Spencer Smith | Project Supervisor, Reviewer, Validator |
| Samuel Crawford | Author, Reviewer, Validator, Verifier |
| Jason Balaci | Reviewer, Validator |
| Deesha Patel | SRS Reviewer |
| Maryam Valian | VnV Plan Reviewer |
| Karen Wang | Drasil Implementation Reviewer |
| Drasil Team | Validators, Verifiers |
| Class of CAS 741 | Reviewers |

Table 1: Table of Teammates and Their Roles

4.2 SRS Verification Plan

The first round of review for the SRS will be done on its manual version. It will be reviewed first by Samuel Crawford during the writing process, then generally by the class of CAS 741, and then more rigorously by Jason Balaci, Deesha Patel, and Dr. Spencer Smith. After appropriate revisions and its implementation in Drasil, the generated version will then be reviewed by

Samuel Crawford, Dr. Spencer Smith and a subset of the Drasil team. Each review will check it against the general writing checklist, the SRS checklist and the SRS rubric for CAS 741 [add links—SC]; the only exception is that the Drasil team will only verify the SRS within the scope of the Drasil project (i.e., not against the CAS 741 rubric).

4.3 Design Verification Plan

The design of ChemCode will be dictated by Drasil's code generation. As Drasil does not currently generate design documentation [add source?—SC], this verification will be conducted based on the generated code itself. Verifying its design will be done by the Drasil team according to their process of design verification and is therefore out of the scope of this document.

4.4 Verification and Validation Plan Verification Plan

The VnV Plan will be reviewed first by Samuel Crawford during the writing process, then generally by the class of CAS 741, and then more rigorously by Jason Balaci, Maryam Valian, and Dr. Spencer Smith. After appropriate revisions, it will then be reviewed again by Samuel Crawford and Dr. Spencer Smith. Each review will check it against the general writing checklist and the VnV rubric for CAS 741 [add links—SC].

4.5 Implementation Verification Plan

The primary method of verifying the implementation of ChemCode will be performing the system and unit tests from Sections 5 and 6, respectively. Since the implementation will be generated by Drasil, a subset of the Drasil team will also inspect the code to ensure that it matches the expectations for generated code, especially focusing on the new code generation for solving linear systems. [Does the Drasil team already perform any formal static analysis? —SC] The implementation will also likely be reviewed by Drasil team members in the future, as related to future work on Drasil.

4.6 Automated Testing and Verification Tools

Since the initial implementation of ChemCode will be in Python, pytest will be used to automate testing and measure coverage where appropriate. Other

frameworks for automated testing will be added if/when code for ChemCode is generated in more languages. The Drasil repository has continuous integration set up to ensure that hlint standards are adhered to and that the code compiles [double check —SC]. Since the code for ChemCode will be generated by Drasil, the Drasil team may potentially use other tools as part of its verification (e.g., linters). [Are Makefiles generated? —SC]

4.7 Software Validation Plan

There are two sets of goals for ChemCode: those for CAS 741 and those for Drasil. The verification of the SRS from Section 4.2 will help ensure that ChemCode satisfies both sets of goals.

[If there is any external data that can be used for validation, you should point to it here. —SS] [Would "external data" include a database of chemical reactions? —SC]

5 System Test Description

5.1 Tests for Functional Requirements

The tests in each section are given in order of increasing complexity/likelihood of the situation arising during use of ChemCode.

5.1.1 Element Support Testing

T1: Test for Element Support

Test Case Derivation: In order for the user to be able to work with any possible chemical reaction, they must be able to enter each of the currently known 118 elements.

How test will be performed: Static analysis will be performed against the list of elements from [3], ensuring that the symbol of every element can be used throughout the execution of ChemCode. This includes the input stage (from R1 from SRS [add link—SC]), the conversion stage (from R2 from SRS [add link—SC]), and the output stage (from R4 and R6 from SRS [add link—SC]).

5.1.2 Feasible Reaction Testing

The following tests are for equations of feasible chemical reactions and will be performed automatically. Providing the correct output for an inputted feasible chemical reaction satisfies R1, R2, R3, R5, and R6 from SRS [add link—SC]. Note that the input/output format for each test is an abstract representation, as the specific format of each input/output is a design decision that is not made at this stage.

T2: Test for Small Valid Equation

Input: $O_2 \rightarrow O_3$ [4]

Output: $3 O_2 \to 2 O_3 [4, p. 6]$

Test Case Derivation: The inputted chemical equation is valid and trivial.

T3: Test for Valid Equation

Input: $C_2H_6 + O_2 \rightarrow CO_2 + H_2O$ [5]

Output: $2 C_2 H_6 + 7 O_2 \rightarrow 4 CO_2 + 6 H_2 O [5, p. 523]$

Test Case Derivation: The inputted chemical equation is valid and relatively small, but larger than the trivial one from T2.

T4: Test for Large Valid Equation

Input: $KMnO_4 + HCl \rightarrow MnCl_2 + KCl + Cl_2 + H_2O$ [6]

Output: $2 \text{ KMnO}_4 + 16 \text{ HCl} \rightarrow 2 \text{ MnCl}_2 + 2 \text{ KCl} + 5 \text{ Cl}_2 + 8 \text{ H}_2 \text{O}$ [6]

Test Case Derivation: The inputted chemical equation is valid and larger than the one from T3.

T5: Test for Valid Equation with Nonstoichiometric Compound

Input: $Fe_{0.95}O + O_2 \rightarrow Fe_2O_3$ [7]

Output: $80 \,\mathrm{Fe_{0.95}O} + 17 \,\mathrm{O_2} \rightarrow 38 \,\mathrm{Fe_2O_3}$

Test Case Derivation: The inputted chemical equation contains a non-stoichiometric compound (i.e., one with a fractional subscript).

5.1.3 Infeasible Reaction Testing

The following tests are for equations of infeasible chemical reactions and will be performed automatically. Providing the correct output for an inputted infeasible chemical reaction satisfies R1, R2, R3, and R4 from SRS [add link—SC]. Note that the input/output format for each test is an abstract representation, as the specific format of each input/output is a design decision that is not made at this stage.

T6: Test for Valid Equation that is Infeasible due to Conservation of Mass Violation

Input: $C_2H_6 \rightarrow CO_2 + H_2O$

Output: "This reaction is infeasible because O is present on one side of the equation but not the other, violating the Law of Conservation of Mass."

Test Case Derivation: The inputted chemical equation is infeasible since every element does not exist on both sides of the equation, which violates the Law of Conservation of Mass (TM1 from SRS [add link—SC]).

T7: Test for Valid Equation that is Infeasible due to Overconstrained System

Input: $K_4FeC_6N_6 + K_2S_2O_3 \rightarrow CO_2 + K_2SO_4 + NO_2 + FeS$ (modified from [5])

Output: "This reaction is infeasible because it is overconstrained."

Test Case Derivation: The inputted chemical equation is infeasible since each compound has more than one element, so changing any coefficient affects the number of some other element, causing a chain reaction that does not converge. There is no solution to this system other than the trivial solution (0) [5].

5.2 Tests for Nonfunctional Requirements

There are no tests for maintainability because this is the responsibility of the Drasil team, as Drasil is responsible for generated the actual implementation of ChemCode.

5.2.1 Accuracy Testing

T8: Test for Accuracy of Balancing

Type: Dynamic, Automatic

Test Case Derivation: Chemical equations are only useful if they are balanced [2], so computed coefficients should be exact. Since these coefficients should be the smallest possible whole numbers [2], there is exactly one possible set of coefficients for each feasible chemical equation and exact equality between this expected output and the actual output can be checked by a computer (e.g., by using integer comparison).

How test will be performed: This verification will be performed by the Tests for Functional Requirements using integer comparison and satisfies R1, R2, R3, R5, R6, and NFR1 from SRS [add link—SC].

5.2.2 Understandability Testing

T9: Test for Understandability of ChemCode

Type: Dynamic, Manual

How test will be performed: New typical users will be asked to input a valid chemical reaction to be balanced by the system. At least USER_FRAC of users should be able to do so within FIRST_USE_TIME.

5.2.3 Usability Testing

T10: Test for Usability of ChemCode

Type: Dynamic, Manual

How test will be performed: Typical users will be told how ChemCode works and then instructed to input the chemical equations from the Tests for Functional Requirements to be balanced. They will then be asked the questions from the System Usability Scale (SUS) [8] (see Usability Survey). The average score should be at least SUS_SCORE.

5.2.4 Portability Testing

T11: Test for Portability of ChemCode

Type: Dynamic

Test Case Derivation: ChemCode may be used by a large variety of users who may have different systems.

How test will be performed: This verification will be performed by ensuring the correct programming language(s) is/are installed on both a Windows and macOS system and the Tests for Functional Requirements will be performed.

5.2.5 Verifiability Testing

T12: Test for Verifiability of ChemCode

Type: Dynamic, Static

How test will be performed: All other tests from this plan will be performed successfully.

5.3 Traceability Between Test Cases and Requirements

[Provide a table that shows which test cases are supporting which requirements. —SS]

6 Unit Test Description

[Reference your MIS (detailed design document) and explain your overall philosophy for test case selection. —SS] [This section should not be filled in until after the MIS (detailed design document) has been completed. —SS]

6.1 Unit Testing Scope

[What modules are outside of the scope. If there are modules that are developed by someone else, then you would say here if you aren't planning on verifying them. There may also be modules that are part of your software, but have a lower priority for verification than others. If this is the case, explain your rationale for the ranking of module importance. —SS]

6.2 Tests for Functional Requirements

[Most of the verification will be through automated unit testing. If appropriate specific modules can be verified by a non-testing based technique. That can also be documented in this section. —SS]

6.2.1 Module 1

[Include a blurb here to explain why the subsections below cover the module. References to the MIS would be good. You will want tests from a black box perspective and from a white box perspective. Explain to the reader how the tests were selected. —SS]

1. test-id1

```
Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]
```

Initial State:

Input:

Output: [The expected result for the given inputs —SS]

Test Case Derivation: [Justify the expected value given in the Output field —SS]

How test will be performed:

2. test-id2

```
Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]
```

Initial State:

Input:

Output: [The expected result for the given inputs—SS]

Test Case Derivation: [Justify the expected value given in the Output field —SS]

How test will be performed:

3. ...

6.2.2 Module 2

...

6.3 Tests for Nonfunctional Requirements

[If there is a module that needs to be independently assessed for performance, those test cases can go here. In some projects, planning for nonfunctional tests of units will not be that relevant. —SS

[These tests may involve collecting performance data from previously mentioned functional tests. —SS]

6.3.1 Module?

1. test-id1

Type: [Functional, Dynamic, Manual, Automatic, Static etc. Most will be automatic —SS]

Initial State:

Input/Condition:

Output/Result:

How test will be performed:

2. test-id2

Type: Functional, Dynamic, Manual, Static etc.

Initial State:

Input:

Output:

How test will be performed:

6.3.2 Module?

...

6.4 Traceability Between Test Cases and Modules

[Provide evidence that all of the modules have been considered. —SS]

References

- [1] A. Author, "System requirements specification." https://github.com/..., 2019.
- [2] L. Lund and Anoka-Ramsey Community College, *Introduction to Chemistry*. Cambridge and Coon Rapids, MN, USA: LibreTexts, Jan. 2023.
- [3] A. M. Helmenstine, "A List of the Elements of the Periodic Table," May 2020.
- [4] D. W. Fahey and M. I. C. L. A. Hegglin, "Twenty Questions and Answers About the Ozone Layer: 2010 Update, Scientific Assessment of Ozone Depletion: 2010," tech. rep., World Meteorological Organization, Geneva, Switzerland, Mar. 2011.
- [5] I. Hamid, "Balancing Chemical Equations by Systems of Linear Equations," *Applied Mathematics*, vol. 10, pp. 521–526, July 2019.
- [6] S. Taylor, "Balancing Complex Chemical Equations with Chemical Equations Examples," June 2021.
- [7] Doubtnut, "When non stoiciometric compound Fe0.95O is heated in presence of oxygen then it convents into Fe2O3. Which of the following statement is correct?."
- [8] N. Thomas, "How To Use The System Usability Scale (SUS) To Evaluate The Usability Of Your Website," July 2015. Section: Terminology.

7 Appendix

7.1 Symbolic Parameters

Symbolic constants used in test cases are defined here for easy maintenance.

- FIRST_USE_TIME = 10 minutes
- SUS_SCORE = 75 (note that "the average System Usability Scale score is 68" [8])
- USER_FRAC = 80%

7.2 Usability Survey

This survey was taken from [8]. The user will be asked to answer the following questions on a scale of one to five, where one means "Strongly Disagree" and five means "Strongly Agree." The scores for all odd-numbered questions will be decremented by one, the even-numbered question scores will be subtracted from five, and the sum of these new values will be multiplied by 2.5 to yield the final score.

- 1. I think that I would like to use this system frequently.
- 2. I found the system unnecessarily complex.
- 3. I thought the system was easy to use.
- 4. I think that I would need the support of a technical person to be able to use this system.
- 5. I found the various functions in this system were well integrated.
- 6. I thought there was too much inconsistency in this system.
- 7. I would imagine that most people would learn to use this system very quickly.
- 8. I found the system very cumbersome to use.
- 9. I felt very confident using the system.
- 10. I needed to learn a lot of things before I could get going with this system.