



Generating Julia: Finding Commonalities between OO and Procedural Languages

Brandon Bosman, Dr. Jacques Carette, Dr. Spencer Smith
Department of Computer and Software, McMaster University



Computing
& Software

Introduction

What is GOOL?

GOOL is our Generic Object-Oriented Language, which we use to generate code in a variety of OO languages. It consists of a series of Haskell typeclasses which together represent an abstract OO language. At the start of the summer, we had renderers from GOOL to 5 different OO languages.




Figure 1: GOOL Code and Its Renders in Different Languages

The Task

We want to be able to generate Julia code from GOOL. This will align well with GOOL's primary use case – the Drasil project, which focuses on Scientific Computing.

Problem: Julia is not OO

Julia is not OO, so not everything we can express in GOOL can be expressed in Julia.




Figure 2: Some GOOL Constructs Make Sense in Julia; Others Do Not

Solution: A New Generic Language!

Since GOOL is too flexible, we need a new set of typeclasses to express what can be expressed in procedural languages. We created GProc, the GOOL of procedural programs.

Designing GProc

Goal: minimize code duplication between GOOL and GProc.

- Since most of GOOL is the same as most of GProc, we can reuse many of the typeclasses, as well as their implementations in different renderers.
- Problem: many typeclasses are a mix of elements that can be shared and things that are OO-Only. E.g., types:




Figure 3: Most Types are Shared between Different Languages; Objects are OO-Only

- Solution: Split up Mixed typeclasses into Shared and OO-Only components.
- OO typeclasses can inherit from Shared typeclasses.

Result:





Figure 4: The Types and Dependencies of GOOL's Central Typeclasses before and after GProc was created

Conclusions and Future Work

- OO and procedural languages have a lot in common:
 - 37 typeclasses are shared.
 - 19 typeclasses are OO-Only, making GOOL 66% shared.
 - 3 typeclasses are Procedural-Only, making GProc 93% shared.



- Next steps:
 - Add struct support to GProc. This will allow for better data-bundling techniques, which are currently lacking in GProc.

I Guess I'll Cite My Sources

- Just not yet ;)