

Homework 8: More Scheme

Adapted from cs61a of UC Berkeley.

Readings

You might find the following references useful:

- Scheme Specification
 - In the same folder with this handout.
- Scheme Built-in Procedure Reference
 - In the same folder with this handout.
- [Section 3.2](#)
- [Section 3.5](#)

Starter Files

Get your starter file by cloning the repository: <https://github.com/JacyCui/sicp-hw08.git>

```
1 | git clone https://github.com/JacyCui/sicp-hw08.git
```

`hw08.zip` is the starter file you need, you might need to unzip the file to get the skeleton code.

```
1 | unzip hw08.zip
```

`README.md` is the handout for this homework. `solution` is a probable solution of the homework. However, I might not give my solution exactly when the homework is posted. You need to finish the task on your own first. If any problems occur, please make use of the comment section.

Scheme Editor

How to launch

In your `hw08` folder you will find a new editor. To run this editor, run `python3 editor`. This should pop up a window in your browser; if it does not, please navigate to localhost:31415 and you should see it.

Make sure to run `python3 ok` in a separate tab or window so that the editor keeps running.

Features

The `hw08.scm` file should already be open. You can edit this file and then run `Run` to run the code and get an interactive terminal or `Test` to run the `ok` tests.

`Environments` will help you diagram your code, and `Debug` works with environments so you can see where you are in it. We encourage you to try out all these features.

`Reformat` is incredibly useful for determining whether you have parenthesis based bugs in your code. You should be able to see after formatting if your code looks weird where the issue is.

By default, the interpreter uses Lisp-style formatting, where the parens are all put on the end of the last line

```
1 | (define (f x)
2 |     (if (> x 0)
3 |         x
4 |         (- x)))
```

However, if you would prefer the close parens to be on their own lines as so

```
1 | (define (f x)
2 |     (if (> x 0)
3 |         x
4 |         (- x)
5 |     )
6 | )
```

you can go to Settings and select the second option.

Required Questions

Q1: WWSD: Quasiquote

Use Ok to test your knowledge with the following "What Would Scheme Display?" questions:

```
1 | python3 ok -q wwsd-quasiquote -u --local
```

```
1 | scm> '(1 x 3)
2 | _____
3 |
4 | scm> (define x 2)
5 | _____
6 |
7 | scm> `(1 x 3)
8 | _____
```

```

9
10 scm> `(1 ,x 3)
11 _____
12
13 scm> '(1 ,x 3)
14 _____
15
16 scm> `( ,1 x 3)
17 _____
18
19 scm> `,(+ 1 x 3)
20 _____
21
22 scm> `(1 ( ,x) 3)
23 _____
24
25 scm> `(1 ,( + x 2) 3)
26 _____
27
28 scm> (define y 3)
29 _____
30
31 scm> `(x ,( * y x) y)
32 _____
33
34 scm> `(1 ,(cons x (list y 4)) 5)
35 _____

```

Q2: WWSD: Eval and Apply

How many calls to `scheme_eval` and `scheme_apply` would it take to evaluate each of these Scheme expressions? Use Ok to test your knowledge by writing the number of calls needed to evaluate each expression:

```
1 | python3 ok -q wwsd-eval_apply -u --local
```

```

1 scm> (+ 2 4 6 8) ; number of calls to scheme_eval
2 _____
3
4 scm> (+ 2 4 6 8) ; number of calls to scheme_apply
5 _____
6
7 scm> (+ 2 (* 4 (- 6 8))) ; number of calls to scheme_eval
8 _____
9
10 scm> (+ 2 (* 4 (- 6 8))) ; number of calls to scheme_apply

```

```

11  _____
12
13  scm> (if #f (+ 2 3) (+ 1 2)) ; number of calls to scheme_eval
14  _____
15
16  scm> (if #f (+ 2 3) (+ 1 2)) ; number of calls to scheme_apply
17  _____
18
19  scm> (define (cube a) (* a a a)) ; number of calls to scheme_eval
20  _____
21
22  scm> (define (cube a) (* a a a)) ; number of calls to scheme_apply
23  _____
24
25  scm> (cube 3) ; number of calls to scheme_eval
26  _____
27
28  scm> (cube 3) ; number of calls to scheme_apply
29  _____

```

Symbolic Differentiation

The following problems develop a system for [symbolic differentiation](#) of algebraic expressions. The `derive` Scheme procedure takes an algebraic expression and a variable and returns the derivative of the expression with respect to the variable. Symbolic differentiation is of special historical significance in Lisp. It was one of the motivating examples behind the development of the language. Differentiating is a recursive process that applies different rules to different kinds of expressions.

```

1  ; derive returns the derivative of EXPR with respect to VAR
2  (define (derive expr var)
3    (cond ((number? expr) 0)
4          ((variable? expr) (if (same-variable? expr var) 1 0))
5          ((sum? expr) (derive-sum expr var))
6          ((product? expr) (derive-product expr var))
7          ((exp? expr) (derive-exp expr var))
8          (else 'Error)))

```

To implement the system, we will use the following data abstraction. Sums and products are lists, and they are simplified on construction:

```

1  ; Variables are represented as symbols
2  (define (variable? x) (symbol? x))
3  (define (same-variable? v1 v2)
4    (and (variable? v1) (variable? v2) (eq? v1 v2)))
5
6  ; Numbers are compared with =

```

```

7  (define (=number? expr num)
8    (and (number? expr) (= expr num)))
9
10 ; Sums are represented as lists that start with +.
11 (define (make-sum a1 a2)
12   (cond ((=number? a1 0) a2)
13         ((=number? a2 0) a1)
14         ((and (number? a1) (number? a2)) (+ a1 a2))
15         (else (list '+ a1 a2))))
16 (define (sum? x)
17   (and (list? x) (eq? (car x) '+)))
18 (define (first-operand s) (cadr s))
19 (define (second-operand s) (caddr s))
20
21 ; Products are represented as lists that start with *.
22 (define (make-product m1 m2)
23   (cond ((or (=number? m1 0) (=number? m2 0)) 0)
24         ((=number? m1 1) m2)
25         ((=number? m2 1) m1)
26         ((and (number? m1) (number? m2)) (* m1 m2))
27         (else (list '* m1 m2))))
28 (define (product? x)
29   (and (list? x) (eq? (car x) '*)))
30 ; You can access the operands from the expressions with
31 ; first-operand and second-operand
32 (define (first-operand p) (cadr p))
33 (define (second-operand p) (caddr p))

```

Note that we will not test whether your solutions to this question correctly apply the [chain rule](#). For more info, check out the extensions section.

Q3: Derive Sum

Implement `derive-sum`, a procedure that differentiates a sum by summing the derivatives of the `first-operand` and `second-operand`. Use data abstraction for a sum.

Note: the formula for the derivative of a sum is $(f(x) + g(x))' = f'(x) + g'(x)$

```

1  (define (derive-sum expr var)
2    'YOUR-CODE-HERE
3  )

```

The tests for this section aren't exhaustive, but tests for later parts will fully test it.

Before you start, check your understanding by running

```
1 | python3 ok -q derive-sum -u --local
```

To test your code, if you are in the local Scheme editor, hit `Test`. You can click on a case, press `Run`, and then use the `Debug` and `Environments` features to figure out why your code is not functioning correctly.

You can also test your code from the terminal by running

```
1 | python3 ok -q derive-sum --local
```

Q4: Derive Product

Note: the formula for the derivative of a product is $(f(x) g(x))' = f'(x) g(x) + f(x) g'(x)$

Implement `derive-product`, which applies [the product rule](#) to differentiate products. This means taking the first-operand and second-operand, and then summing the result of multiplying one by the derivative of the other.

The `ok` tests expect the terms of the result in a particular order. First, multiply the derivative of the first-operand by the second-operand. Then, multiply the first-operand by the derivative of the second-operand. Sum these two terms to form the derivative of the original product. In other words, `f' g + f g'`, not some other ordering.

```
1 | (define (derive-product expr var)
2 |   'YOUR-CODE-HERE
3 | )
```

Before you start, check your understanding by running

```
1 | python3 ok -q derive-product -u --local
```

To test your code, if you are in the local Scheme editor, hit `Test`. You can click on a case, press `Run`, and then use the `Debug` and `Environments` features to figure out why your code is not functioning correctly.

You can also test your code from the terminal by running

```
1 | python3 ok -q derive-product --local
```

Optional Questions

Q5: Make Exp

Implement a data abstraction for exponentiation: a `base` raised to the power of an `exponent`. The `base` can be any expression, but assume that the `exponent` is a non-negative integer. You can simplify the cases when `exponent` is 0 or 1, or when `base` is a number, by returning numbers from the constructor `make-exp`. In other cases, you can represent the exp as a triple `(^ base exponent)`.

You may want to use the built-in procedure `expt`, which takes two number arguments and raises the first to the power of the second.

```
1 ; Exponentiations are represented as lists that start with ^.
2 (define (make-exp base exponent)
3   'YOUR-CODE-HERE
4 )
5
6 (define (exp? exp)
7   'YOUR-CODE-HERE
8 )
9
10 (define x^2 (make-exp 'x 2))
11 (define x^3 (make-exp 'x 3))
```

Before you start, check your understanding by running

```
1 | python3 ok -q make-exp -u --local
```

To test your code, if you are in the local Scheme editor, hit `Test`. You can click on a case, press `Run`, and then use the `Debug` and `Environments` features to figure out why your code is not functioning correctly.

You can also test your code from the terminal by running

```
1 | python3 ok -q make-exp --local
```

Q6: Derive Exp

Implement `derive-exp`, which uses the [power rule](#) to derive exponents. Reduce the power of the exponent by one, and multiply the entire expression by the original exponent.

Note: the formula for the derivative of an exponent is $[f(x)^{g(x)}]' = f(x)^{g(x) - 1} * g(x)$, if we ignore the chain rule, which we do for this problem

```
1 (define (derive-exp exp var)
2   'YOUR-CODE-HERE
3 )
```

Before you start, check your understanding by running

```
1 | python3 ok -q derive-exp -u --local
```

To test your code, if you are in the local Scheme editor, hit **Test**. You can click on a case, press **Run**, and then use the **Debug** and **Environments** features to figure out why your code is not functioning correctly.

You can also test your code from the terminal by running

```
1 | python3 ok -q derive-exp --local
```

Extensions

There are many ways to extend this symbolic differentiation system. For example, you could simplify nested exponentiation expression such as $(^ (^ x 3) 2)$, products of exponents such as $(* (^ x 2) (^ x 3))$, and sums of products such as $(+ (* 2 x) (* 3 x))$. You could apply the [chain rule](#) when deriving exponents, so that expressions like $(\text{derive } '(^ (^ x y) 3) 'x)$ are handled correctly. Enjoy!