

# Security Assessment Report

Generated: 2026-05-05 13:08

Report ID: 186ddd18

---

## Security Assessment Report

Target: https://example.com

Assessment Source: Automated scan request (OWASP ZAP invocation)

Scan Status: Scan execution failed due to timeout; no applicationlevel findings were returned.

---

### 1. Executive Summary

The automated security scan against https://example.com did not complete successfully. The scan tool returned a timeout error while attempting to communicate with the scanning host, and no vulnerability data was produced. As a result, the security posture of the target cannot be assessed from the provided scan output.

Because no findings were generated, there is no evidence in this dataset of exploitable weaknesses. However, the absence of scan results should not be interpreted as a clean bill of health. The failure indicates an operational issue in the scanning process that prevented validation of the target's security controls.

Overall Risk Level: Informational / Indeterminate

This rating reflects the fact that no confirmed vulnerabilities were identified, but the assessment was incomplete.

---

### 2. Risk Overview

#### Findings by Severity

Critical: 0

High: 0

Medium: 0

Low: 0

Informational: 1

#### Risk Meaning

Critical / High / Medium / Low: No confirmed vulnerabilities were returned by the scan output.

Informational: The scan failed due to an infrastructure or communication timeout, which prevented security validation of the target.

---

## 3. Detailed Findings

### Informational Findings

#### Finding 1 — Automated Scan Execution Failure / Timeout

Severity: Informational

CVSS Score (estimated): 0.0

OWASP Category:

A05: Security Misconfiguration

A09: Security Logging and Monitoring Failures

Affected Component:

Automated scanning workflow

mcp\_host service on port 8000

OWASP ZAP execution path

Description:

The scan could not complete because the scanner failed to communicate with the host service.

The reported error indicates an HTTP connection timeout to mcp\_host:8000 after 120 seconds.

This is not a vulnerability in the target application itself; rather, it is a failure in the assessment process that prevented verification of the application's security posture.

Impact:

An attacker is not directly empowered by this issue on the target application.

Operationally, the organization is left without a valid scan result, meaning potential weaknesses may remain undetected.

From a business perspective, incomplete assessments can delay remediation efforts and reduce confidence in the security of the environment.

Proof of Concept (if possible):

The provided scan output shows:

Failed to call mcp\_host

HTTPConnectionPool(host='mcp\_host', port=8000): Read timed out. (read timeout=120)

#### Recommended Remediation:

Verify that the mcp\_host service is reachable and operational.

Investigate network latency, service health, and any proxy or firewall restrictions.

Increase timeout thresholds if the environment requires longer scan execution times.

Rerun the scan after confirming service availability.

Implement monitoring and alerting for scanner infrastructure failures to prevent silent assessment gaps.

---

## 4. Recommendations (Global)

Ensure scan infrastructure is stable and available before running security assessments.

Validate connectivity between the scanning platform and supporting services.

Review timeout settings for longrunning scans in large or slow environments.

Maintain clear logging and alerting for scan failures to support operational visibility.

Rerun automated scans after infrastructure issues are resolved to obtain a valid security baseline.

Incorporate repeated scanning into the SDLC and CI/CD pipeline where appropriate.

Apply secure coding practices, including:

- Input validation and output encoding

- Strong authentication and session management

- Least privilege access control

- Dependency and patch management

- Secure configuration baselines

Supplement automated scanning with manual testing for authentication, authorization, and business logic weaknesses.

---

## 5. Conclusion

The automated assessment did not produce any application security findings due to a scan execution timeout. Therefore, the target's actual security posture remains unverified based on the supplied data.

The immediate priority is to resolve the scanning infrastructure issue and repeat the

assessment. Until a successful scan is completed, potential vulnerabilities cannot be ruled out.