

Security Assessment Report

Generated: 2026-05-05 13:27

Report ID: 5df7f606

Security Assessment Report

1. Executive Summary

An automated security scan was attempted against <https://example.com>; however, the scan did not complete successfully due to an upstream tooling/runtime failure (Failed to call mcp_host / read timeout). As a result, no actionable vulnerability evidence was produced from the provided scan results.

Based on the information available, the overall security posture of the target cannot be determined conclusively. At present, the risk level is Informational / Indeterminate, because the assessment was not able to validate any weaknesses or confirm any exposure.

2. Risk Overview

Findings by Severity

Critical: 0

High: 0

Medium: 0

Low: 0

Informational: 1

Risk Interpretation

Critical / High / Medium / Low: No validated vulnerabilities were returned by the scan.

Informational: The only finding is a scan execution failure. This does not indicate a vulnerability in the target application, but it does prevent security validation and should be addressed to enable further testing.

3. Detailed Findings

Informational Findings

Finding 1 — Automated Scan Execution Failure

Severity: Informational

CVSS Score (estimated): 0.0

OWASP Category:

N/A — not a software vulnerability

Operational / Testing limitation

Affected Component:

Automated scanning workflow targeting <https://example.com>

MCP host integration (mcp_host:8000)

Description:

The automated scan did not complete because the scan orchestration service failed to respond within the configured timeout.

The error returned was: HTTPConnectionPool(host='mcp_host', port=8000): Read timed out. (read timeout=120).

This is a tooling or infrastructure issue rather than an application vulnerability.

Impact:

No direct exploit impact against the target application can be established from this result.

The primary consequence is reduced assurance: security testing could not verify whether vulnerabilities exist.

From a business perspective, incomplete scans can delay remediation planning and leave unknown risk unassessed.

Proof of Concept (if possible):

Not applicable. The issue occurred during scan execution and does not demonstrate an application weakness.

Recommended Remediation:

Investigate and remediate the scan infrastructure issue causing the timeout.

Verify network connectivity and service availability between the scanning engine and mcp_host.

Review timeout settings and ensure the MCP host service can handle the scan workload.

Rerun the assessment after confirming toolchain stability.

If the application is behind rate limiting, WAF controls, or bot protections, configure the assessment appropriately to allow legitimate security testing.

4. Recommendations (Global)

Resolve the scan orchestration timeout before relying on further results.

Validate that the testing environment, proxying layers, and target connectivity are functioning correctly.

Rerun the assessment with logging enabled to confirm whether the issue is environmental or service-related.

Maintain secure configuration and patch management practices for all security tooling.

Where applicable, ensure the application is assessed for standard OWASP Top 10 risks once the scan can complete successfully.

Use authenticated testing where appropriate to increase coverage of access control, session management, and business logic issues.

5. Conclusion

The provided scan did not return any application vulnerabilities; however, the assessment was not successfully executed due to a tooling timeout. Therefore, no security conclusion can be drawn about the target application itself beyond the fact that it remains unvalidated by this run.

It is recommended to address the scan infrastructure issue promptly and repeat the assessment to obtain actionable security findings. Until then, the target's true risk posture remains unknown.