

Security Assessment Report

Generated: 2026-05-05 13:41

Report ID: b9b88fbf

Security Assessment Report

Target: <https://example.com>

Assessment Basis: Automated scan attempt via ZAP integration

Scan Outcome: Scan execution failed due to tool service timeout; no application security findings were returned.

1. Executive Summary

An automated security scan was attempted against <https://example.com>; however, the scan did not complete successfully because the scanning service timed out before producing results. As a result, no verified application vulnerabilities can be reported from the provided scan output.

From a risk perspective, the current evidence is insufficient to assess the target's actual security posture. The scan failure is operational in nature and does not itself indicate a vulnerability in the target application. Nevertheless, because no security validation data was obtained, the environment should be considered unassessed until a successful scan or manual review is completed.

Overall risk level: Informational / Unassessed

Primary concern: Lack of scan completion prevents confirmation of the target's exposure to common web application risks such as broken access control, injection, misconfiguration, or security header weaknesses.

2. Risk Overview

Findings by Severity

Critical: 0

High: 0

Medium: 0

Low: 0

Informational: 1

Risk Interpretation

Critical / High / Medium / Low: No application findings were identified because the scan did not return results.

Informational: One operational issue was observed—the security scanning tool service timed out. This impacts assurance and testing coverage, but does not confirm a vulnerability in the target itself.

3. Detailed Findings

Informational Findings

Finding 1 — Security Scan Execution Failure / Tool Timeout

Severity: Informational

CVSS Score (estimated): N/A

OWASP Category:

A05: Security Misconfiguration

A09: Security Logging and Monitoring Failures

A04: Insecure Design

Affected Component:

ZAP integration service: `http://zap_mcp_server:8003/execute`

Description:

The automated scan did not complete because the scanning service returned a timeout error: `HTTPConnectionPool(host='zap_mcp_server', port=8003): Read timed out. (read timeout=120)`.

This indicates an operational failure in the security testing pipeline rather than a confirmed weakness in the target application.

The impact of this issue is reduced visibility: without a completed scan, potential vulnerabilities in the application remain unverified.

Impact:

An attacker cannot be shown to exploit the target based on this result alone.

From a business standpoint, the primary impact is loss of security assurance and possible

delays in remediation planning.

Repeated scan failures can result in blind spots where exploitable weaknesses may go undetected.

Proof of Concept (if possible):

The scan execution failed before vulnerability analysis could be performed. No applicationlevel proof of concept is available.

Recommended Remediation:

Investigate the availability and performance of the ZAP service (zap_mcp_server).

Increase service stability and ensure the endpoint can respond within the configured timeout.

Review network connectivity, container health, resource limits, and queue backlogs.

Rerun the scan after service remediation to obtain a valid security posture assessment.

Consider breaking the scan into smaller stages or extending the timeout if the target requires longer processing time.

4. Recommendations (Global)

Rerun automated security testing once the scanning service is stable to obtain actionable findings.

Validate scanner infrastructure:

Monitor service health and uptime.

Confirm DNS, routing, and container/network connectivity.

Review CPU, memory, and I/O constraints on the scanning host.

Implement secure development practices:

Perform regular dependency updates.

Enforce secure coding standards.

Validate all user input serverside.

Apply least privilege across services and accounts.

Improve testing coverage:

Combine automated scanning with manual verification.

Include authentication, access control, session management, and input handling tests.

Maintain security observability:

Ensure logs are collected and reviewed.

Alert on repeated scan failures or service degradation.

Retest after fixes to confirm the target's actual exposure and the effectiveness of any

remediation.

5. Conclusion

No confirmed application vulnerabilities were identified in this assessment because the automated scan did not complete successfully. The principal issue is the failure of the scanning service, which prevented security validation of the target.

At present, the target's security posture remains unassessed based on the provided output. It is recommended to remediate the scanner timeout issue promptly and repeat the assessment to determine whether any exploitable weaknesses exist.

Urgency: Moderate — not due to a confirmed target vulnerability, but because the lack of scan completion leaves security risk unverified.