Sequential Application of Anticancer Drugs Enhances Cell Death by Rewiring Apoptotic Signaling Networks

Michael J. Lee,^{1,2} Albert S. Ye,^{2,3} Alexandra K. Gardino,^{1,2} Anne Margriet Heijink,¹ Peter K. Sorger,^{2,4} Gavin MacBeath,^{2,4} and Michael B. Yaffa^{1,2,*}

¹Departments of Biology and Biological Engineering, David H. Koch Institute for Integrative Cancer Research

²Cell Decision Processes Center

Massachusetts Institute of Technology, Cambridge, MA 02139, USA

³Department of Molecular and Cellular Biology, Harvard University, Cambridge, MA 02138, USA

⁴Department of Systems Biology, Harvard Medical School, Boston, MA 02115, USA

*Correspondence: myaffe@mit.edu

DOI 10.1016/j.cell.2012.03.031

SUMMARY

and their perturbation by oncogenes limit component-by-component approaches to understanding human disease. Network analysis of how normal and oncogenic signaling can be rewired by drugs may provide opportunities to target tumors with high specificity and efficacy. Using targeted inhibition of oncogenic signaling pathways, combined with DNA-damaging chemotherapy, we report that time-staggered EGFR inhibition, but not simultaneous coadministration, dramatically sensitizes

Crosstalk and complexity within signaling pathways

cell death (Harper and Elledge, 2007). The DDR is highly interconnected with other progrowth and prodeath signaling networks, which function together to control cell fate in a nonlinear fashion due to multiple levels of feedback and crosstalk. Thus, it is difficult to predict a priori how multiple, often conflicting signals will be processed by the cell, particularly by malignant cells in which regulatory networks often exist in atypical forms. Predicting the efficacy of treatment and the optimal

design of combination therapy will require a detailed under-

standing of how the DDR and other molecular signals are inte-

grated and processed, how processing is altered by genetic

perturbations commonly found in tumors, and how networks

can be "rewired" using drugs individually and in combination

(Sachs et al., 2005).