Lab_01_ArtimeticExpression

August 29, 2025

0.1 Content Learning Objectives

After completing this activity, students should be able to:

- Execute mathematical expressions similar to a calulator
- Describe the functions of the three Python division operators
- Explain the differences between integers and floating-point data

0.2 Processing Skill Goals

During the activity, students should make progress towards:

- Recognizing mathematical operations based on tables (Information Processing)

0.3 Atmospheric Sciences Concepts

Scientific programming is a very important skill for this field. This class will set the basis for all of your future programming. These skills will be essential for classes like *Computer Concepts in Meteorology* (ATSC 270), *Remote Sensing of the Atmosphere* (ATSC 345), *Physical Meteorology* (ATSC 353), etc. Pretty much every ATSC class after ATSC 110 will have some form of scientific programming involved.

This means that it is important you understand the basic of computer science and coding with Python. This will make upper level classes much easier, less stressful, and less time consuming. Actually learning the basics now will set you up to be as successful as possible later.

0.4 Importance to Atmospheric Sciences

Math is the foundation of all Atmospheric Sciences and is used for:

- Temperature Conversions
- The Ideal Gas Law
- Wind Speed Conversions
- Wind Direction Conversions
- Atmospheric Dynamics
- Potential Temperature Calculations
- Numerical Weather Prediction
- Much, much more!!!

1 Part 1 Python Calculator

Open a Jupyter Console by clicking the "+" next to the Lab_01.ipynb tab at the top of the screen. Next click the "Python 3 (ipykernal)" under "Console" to start the Console.

There will be an empty textbox on the bottom of the screen. This textbox has a flashing cursor as a prompt indicating that the interpreter is waiting for input. All text entered after the ***prompt*** will be executed immediately as Python code.

If you type a Python ***expression*** (code that results in a value) after the prompt, Python will show the value of that expression, similar to a calculator. You can use Python's *math* module to perform more complex mathematical operations like logarithms and trigonometric operations.

1.0.1 Read the questions first! Do not add to the table yet!

Python Code	Predicted Output	Actual Output
2 + 3	5	5
3 * 4 + 2	14	14
3 * 4 + 2.0	14	14.0
3(4 + 2)	18	type error
3 * (4 + 2)	18	18
5 / 10	0.5	0.5
5 / 10.0	0.5	0.5
5 / 9	0.556	0.5555555555
2 ** 4	16	16
abs(-2) ** 4	16*	16
math.pow(2,4)	16	name error
import math		
math.pow(2,4)	16	16
sqrt(4)	2	name error
math.sqrt(4)	2	2.0
math.cos(0)	1	1.0
math.pi	3.14	3.1415926535
math.sin(math.pi / 2)	1	1.0

1.1 Questions test

1. In the middle "Predicted output" column, write what value you expect will be displayed, based on your experience using a calculator. If there are any lines you are not confident about, place an asterisk next to your predicted output.

2. In the Jupyter Console type each Python expression at the prompt, one line at a time, and write the corresponding Python output in the third column above. If an error occurs, write what type of error it was (i.e., the first word of the last line of the error message).

3. What does the ** operator do?

   Treats the following value as an exponent

4. Based on the Python code in Part 1, identify four examples of:

   a) mathematical operator +**,*,/

   b) mathematical function pow(2,4). sqrt(4), cos(0), sin(math.pi/2)

5. For addition and multiplication to produce an output with a decimal value, what type of number must be part of the input? Provide justification for your answer.

   A value with a decimal must be present. For example, the equation 3*4+2 was

6. Does division follow the same rule as in #5? Provide justification for your answer.

   No because 5/10 and 5/10.0 both produced 0.5, meaning decimals do not hav

7. The output of Part 1 displayed three different errors. Explain the reason for each:

   a) TypeError

   There is no indication of multiplication between the 3 and (4+2)

   b) 1st NameError

   math is not defined

   c) 2nd NameError

   Sqrt is not defined

8. Identify two differences between using a Python built-in function (e.g., abs) and a function from the math module.

   The built in functions do not require the 'import math' beforehand, and limited t

1.2 Atmospheric Sciences Questions

1a. To convert temperatures from Farenheit to Celsius the equation c = 5/9 * (F - 32) is used. Use the console to convert from Farenheit to Celsius. Fill the table with your results rounded to 2 decimals. Put all of the equations you used in the text box below.

1b. Converting from Celsius to Farenheit uses the equation F = (c * 9/5) + 32. Use the console to convert from Celsius to Farenheit. Fill the table with your resutls rounded to 2 decimals. Put all of the equations you used in the text box below.

(32-32)*5/9=c	(100-32)*5/9	(212-32)*5/9
(-40-32)*5/9	(57.6-32)*5/9	(14.9-32)*5/9
(32*9/5)+32	(20.5*9/5)+32	(-10*9/5)+32
(13*9/5)+32	(0*9/5)+32	(57.6*9/5)+32

Farenheit	Celsius
32	0.0
100	37.78
212	100.0
-40	-40.0
57.6	14.22
14.9	-9.5
89.6	**32**
68.9	**20.5**
14.0	**-10**
55.4	**13**
32	**0**
135.68	**57.6**

The Ideal Gas Law is the equation of state of a hypotetical ideal gas. It is regularly used to describe the behavior of the atmosphere. It is made up of 5 variables: P = Pressure (Pa), V = Volume (m^3), n = Number of Moles (mol), R = Gas Constant (8.314 m^3 Pa K^{-1} mol^{-1}), T = Temperature (^{o}K). The Ideal Gas Law equation can be rearranged to find any of these variables.

PV =nRT

2. Using the console, use the Ideal Gas Law equation to fill in the table rounding answers to 2 decimal points. Put all of the equations you used in the textbox below.

PV/nR=T

Pressure	Volume	Number of Moles	Temperature
1013	**100**	306.14	**30**
850	359.8	**2164**	**17**
-3343	**120**	**4826**	**-10**
300	**90**	**1483**	21.90
1000	**100**	**4000**	3
850	**100**	**4000**	2.55
500	**100**	**4000**	1.5
300	**100**	**4000**	0.90

2 Part 2 Dividing Numbers

Table A	Table B	Table C
9 / 4 = 2.25	9 // 4 = 2	9 % 4 = 1
10 / 4 = 2.5	10 // 4 = 2	10 % 4 = 2
11 / 4 = 2.75	11 // 4 = 2	11 % 4 = 3
12 / 4 = 3.0	12 // 4 = 3	12 % 4 = 0
13 / 4 = 3.25	13 // 4 = 3	13 % 4 = 1
14 / 4 = 3.5	14 // 4 = 3	14 % 4 = 2
15 / 4 = 3.75	15 // 4 = 3	15 % 4 = 3
16 / 4 = 4.0	16 // 4 = 4	16 % 4 = 0

2.1 Questions

9. For each operator in Part 2, identify the symbol and describe the type of numerical result.

   / - Gave float, // and % gave integers

10. If the result of the / operator were rounded to the nearest integer, would this be the same as the result of the // operator? Explain how the results in Table A compare to Table B.

    No because the // operator drops the decimal, no rounding. So 3.75 is 3, not 4

11. If the table included more rows, list all numbers // 4 would evaluate to 2 and all the numbers // 4 would evaluate to 4.

    8, 9, 10, 11 // 4 = 2 16, 17, 18, 19 // 4 = 4

12. Based on the results of Table C, propose another number % 4 evaluates to 0, and explain what all these numbers have in common.

    20 because it is a whole factor of 4

13. Consider the expressions in Table C that evaluate to 1. How do the left operands in these expressions (i.e., 9, 13) differ from those that evaluate to 0?

They are 1 value greater than whole factors of 4

14. Describe the reason for the repeated sequence of numbers (0, 1, 2, 3) for the result of % 4.

Because eash value increases based on what's left of the remainder, until there is

15. Recall how you learned to do long division in elementary school. Finish solving for 79 / 5 below. What is 79 / 5? Which part of the answer is 79 // 5, and which part is 79 % 5?

79 / 5 = 15.8, 79 // 5 = 15, 79 % 5 = 4

16. Imagine that you are given candy mints to divide evenly among you and two friends.

a) If you receive 11 mints, how many mints would you and your friends each get, and how many are left over? Write a Python expression to compute each result.

Each friend would get 3 mints with 2 left over. 11 // 3 = for friends, 11 % 3 = remai

b) If you receive 2 more mints, how many mints would you and your friends each get, and how many are left over? Write a Python expression to computes this result.

Each frined would get 4 with one left. 13 // 3 = for friends, 13 % 3 = remainder

17. Python has three division operators: "floor division", "remainder division", and "true division". Which operator (symbol) corresponds to each name?

// = floor, % = remainder, and / = true

2.2 Atmospheric Sciences Questions

Weather stations around the world collect information like temperature, pressure, humidity, wind speed, and widn direction amoung other things. Wind direction is typically recorded in degrees from 0 to 360. Occasionally, wind direction will be reported as being greater than 360 degrees. If you are ever working with a data set where this happens it is important to correct for this error. (North winds can be reported as 0 or 360)

3. Using one of the division operators, write a code to find the actual wind direction from 0 to 360 degrees and fill in the table with the correct wind directions. (Hint: you will need to do some multiplication and substraction after using one of the division operators)

Given wind direction % 360

Large Wind Direction	Actual Wind Direction
720	0
800	80
1516	76
1000	280
7843	283
1254	174

3 Part 3 Integers and Floats

Each value in Python has a *data type* which determines what can be done with that data. Enter the following code, one line at a time, into the Jupyter Console. Record the output for each line (if any) in the second column.

Python Code	Console Output
integer = 3	
type(integer)	class 'int'
type("integer")	class 'str'
pi = 3.1415	
type(pi)	
word = str(pi)	class 'float'
word	3.1415
number = float(word)	
print(word * 2)	3.141593.1415
print(number * 2)	6.283
print(word + 2)	error
print(number + 2)	5.14150000000001
euler = 2.7182	
int(euler)	2
round(euler)	3

3.1 Questions

18. What is the data type (int, float, or str) of the following values?

    a) pi 3.1415

    b) integer 3

    c) word 3.1415

    d) number 0.1415

19. List the function calls that convert a value to a new data type.

    number, word, and integer

20. How does the behavior of the operators (+ and *) depend on the data type?

    If it is a word, it gives the word two times or an error, if it's a number, it treats it like ma

21. What is the difference between the int function and the round function?

    the int function is the integer value in front of the decimal. The round function rounds i

22. What is the value of 3 + 3 + 3? What is the value of .3 + .3 + .3? If you enter these expressions into a Python Shell, what do you notice about the results?

    3+3+3=9 and is the same in python. 0.3+0.3+0.3=0.9, but in python it's 0.89999999

23. In order to store a number with 100% accuracy, what data type is required? How might you precisely represent a bank account balance of $123.45?

    use the str data type to store it with accuracy

24. Try calculating a very large integer in a Python Shell, for example, 123^{456}. Is there a limit to the integers that Python can handle?

    Python can handle more numbers than countable

25. Try calculating a very large floating-point number in a Python Shell, for example, 123.0^{456}. Is there a limit to the floating-point numbers that Python can handle?

    Yes

26. Summarize the difference between the numeric data types (int and float). What are their pros and cons?

    int will have no decimal, giving easier interpretaion, whereas floats are more accurate

3.2 Atmospheric Sciences Questions

4. Identify which variables should be floats, ints, or strings in the table below. If you are unsure put * after your answer.

Variable	Data Type
Temperature	float*
Wind Speed	int*
Humidity	float*
Wind Direction (Degrees)	int*

Variable	Data Type
Wind Direction (Cardinal Direction)	str*
Pressure	int*
Distance	float*
Cloud Cover	str*
Current Weather	str*
Date	str*