



SHELTER ARCHITECTURE TECHNOLOGY(GUANGDONG) CO.,LTD

ADD: Chaotian Industrial Zone, Shilou Town, Panyu District, Guangzhou, P.R China 511447
Tel:+862066603258 Fax: +862034897005

QUOTATION

Buyer:

Attn: Jason Li
Email: jasonli@shelter-structures.com
Tel.: 86 13902409402


Supplier: SHELTER ARCHITECTURE TECHNOLOGY(GUANGDONG) CO.,LTD
Place of signature: Guangzhou,China

Order No.:
Date: 2026/7/6
Customer Code:

Description of Goods:

Commodity	Picture	Description	Qty	FOB Guangzhou (USD)	
				Unit Price	Total Price
Standard					
5m Geodesic Dome		Structure type: Geodesic Diameter: 5.0 m (16.4 ft) Top height: 2.9 m (9.5 ft) Interior area: 19.63 m² (211.3 ft²) Max wind load: 120 km/h (74.5 mph) Max snow load: 0.5 kn/m² (51 kg/m²) Price including : 1) Structure: Q235 steel pipe φ20*1.5 mm (white powder coated) 2) Cover: 30% area of 950 g/m² transparent PVC panoramic bay window, 70% area of 850 g/m² double coated opaque PVC (white/dark green/beige), waterproof, UV resistant, flame retardant CAN/ULC-S109-14, NFPA701, DIN4102 B1, BS7837, M1 3) Entrance: 1 pc rectangular metal entrance frame unit 0.9*2.1 m 4) Related bolts/screws to fix on platform like wooden deck, concrete, etc 5) Aluminium strips for blocking insects *extra cost for φ25*1.5 mm steel pipe: \$60 *extra cost for φ32*2 mm steel pipe: \$420	1	\$1,347.00	\$1,347.00
Insulation		5m dome insulation: aluminum foil bubble insulation + canvas fabric (multiple optional colors) Radiation heat reflection coefficient 85%, waterproof, fire retardant	1	\$680.00	\$680.00
Curtain		5m dome curtain kit: flexible track + curtain (multiple optional colors)	1	\$295.00	\$295.00
WPC Door		Single door kit, 0.9*2.1 m, WPC panel, black coated aluminum frame, hinges & closures, with window ornaments and blackout curtains. Including wooden case for package.	1	\$410.00	\$410.00
Glass Window		Openable and lockable porthole transparent round glass window, Φ445 mm, aluminium alloy frame, with stainless mosquito net	2	\$248.00	\$496.00
				Sub Total	\$3,228.00
6m Geodesic Dome		Structure type: Geodesic Diameter: 6.0 m (19.6 ft) Top height: 3.5 m (11.5 ft) Interior area: 28.2 m² (303.5 ft²) Max wind load: 120 km/h (74.5 mph) Max snow load: 0.5 kn/m² (51 kg/m²) Price including : 1) Structure: Q235 steel pipe φ25*1.5 mm (white powder coated) 2) Cover: 30% area of 950 g/m² transparent PVC panoramic bay window, 70% area of 850 g/m² double coated opaque PVC (white/dark green/beige), waterproof, UV resistant, flame retardant CAN/ULC-S109-14, NFPA701, DIN4102 B1, BS7837, M1 3) Entrance: 1 pc rectangular metal entrance frame unit 0.9*2.1 m 4) Related bolts/screws to fix on platform like wooden deck, concrete, etc 5) Aluminium strips for blocking insects *extra cost for φ32*2 mm steel pipe: \$450	1	\$1,734.00	\$1,734.00
Insulation		6m dome insulation: aluminum foil bubble insulation + canvas fabric (multiple optional colors) Radiation heat reflection coefficient 85%, waterproof, fire retardant	1	\$976.00	\$976.00

Curtain		6m dome curtain kit: flexible track + curtain (multiple optional colors)	1	\$269.00	\$269.00
WPC Door		Single door kit, 0.9*2.1 m, WPC panel, black coated aluminum frame, hinges & closures, with window ornaments and blackout curtains. Including wooden case for package.	1	\$410.00	\$410.00
Glass Window		Openable and lockable porthole transparent round glass window, Φ445 mm, aluminium alloy frame, with stainless mosquito net	2	\$248.00	\$496.00
				Sub Total	\$3,885.00
7m Geodesic Dome		Structure type: Geodesic Diameter: 7.0 m (22.9 ft) Top height: 4.0 m (13.1 ft) Interior area: 38.4 m² (413.3 ft²) Max wind load: 120 km/h (74.5 mph) Max snow load: 0.5 kn/m² (51 kg/m²) Price including : 1) Structure: Q235 steel pipe $\phi 25*1.5$ mm (white powder coated) 2) Cover: 30% area of 950 g/m² transparent PVC panoramic bay window, 70% area of 850 g/m² double coated opaque PVC (white/dark green/beige), waterproof, UV resistant, flame retardant CAN/ULC-S109-14, NFPA701, DIN4102 B1, BS7837, M1 3) Entrance: 1 pc rectangular metal entrance frame unit 0.9*2.1 m 4) Related bolts/screws to fix on platform like wooden deck, concrete, etc 5) Aluminium strips for blocking insects *extra cost for $\phi 32*2$ mm steel pipe: \$510	1	\$2,032.00	\$2,032.00
Insulation		7m dome insulation: aluminum foil bubble insulation + canvas fabric (multiple optional colors) Radiation heat reflection coefficient 85%, waterproof, fire retardant	1	\$1,121.00	\$1,121.00
Curtain		7m dome curtain kit: flexible track + curtain (multiple optional colors)	1	\$311.00	\$311.00
WPC Door		Single door kit, 0.9*2.1 m, WPC panel, black coated aluminum frame, hinges & closures, with window ornaments and blackout curtains. Including wooden case for package.	1	\$410.00	\$410.00
Glass Window		Openable and lockable porthole transparent round glass window, Φ445 mm, aluminium alloy frame, with stainless mosquito net	2	\$248.00	\$496.00
				Sub Total	\$4,370.00
8m Geodesic Dome		Structure type: Geodesic Diameter: 8.0 m (26.2 ft) Top height: 4.7 m (15.4 ft) Interior area: 50.2 m² (540.3 ft²) Max wind load: 120 km/h (74.5 mph) Max snow load: 0.5 kn/m² (51 kg/m²) Price including : 1) Structure: Q235 steel pipe $\phi 32*2$ mm (white powder coated) 2) Cover: 30% area of 950 g/m² transparent PVC panoramic bay window, 70% area of 850 g/m² double coated opaque PVC (white/dark green/beige), waterproof, UV resistant, flame retardant CAN/ULC-S109-14, NFPA701, DIN4102 B1, BS7837, M1 3) Entrance: 1 pc rectangular metal entrance frame unit 0.9*2.1 m 4) Related bolts/screws to fix on platform like wooden deck, concrete, etc 5) Aluminium strips for blocking insects *extra cost for $\phi 38*2$ mm steel pipe: \$570	1	\$2,921.00	\$2,921.00
Insulation		8m dome insulation: aluminum foil bubble insulation + canvas fabric (multiple optional colors) Radiation heat reflection coefficient 85%, waterproof, fire retardant	1	\$1,308.00	\$1,308.00
Curtain		8m dome curtain kit: flexible track + curtain (multiple optional colors)	1	\$344.00	\$344.00
WPC Door		Single door kit, 0.9*2.1 m, WPC panel, black coated aluminum frame, hinges & closures, with window ornaments and blackout curtains. Including wooden case for package.	1	\$410.00	\$410.00

Glass Window		Openable and lockable porthole transparent round glass window, Ø445 mm, aluminium alloy frame, with stainless mosquito net	2	\$248.00	\$496.00
				Sub Total	\$5,479.00
Optional					
Upgrade Solution	Glass Bay Window 1	6m dome bay window: Aluminum frame and single 6mm tempered glass	1	\$1,530.00	\$1,530.00
		7m dome bay window: Aluminum frame and single 6mm tempered glass	1	\$1,758.00	\$1,758.00
		8m dome bay window: Aluminum frame and single 6mm tempered glass	1	\$1,989.00	\$1,989.00
Upgrade Solution	Glass Bay Window 2	6m dome bay window: Aluminum frame and double pane laminated tempered glass 5+0.76pvb+5	1	\$2,332.00	\$2,332.00
		7m dome bay window: Aluminum frame and double pane laminated tempered glass 5+0.76pvb+5	1	\$2,829.00	\$2,829.00
		8m dome bay window: Aluminum frame and double pane laminated tempered glass 5+0.76pvb+5	1	\$3,426.00	\$3,426.00
Glass Door		Single door kit, 0.9*2.1 m, double layer frosted glass, white frame, outswing, with lock and keys. Including wooden case for package.	1	\$312.00	\$312.00
Triangle Window		Openable triangle roll-up PVC fabric window, with hook-and-loop seal, buckle fastener, fly screen	1	\$17.00	\$17.00
Ventilation hole		Cap vent: round vent with mesh and a PVC "cap" to keep out the rain	1	\$15.00	\$15.00
Mosquito screen		Magnetic screen door, with hook-and-loop seal	1	\$12.00	\$12.00
Solar Extractor Fan		Solar extractor fan, active ventilation, 565*565*245 mm, 35W, white, with wire and switch, operatin noise: less than 45 dBA	1	\$327.00	\$327.00
Stove Jack		Stove jack, black coated triangle steel panel, applicable to Ø6" outlet pipe	1	\$124.00	\$124.00
Central Skylight		Central polygon skylight, 950 g/sqm transparent PVC	1	\$19.00	\$19.00
Electric ceiling curtain		5m dome automatic retractable shades for central skylight , by remote control	1	\$197.00	\$197.00
		6m dome automatic retractable shades for central skylight , by remote control	1	\$209.00	\$209.00
		7m dome automatic retractable shades for central skylight , by remote control	1	\$223.00	\$223.00
		8m dome automatic retractable shades for central skylight , by remote control	1	\$239.00	\$239.00
Wooden Floor		5m dome interior pine wooden flooring, each plank 920*130*12 mm, tongue-and-groove joint	1	\$973.00	\$973.00
		6m dome interior pine wooden flooring, each plank 920*130*13 mm, tongue-and-groove joint	1	\$1,401.00	\$1,401.00
		7m dome interior pine wooden flooring, each plank 920*130*14 mm, tongue-and-groove joint	1	\$1,907.00	\$1,907.00
		8m dome interior pine wooden flooring, each plank 920*130*15 mm, tongue-and-groove joint	1	\$2,491.00	\$2,491.00
Flooring Underlayment		5m dome PVC moisture barrier underlayment for flooring	1	\$74.00	\$74.00
		6m dome PVC moisture barrier underlayment for flooring	1	\$106.00	\$106.00
		7m dome PVC moisture barrier underlayment for flooring	1	\$144.00	\$144.00
		8m dome PVC moisture barrier underlayment for flooring	1	\$189.00	\$189.00

Platform System					
Platform with PVC panel		5m dome tent Platform(with outriggers (30cm)) with 12mm thickness white solid PVC panel	1	\$1,636.00	\$1,636.00
		6m dome tent Platform(with outriggers (30cm)) with 12mm thickness white solid PVC panel	1	\$2,357.00	\$2,357.00
		7m dome tent Platform(with outriggers (30cm)) with 12mm thickness white solid PVC panel	1	\$3,174.00	\$3,174.00
		8m dome tent Platform(with outriggers (30cm)) with 12mm thickness white solid PVC panel	1	\$4,136.00	\$4,136.00
Prefab WPC platform		6m dome rectangular WPC platform, 7.32*8.54m(L*W), galvanized steel structure with adjustable supports, 4 sides pine wood guardrail and stair	1	\$9,886.00	\$9,886.00
		7m dome rectangular WPC platform, 8.54*9.76m(L*W), galvanized steel structure with adjustable supports, 4 sides pine wood guardrail and stair	1	\$12,709.00	\$12,709.00
		8m dome rectangular WPC platform, 9.76*10.98m(L*W), galvanized steel structure with adjustable supports, 4 sides pine wood guardrail and stair	1	\$15,890.00	\$15,890.00
Modular Bathroom					
Modular Bathroom		Modular Bathroom for dome tent 2990*1300*2450 Price Including: - Glass fiber reinforced concrete base - Stainless steel joist structure framework - Bamboo fiberboard external wall, light weight, firm, fire retardant, moisture proof, anti- corrosion - Sintered stone panels internal wall, surface cannot be etched, scratched, burned, or stained - Internal exhaust ventilation system - Stainless steel shower head, bathroom rack and hooks, copper faucet - Lighting at inside and outside with wireless switch - Finished piping and wiring inside the wall and ceiling - Anti-fog mirror, marble sink and bathroom cabinet - WPC drainage flooring for wet room and dry room - magnet shower curtain liner - Frosted glass door 2100*600mm - Smart toilet 665*395*430mm - Storage/equipement room - Electrical sockets Key Benfits: wide selection, innovative solution, flexibility, simplicity of realization, times optimization	1	\$8,106.00	\$8,106.00
Loft/ Mezzanine (optional)		Loft (Mezzanine) & Stairs - Loft (with safety rail), steel, size 2900*1358*340 mm, not including bed - Folding stairs (with handrails), aluminium alloy, size 3100*500 mm	1	\$1,268.00	\$1,268.00
				Total	\$9,374.00
Kitchen					
Kicthen		1. Kitchen & Closet Combo Integrated with: - Black marble kitchen worktable - Stainless steel kitchen sink and faucet - Storage cabinet, multilayer plywood material - Closet and drawers, multilayer plywood material - Lighting with wireless switch - Electrical sockets 2. Counter & Chairs - Counter, multilayer plywood material, size 1879*390*950 mm - 2 counter chairs	1	\$1,901.00	\$1,901.00
Information				Total Vaild Good	
G.W.		HS Code	6306220090	Freight	
Volume		Shipment	Guangzhou, China - (By Sea)	Insurance	
				Total	
				50% deposit	
				50% balance	
The quotaion is vaild for 7 days					
BANK INFORMATION:					
BENEFICIARY: SHELTER ARCHITECTURE TECHNOLOGY (GUANGDONG) CO.,LTD ADD: NO.1,HUANGHE SECTION,SONGSHAN ROAD,CHAOTIAN INDUSTRIAL ZONE,SHILOU TOWN, PANYU DISTRICT, GUANGZHOU BANKER: INDUSTRIAL AND COMMERCIAL BANK OF CHINA,GUANGDONG BRANCH BANK ADD: NO.207-209,SHIQIAO GUANG MING BEI LU, PANYU DISTRICT, GUANGZHOU,GUANGDONG,CHINA ACCOUNT NO: 3602056829200266837 SWIFT CODE: ICBKCNBJGDG					
TERMS:					
Price term:		FOB Guangzhou			

Package:	Upon factory's package standard
Insurance:	Arranged by manufacturer
Payment terms:	T/T, 50% deposit paid in advance, the balance before shipment
Delivery date:	Usually 30 days once deposit confirmed

BUYER NOTES:

1. Any shortage or faults of the goods because of seller's faults while production, seller will have to replace the relevant parts.
2. Seller will not be liable for any delay resulted from customs inspection.
3. If force of majeure happens to the order, seller will have no responsibility to the loss, overdue delivery penalty, etc.
4. Storage fee will be charged if not shipped after 30 days of production completion notification (1% Per Month).
5. When collecting the goods, if the packaging is damaged, refuse to accept it or contact the shipping company to make a claim.

Signature & Stamp

Buyer:

Seller: