

 **Swagger**
Supported by SMARTBEAR

/v3/api-docs

Explore

OpenAPI definition

v0

OAS 3.0

/v3/api-docs

Servers

http://localhost:8083 - Generated server url

stock-controller

GET /api/auth/quotes

Parameters

Try it out

Name	Description
symbols * required	
array[string]	
(query)	

Responses

Code	Description	Links
200	OK	No links

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "status": "string",
  "message": "string",
  "data": [
    {
      "message": "string",
      "symbol": "string",
    }
  ]
}
```

Code	Description	Links
	<pre>"price": 0, "change": 0, "percentChange": 0, "timestamp": 0, "code": "string" }]</pre>	

GET

/api/auth/quotes/{symbol}

^

Parameters

Try it out

Name	Description
symbol * required string (path)	<div>symbol</div>

Responses

Code	Description	Links
200	<div>OK</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{ "status": "string", "message": "string", "data": { "message": "string", "symbol": "string", "price": 0, "change": 0, "percentChange": 0, "timestamp": 0, "code": "string" } }</pre></div>	No links

Schemas

^

ApiResponseListStockResponse ▾ {

```
  status      > [...]
  message     > [...]
  data        > [...]
}
```

StockResponse ▾ {

```
  message      > [...]
  symbol       > [...]
  price        > [...]
  change       > [...]
  percentChange > [...]
  timestamp    > [...]
  code         > [...]
}
```

ApiResponseStockResponse ▾ {

```
  status      > [...]
  message     > [...]
  data        StockResponse > {...}
}
```