


Chapter1. Desktop Type



1) 접근성 헤더

part2 accessibility_header/accessibility_header.html

HTML ::

```
<div class="wrapper">
  <div class="skip_nav">
    <a href="">본문 바로가기</a>
  </div>
  <header id="header">
    <div class="header_inner">
      <div class="top">
        <div class="logo"><a href="">logo</a></div>
        <div class="sns"><a href="">sns</a></div>
        <div class="banner"><a href="">banner</a></div>
```

```

        </div>
    </div>
</header>
<section id="section">
    <div class="title">
        <h2>section title</h2>
    </div>
    <div class="banner_zone">
        <ul>
            <li>
                <a href="">
                    <div class="image">image</div>
                    <div class="desc">
                        <dl>
                            <dt>title</dt>
                            <dd>content</dd>
                        </dl>
                    </div>
                    <div class="overlay">About <span>Product</span></div>
                </a>
            </li>
            <li>
                <a href="">
                    <div class="image">image</div>
                    <div class="desc">
                        <dl>
                            <dt>title</dt>
                            <dd>content</dd>
                        </dl>
                    </div>
                    <div class="overlay">About <span>Product</span></div>
                </a>
            </li>
            <li>
                <a href="">
                    <div class="image">image</div>
                    <div class="desc">
                        <dl>
                            <dt>title</dt>
                            <dd>content</dd>
                        </dl>
                    </div>
                    <div class="overlay">About <span>Product</span></div>
                </a>
            </li>

```

```
</li>
<li>
  <a href="">
    <div class="image">image</div>
    <div class="desc">
      <dl>
        <dt>title</dt>
        <dd>content</dd>
      </dl>
    </div>
    <div class="overlay">About <span>Product</span></div>
  </a>
</li>
<li>
  <a href="">
    <div class="image">image</div>
    <div class="desc">
      <dl>
        <dt>title</dt>
        <dd>content</dd>
      </dl>
    </div>
    <div class="overlay">About <span>Product</span></div>
  </a>
</li>
<li>
  <a href="">
    <div class="image">image</div>
    <div class="desc">
      <dl>
        <dt>title</dt>
        <dd>content</dd>
      </dl>
    </div>
    <div class="overlay">About <span>Product</span></div>
  </a>
</li>
</ul>
</div>
</section>
</div>
```

CSS ::

```
/* skip navigation */
.skip_nav a {
    /* display: block; */
    position: fixed;
    left: 0;
    top: -9999px;
    z-index: 9999;
    width: 100%;
    line-height: 40px;
    text-align: center;
    font-size: 0.875em;
    background-color: #385170;
    color: #fff;
}
.skip_nav a:focus {
    top: 0;
}

/* header */
#header {
    min-width: 1000px;
    background-color: #fbf7f0;
}
#header .header_inner {
    margin: 0 auto;
    width: 1000px;
}
#header .top {
    position: relative;
    height: 105px;
}
#header .top .logo {
    position: absolute;
    left: 50%;
    top: 30px;
    transform: translateX(-50%);
}
#header .top .logo a {
    display: block;
    padding: 0 40px;
    line-height: 40px;
    text-transform: uppercase;
```

```
        font-size: 0.875em;
        background-color: #cdc9c3;
        color: #fff;
    }
    #header .top .sns {
        float: left;
        margin-top: 30px;
    }
    #header .top .sns a {
        display: block;
        padding: 0 40px;
        line-height: 40px;
        text-transform: uppercase;
        font-size: 0.875em;
        background-color: #d9e4dd;
        color: #fff;
    }
    #header .top .banner {
        float: right;
        margin-top: 30px;
    }
    #header .top .banner a {
        display: block;
        padding: 0 40px;
        line-height: 40px;
        text-transform: uppercase;
        font-size: 0.875em;
        background-color: #d9e4dd;
        color: #fff;
    }

    /* section */
    #section {
        margin: 0 auto;
        padding: 50px 0;
        width: 1000px;
        background-color: #ddf3f5;
    }
    #section .title {
        /* margin-top: 50px; */
        line-height: 80px;
        text-align: center;
        text-transform: uppercase;
        font-size: 0.875em;
```

```

        background-color: #d9e4dd;
        color: #fff;
    }
    #section .banner_zone li {
        float: left;
        margin-left: 50px;
        margin-top: 50px;
        width: 300px;
        /* height: 300px; */
        background-color: #cdc9c3;
    }
    #section .banner_zone li:nth-child(3n+1) { /* n : 0, 1, 2, 3, ... */
        margin-left: 0;
    }
    #section .banner_zone::before {
        content: "";
        display: block;
    }
    #section .banner_zone::after {
        content: "";
        display: block;
        clear: left;
    }
    #section .banner_zone li a {
        display: block;
        position: relative;
        height: 300px;
    }
    #section .banner_zone li a .image {
        padding: 20px;
        height: 200px;
        text-align: center;
        text-transform: uppercase;
        font-size: 0.875em;
        background-color: #fff;
        box-sizing: border-box;
    }
    #section .banner_zone li a .desc {
        padding: 24px 20px 0;
        height: 100px;
        box-sizing: border-box;
    }
    #section .banner_zone li a .desc dt {
        line-height: 30px;
    }

```

```
    text-transform: uppercase;
    font-size: 0.875em;
    font-weight: 700;
    color: #fff;
}
#section .banner_zone li a .desc dd {
    line-height: 30px;
    text-transform: uppercase;
    font-size: 0.875em;
    color: #fff;
}
#section .banner_zone li a .overlay {
    position: absolute;
    left: 0;
    top: 0;
    padding-top: 140px;
    width: 100%;
    height: 100%;
    text-align: center;
    text-transform: uppercase;
    font-size: 1.125em;
    font-weight: 300;
    background-color: rgba(0,0,0,.5);
    color: #fff;
    opacity: 0;
    box-sizing: border-box;
    transition: opacity 0.3s;
}
#section .banner_zone li a .overlay span {
    font-weight: 500;
}
#section .banner_zone li a:hover .overlay,
#section .banner_zone li a:focus .overlay {
    opacity: 1;
}
```

2) CSS3 배너 효과

part3 css3 banner effect/css3_banner_effect.html

HTML ::

```
<h1 class="title">basic :: CSS3 Banner Effect</h1>
<div class="container">
  <a href="" class="banner1"></a>
  <a href="" class="banner2">banner2</a>
</div>
```

CSS ::

```
.banner1 {
  display: block;
  width: 400px;
  height: 284px;
  overflow: hidden;
}
.banner1 img {
  max-width: 100%; /* 이미지는 max-width입니다. */
  transform: scale(1);
  transition: transform 0.3s;
}
.banner1:hover img,
.banner1:focus img { /* focus할 수 있는 배너를 제작합니다. */
  transform: scale(1.1);
}
.banner2 {
  display: block;
  margin-top: 20px;
  width: 684px;
  height: 486px;
  overflow: hidden;
  text-indent: -9999px;
  background: url(images/detail_banner.jpg) no-repeat center center;
  background-size: 100%; /* 배경 이미지 변경에는 background-size가 필수입니다. */
  transition: background-size 0.3s;
}
.banner2:hover,
```



```
.banner2:focus {  
  background-size: 110%;  
}
```