

SituationReport

Launcher

User Manual

Central entry point for all SituationReport modules

1. What is the Launcher?

The SituationReport Launcher is the central entry point for all modules of the SituationReport toolsuite. It displays all available and planned modules in a clear tile view. Available modules can be launched with a single click — they open in their own window while the launcher remains open.

2. Starting

From the portable package (no Python required):

Operating system	Start file
Windows	SituationReport.bat (double-click)
macOS	SituationReport.command (right-click → Open)
Linux	./SituationReport.sh

From source code:

```
python -m launcher
```

3. The Interface

The main window shows all modules as tiles in a 2-column grid. Each tile contains an icon, the module name, a short description, and — for available modules — a Launch button. Planned modules are labelled (coming soon) and cannot be started yet.

The language flag button (🇬🇧) and the manual button (?) are located in the top right. The launcher stays open after starting a module — multiple modules can run simultaneously.

4. Modules

Icon	Module	Description	Status
■	Build Reports	Create flow metrics and reports	available
■	Transform Data	Prepare raw Jira data as XLSX	available
■	Get Data	Fetch data directly from Jira	planned
■	Simulate	Forecasts and simulations	planned

■	Testdata Generator	Generate synthetic test data	planned
---	--------------------	------------------------------	---------

5. Update Check

On startup, the launcher checks in the background whether a newer version is available on GitHub. If so, a yellow banner appears above the module grid:

Update available: v0.9.0 → [Download]

Clicking Download opens the GitHub releases page in the browser. The check runs silently — no error is shown when there is no internet connection.

6. Language

The interface language is switched via the flag button in the top right. Each click advances to the next language in the sequence DE → EN → RO → PT → FR → DE ...

The selected language is saved in `~/.situation_report/prefs.json` and applies to all modules.