Jaegon Hibbitts

1)
I have bought everything they are en route to be delivered by the 24th of February.

2)
KML files have been emailed to the corresponding address.
Object 1:

Object 2:

Object 3:

3)

```
import math

def number_counter():
    """
    Write a program that queries the user to enter numbers from 1 to 10,
in any order or sequence. The
    program should stop asking the user for input when the user enters a
5. The program should then print
    out a count of how many numbers were entered in total, along with a
'yes' or 'no' indicating whether
    the user entered any numbers less than 3.
    """

    count = 0
    entered_less_than_3 = False

    while True:
```

```
        num = int(input("Enter a number from 1 to 10 (enter 5 to stop): "))
        if num == 5:
            break
        count += 1
        if num < 3:
            entered_less_than_3 = True

    print(f"Total numbers entered: {count}")
    print(f"Did the user enter any numbers less than 3? {'Yes' if entered_less_than_3 else 'No'}")

if __name__ == "__main__":
    number_counter()
```

4)

```
import math

def wyxz():
    """
    Write a script that queries the user for four values — w, x, y, and z. Identify the smaller of w and x, the
    smaller of y and z, and swap their two values. Then print out the final, swapped values of w, x, y, and z.
    """

    w = float(input("Enter value for w: "))
    x = float(input("Enter value for x: "))
    y = float(input("Enter value for y: "))
    z = float(input("Enter value for z: "))

    smaller_wx = min(w, x)
    smaller_yz = min(y, z)

    if smaller_wx == w and smaller_yz == y:
        w, y = y, w
    else:
        x, z = z, x
```

```
    print(f"Final values after swapping: w={w}, x={x}, y={y}, z={z}")

if __name__ == "__main__":
    wyxz()
```

5)

```
import math

def ten_numbers():
    """
    Write a program that asks the user to enter 10 numbers. Once the 10
numbers have been entered,
    evaluate and print out the two smallest numbers entered (hint: they
may have the same value). Your
    code should exclude duplicates - for example, if the user entered [ 1,
2, 4, 3, 1, 1, 6, 8, 9, 5] the output
    should be [1, 2].
    """

    numbers = []
    for i in range(10):
        num = float(input(f"Enter number {i+1}: "))
        numbers.append(num)

    numbers.sort()
    smallest_two = numbers[:2]
    print(f"The two smallest numbers entered are: {smallest_two}")

if __name__ == "__main__":
    ten_numbers()
```

6)

```
import math

def user_pint_A():
    """
```

```
    Write a program that asks the user to enter a number and then prints
out the letter A that many times,
    all on the same line.
    """

    num = int(input("Enter a number: "))
    print("A" * num)

if __name__ == "__main__":
    user_pint_A()
```

7)

```
import math
import random

def rand_zero_and_ones():

    for i in range(10, 60):
        line = ''.join(str(random.randint(0, 1)) for _ in range(i))
        print(line)

if __name__ == "__main__":
    rand_zero_and_ones()
```

8)

```
import math

def number_counter():
    count = 0
    entered_less_than_3 = False

    while True:
        num = int(input("Enter a number from 1 to 10 (enter 5 to stop):
"))
        if num == 5:
            break
        count += 1
        if num < 3:
            entered_less_than_3 = True
```

```
    print(f"Total numbers entered: {count}")
    print(f"Did the user enter any numbers less than 3? {'Yes' if
entered_less_than_3 else 'No'}")

if __name__ == "__main__":
    number_counter()
```