final_project_419

Tyler Chun

11/24/2021

```
df = read.csv("df.csv")
df$Device = as.factor(df$Device)
df$Speed = as.factor(df$Speed)
df$Browser = as.factor(df$Browser)
new_df =
data.frame(Device = rep(df$Device,3),
Speed = rep(df$Speed,3),
Browser = rep(df$Browser,3),
Response = c(df$Replicate.1,df$Replicate.2,df$Replicate.3),replicate = as.factor(c(rep(1,18),rep(2,18),
par(mfrow=c(2,3))
plot(data= new_df, Response~ as.numeric(Device) + as.numeric(Speed)+as.numeric(Browser))
plot(data= new_df, Response~ (Device) + (Speed)+(Browser))
                                      10
Response
                                                                    Response
                                      ω
    9
                                      9
                                      4
                                                    8
    \alpha
       1.0 1.2 1.4 1.6 1.8 2.0
                                                   2.0
                                                             3.0
                                                                                      2.0
                                          1.0
                                                        2.5
                                                                            1.0
                                                                                 1.5
                                                                                           2.5
                                               1.5
           as.numeric(Device)
                                             as.numeric(Speed)
                                                                               as.numeric(Browser)
    10
                                      10
                                                                         10
                                  Response
Response
    ω
                                      ω
                                                                    Response
                                                                        9
    9
                                      9
    4
    N
             D
                                                                                С
                                                    2
                       Μ
                                                           3
                Device
                                                  Speed
                                                                                    Browser
```

```
par(mfrow=c(1,1))
m1 <-lm(data=new_df, Response~Device + Speed + Browser +
         Device:Speed + Device:Browser + Speed:Browser +
         replicate)
summary(m1)
##
## Call:
## lm(formula = Response ~ Device + Speed + Browser + Device:Speed +
      Device:Browser + Speed:Browser + replicate, data = new_df)
##
## Residuals:
      Min
               1Q Median
                               30
                                      Max
## -1.3974 -0.4870 -0.1892 0.4329 4.0217
##
## Coefficients:
##
                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)
                     3.3639
                                0.5741
                                         5.859 8.88e-07 ***
## DeviceM
                    -1.0159
                                0.6419 -1.583 0.12176
## Speed2
                                0.7031
                                         0.935
                     0.6572
                                               0.35584
## Speed3
                     2.1439
                                0.7031
                                         3.049 0.00417 **
## BrowserF
                     0.7206
                                0.7031
                                         1.025 0.31194
## BrowserO
                                0.7031
                                       -1.455
                    -1.0228
                                                0.15399
## replicate2
                    -0.3222
                                0.3516 -0.917 0.36516
                    -0.4806
                                0.3516 -1.367 0.17968
## replicate3
## DeviceM:Speed2
                     0.1922
                                0.7031
                                         0.273 0.78604
## DeviceM:Speed3
                    -1.2211
                                0.7031 - 1.737 0.09054
## DeviceM:BrowserF
                    1.6589
                                0.7031
                                        2.359 0.02355 *
## DeviceM:BrowserO
                    0.8689
                                0.7031
                                         1.236 0.22413
## Speed2:BrowserF
                    -0.5517
                                0.8611 -0.641 0.52562
## Speed3:BrowserF
                     0.6100
                                0.8611
                                         0.708
                                                0.48305
## Speed2:Browser0
                     0.9067
                                0.8611
                                         1.053 0.29905
## Speed3:Browser0
                     2.0117
                                0.8611
                                         2.336 0.02487 *
## ---
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' 1
##
## Residual standard error: 1.055 on 38 degrees of freedom
## Multiple R-squared: 0.7089, Adjusted R-squared: 0.594
## F-statistic: 6.17 on 15 and 38 DF, p-value: 2.781e-06
anova(m1)
## Analysis of Variance Table
## Response: Response
                 Df Sum Sq Mean Sq F value
                                              Pr(>F)
                  1 3.599 3.5986 3.2351 0.0800236
## Device
                  2 53.475 26.7374 24.0366 1.792e-07 ***
## Speed
## Browser
                  2 24.091 12.0455 10.8288 0.0001898 ***
                  2 2.159 1.0795 0.9704 0.3881055
## replicate
## Device:Speed
                  2 5.288 2.6442 2.3771 0.1064872
## Device:Browser 2 6.196 3.0982 2.7853 0.0743397 .
```

4 8.140 2.0351 1.8295 0.1432653


Speed:Browser

```
## Residuals 38 42.270 1.1124
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1

plot(TukeyHSD(aov(m1)))
```


95% family-wise confidence level

95%






95%




Differences in mean levels of Browser **95% family-wise confidence level**

Dif **95%**



Differe

95% family-wise confidence level



Differences in mean levels of Speed:Browser

TukeyHSD(aov(m1))


```
##
     Tukey multiple comparisons of means
       95% family-wise confidence level
##
##
##
  Fit: aov(formula = m1)
##
##
  $Device
##
             diff
                        lwr
                                    upr
                                            p adj
## M-D -0.5162963 -1.097397 0.06480432 0.0800236
##
##
  $Speed
##
            diff
                        lwr
                                  upr
## 2-1 0.8716667 0.01426817 1.729065 0.0456058
## 3-1 2.4072222 1.54982372 3.264621 0.0000001
## 3-2 1.5355556 0.67815705 2.392954 0.0002703
##
## $Browser
##
             diff
                         lwr
                                     upr
## F-C 1.5694444 0.7120459
                               2.4268429 0.0002019
  O-C 0.3844444 -0.4729541
                               1.2418429 0.5238794
  O-F -1.1850000 -2.0423985 -0.3276015 0.0048219
##
##
## $replicate
##
             diff
                        lwr
                                   upr
                                           p adj
## 2-1 -0.3222222 -1.179621 0.5351763 0.6333224
## 3-1 -0.4805556 -1.337954 0.3768429 0.3680928
## 3-2 -0.1583333 -1.015732 0.6990652 0.8945354
```

```
##
## $'Device:Speed'
                 diff
                             lwr
                                        upr
                                                p adj
## M:1-D:1 -0.17333333 -1.6648626 1.31819589 0.9992647
## D:2-D:1 0.77555556 -0.7159737 2.26708478 0.6289095
## M:2-D:1 0.79444444 -0.6970848 2.28597367 0.6049174
## D:3-D:1 3.01777778 1.5262486 4.50930701 0.0000065
## M:3-D:1 1.62333333 0.1318041 3.11486256 0.0260895
## D:2-M:1 0.94888889 -0.5426403 2.44041812 0.4128114
## M:2-M:1 0.96777778 -0.5237514 2.45930701 0.3909805
## D:3-M:1 3.19111111 1.6995819 4.68264034 0.0000022
## M:3-M:1 1.79666667 0.3051374 3.28819589 0.0104657
## M:2-D:2 0.01888889 -1.4726403 1.51041812 1.0000000
## D:3-D:2 2.24222222 0.7506930 3.73375145 0.0008055
## M:3-D:2 0.84777778 -0.6437514 2.33930701 0.5369632
## D:3-M:2 2.22333333 0.7318041 3.71486256 0.0009022
## M:3-M:2 0.82888889 -0.6626403 2.32041812 0.5609896
## M:3-D:3 -1.39444444 -2.8859737 0.09708478 0.0784428
## $'Device:Browser'
##
                diff
                            lwr
                                        upr
                                                p adj
## M:C-D:C -1.3588889 -2.8504181
                                0.13264034 0.0918831
## D:F-D:C 0.7400000 -0.7515292 2.23152923 0.6734902
## M:F-D:C 1.0400000 -0.4515292 2.53152923 0.3130668
## D:O-D:C -0.0500000 -1.5415292 1.44152923 0.9999984
## M:O-D:C -0.5400000 -2.0315292 0.95152923 0.8838625
## D:F-M:C 2.0988889 0.6073597
                                3.59041812 0.0018874
## M:F-M:C 2.3988889 0.9073597
                                3.89041812 0.0003112
## D:O-M:C 1.3088889 -0.1826403 2.80041812 0.1140135
## M:0-M:C 0.8188889 -0.6726403 2.31041812 0.5737428
## M:F-D:F 0.3000000 -1.1915292 1.79152923 0.9901548
## D:O-D:F -0.7900000 -2.2815292 0.70152923 0.6105744
## M:O-D:F -1.2800000 -2.7715292 0.21152923 0.1286806
## D:O-M:F -1.0900000 -2.5815292 0.40152923 0.2649608
## M:O-M:F -1.5800000 -3.0715292 -0.08847077 0.0324596
## M:O-D:O -0.4900000 -1.9815292 1.00152923 0.9197318
##
## $'Speed:Browser'
##
                 diff
                              lwr
                                                 p adj
                                         upr
## 2:C-1:C 0.75333333 -1.24791208
                                  2.7545787 0.9426732
## 3:C-1:C 1.53333333 -0.46791208
                                  3.5345787 0.2556438
## 1:F-1:C 1.55000000 -0.45124541
                                  3.5512454 0.2434023
## 2:F-1:C 1.75166667 -0.24957874
                                   3.7529121 0.1269457
## 3:F-1:C 3.69333333 1.69208792 5.6945787 0.0000153
## 1:0-1:C -0.58833333 -2.58957874
                                  1.4129121 0.9868047
## 2:0-1:C 1.07166667 -0.92957874 3.0729121 0.7066823
## 3:0-1:C
          2.95666667 0.95542126
                                  4.9579121 0.0006401
## 3:C-2:C 0.78000000 -1.22124541
                                  2.7812454 0.9308163
## 1:F-2:C 0.79666667 -1.20457874 2.7979121 0.9226410
## 2:F-2:C 0.99833333 -1.00291208
                                   2.9995787 0.7773467
## 3:F-2:C 2.94000000 0.93875459
                                  4.9412454 0.0006951
## 1:0-2:C -1.34166667 -3.34291208 0.6595787 0.4240101
## 2:0-2:C 0.31833333 -1.68291208 2.3195787 0.9998224
## 3:0-2:C 2.20333333 0.20208792 4.2045787 0.0216776
```


```
## 1:F-3:C 0.01666667 -1.98457874
                                    2.0179121 1.0000000
## 2:F-3:C 0.21833333 -1.78291208
                                    2.2195787 0.9999900
## 3:F-3:C 2.16000000 0.15875459
                                    4.1612454 0.0260686
## 1:0-3:C -2.12166667 -4.12291208 -0.1204213 0.0306190
## 2:0-3:C -0.46166667 -2.46291208
                                    1.5395787 0.9973799
           1.42333333 -0.57791208
## 3:0-3:C
                                    3.4245787 0.3464456
           0.20166667 -1.79957874
           2.14333333 0.14208792
                                    4.1445787 0.0279649
## 3:F-1:F
## 1:0-1:F -2.13833333 -4.13957874 -0.1370879 0.0285580
## 2:0-1:F -0.47833333 -2.47957874
                                    1.5229121 0.9966526
## 3:0-1:F
           1.40666667 -0.59457874
                                    3.4079121 0.3616376
## 3:F-2:F
           1.94166667 -0.05957874
                                    3.9429121 0.0631492
## 1:0-2:F -2.34000000 -4.34124541 -0.3387546 0.0119191
## 2:0-2:F -0.68000000 -2.68124541
                                    1.3212454 0.9679680
## 3:0-2:F
           1.20500000 -0.79624541
                                    3.2062454 0.5664822
## 1:0-3:F -4.28166667 -6.28291208 -2.2804213 0.0000008
## 2:0-3:F -2.62166667 -4.62291208 -0.6204213 0.0032546
## 3:0-3:F -0.73666667 -2.73791208
                                    1.2645787 0.9493382
## 2:0-1:0
           1.66000000 -0.34124541
                                    3.6612454 0.1728194
## 3:0-1:0
           3.54500000 1.54375459
                                    5.5462454 0.0000328
## 3:0-2:0
           1.88500000 -0.11624541
                                    3.8862454 0.0783697
```

plot(m1)


Residuals vs Fitted



Fitted values
Im(Response ~ Device + Speed + Browser + Device:Speed + Device:Browser + Sp.




Theoretical Quantiles
Im(Response ~ Device + Speed + Browser + Device:Speed + Device:Browser + Sp .
Scale-Location




Fitted values
Im(Response ~ Device + Speed + Browser + Device:Speed + Device:Browser + Sp.






Factor Level Combinations

```
y_bar = (df$Replicate.1 + df$Replicate.2 + df$Replicate.3)/3
interaction.plot(df$Device, df$Speed, y_bar)
```



interaction.plot(df\$Device, df\$Browser, y_bar)



interaction.plot(df\$Browser, df\$Speed, y_bar)

