final_project_419

Tyler Chun

11/24/2021

Approach: Remove point 8 and Treat Speed as numeric and Box-cox


- Treat Speed as numeric
- Transformation of response

1. Import the data and clean the data set to fit into the model

```
df = read.csv("df.csv")
# Do initial Analysis and fit model
Response = c(df$Replicate.1,df$Replicate.2,df$Replicate.3)
# Change Speed to original speed numbers
df$Speed_f=as.factor(df$Speed)
df$Speed[df$Speed_f==1]=50
df$Speed[df$Speed_f==2]=30
df$Speed[df$Speed_f==3]=10
df$Speed[df$Speed_f==4]=2.5
df$Speed = as.factor(df$Speed)
df$Device = as.factor(df$Device)
df$Browser = as.factor(df$Browser)
new df =
data.frame(Device = rep(df$Device,3),
Speed = rep(df$Speed,3),
Browser = rep(df$Browser,3),
Response,
replicate = as.factor(c(rep(1,24),rep(2,24),rep(3,24))))
```

1.1 EDA


```
par(mfrow=c(2,3))
plot(data= new_df, Response~ as.numeric(Device) + as.numeric(Speed)+as.numeric(Browser))
plot(data= new_df, Response~ (Device) + (Speed)+(Browser))
```



2. Fit into the model and Check the model with the model Assumptions and Tukey

```
m1 <-lm(data=new_df, Response~(Device + Speed + Browser)^2 + replicate)</pre>
summary(m1)
##
## Call:
  lm(formula = Response ~ (Device + Speed + Browser)^2 + replicate,
##
##
       data = new_df)
##
## Residuals:
##
       Min
                1Q
                    Median
                                 3Q
                                        Max
  -3.2615 -1.0528 -0.2109 1.0512
                                    3.5149
##
##
## Coefficients:
##
                      Estimate Std. Error t value Pr(>|t|)
## (Intercept)
                      27.12306
                                  0.90071
                                           30.113
                                                   < 2e-16 ***
## DeviceM
                       4.35889
                                  0.98668
                                             4.418 5.08e-05 ***
## Speed10
                     -22.51500
                                  1.13932 -19.762
                                                   < 2e-16 ***
## Speed30
                     -24.00167
                                  1.13932 -21.067
                                                    < 2e-16 ***
## Speed50
                                  1.13932 -21.644 < 2e-16 ***
                     -24.65889
## BrowserF
                     -11.51625
                                  1.10314 -10.440 2.30e-14 ***
```


```
## BrowserO
                    -2.54542
                                1.10314 -2.307 0.025044 *
                    0.02250
## replicate2
                                0.49334
                                          0.046 0.963798
## replicate3
                    0.08000
                                0.49334
                                          0.162 0.871808
## DeviceM:Speed10
                    -5.40000
                                1.13932 -4.740 1.70e-05 ***
## DeviceM:Speed30
                    -3.98667
                                1.13932 -3.499 0.000966 ***
## DeviceM:Speed50
                                1.13932 -3.668 0.000576 ***
                    -4.17889
## DeviceM:BrowserF -1.15417
                                0.98668 -1.170 0.247436
                                          0.095 0.924334
## DeviceM:BrowserO
                    0.09417
                                0.98668
## Speed10:BrowserF 14.25333
                                1.39538 10.215 4.97e-14 ***
## Speed30:BrowserF 13.09167
                                1.39538
                                          9.382 8.97e-13 ***
## Speed50:BrowserF 13.64333
                                1.39538
                                          9.778 2.25e-13 ***
## Speed10:Browser0
                                          2.810 0.006958 **
                    3.92167
                                1.39538
## Speed30:Browser0
                    2.81667
                                1.39538
                                          2.019 0.048703 *
## Speed50:Browser0
                    1.91000
                                1.39538
                                          1.369 0.176944
## ---
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' 1
##
## Residual standard error: 1.709 on 52 degrees of freedom
## Multiple R-squared: 0.9765, Adjusted R-squared: 0.968
## F-statistic: 113.9 on 19 and 52 DF, p-value: < 2.2e-16
anova(m1)
## Analysis of Variance Table
##
## Response: Response
                 Df Sum Sq Mean Sq F value
                                               Pr(>F)
## Device
                       6.8
                              6.79
                                    2.3247 0.1333922
## Speed
                  3 5710.8 1903.59 651.7780 < 2.2e-16 ***
## Browser
                     46.4
                             23.21
                                     7.9460 0.0009745 ***
## replicate
                       0.1
                  2
                              0.04
                                     0.0140 0.9861143
## Device:Speed
                  3
                      74.3
                             24.77
                                     8.4797 0.0001104 ***
## Device:Browser 2
                       5.8
                             2.90
                                    0.9927 0.3774856
## Speed:Browser
                  6 474.9
                             79.15 27.1020 2.187e-14 ***
## Residuals
                 52 151.9
                              2.92
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' 1
par(mfrow=c(1,2))
plot(m1,c(1,2))
```




```
par(mfrow=c(2,2))
plot(TukeyHSD(aov(m1)),las=2)
```

95% family-wise confidence level

95% family-wise confidence level




Differences in mean levels of Device




Differences in mean levels of Speed

95% family-wise confidence level



Differences in mean levels of Browser

95% family-wise confidence level



Differences in mean levels of replicate

TukeyHSD(aov(m1))

```
##
    Tukey multiple comparisons of means
##
      95% family-wise confidence level
##
## Fit: aov(formula = m1)
##
##
  $Device
##
           diff
                      lwr
                               upr
                                       p adj
## M-D 0.6141667 -0.1941313 1.422465 0.1333922
##
##
  $Speed
##
                diff
                           lwr
                                        upr
                                               p adj
## 10-2.5 -19.1566667 -20.668600 -17.64473339 0.0000000
## 30-2.5 -20.6922222 -22.204155 -19.18028895 0.0000000
## 50-2.5 -21.5638889 -23.075822 -20.05195561 0.0000000
          -1.5355556 -3.047489
                                -0.02362228 0.0452395
## 30-10
## 50-10
          -2.4072222 -3.919155
                                -0.89528895 0.0005442
## 50-30
          -0.8716667
                     -2.383600
                                 0.64026661 0.4272319
##
## $Browser
##
          diff
                      lwr
                                upr
                                        p adj
## F-C -1.84625 -3.0364793 -0.6560207 0.0013069
## O-F 1.51000 0.3197707 2.7002293 0.0096095
```


```
##
## $replicate
        diff
                    lwr
                             upr
                                    p adj
## 2-1 0.0225 -1.167729 1.212729 0.9988539
## 3-1 0.0800 -1.110229 1.270229 0.9856117
## 3-2 0.0575 -1.132729 1.247729 0.9925397
## $'Device:Speed'
##
                       diff
                                   lwr
                                               upr
                                                       p adj
## M:2.5-D:2.5
                4.00555556
                              1.461810
                                         6.5493015 0.0001942
## D:10-D:2.5 -16.45666667 -19.000413 -13.9129208 0.0000000
## M:10-D:2.5 -17.85111111 -20.394857 -15.3073652 0.0000000
## D:30-D:2.5
              -18.69888889 -21.242635 -16.1551430 0.0000000
## M:30-D:2.5
             -18.68000000 -21.223746 -16.1362541 0.0000000
## D:50-D:2.5 -19.47444444 -22.018190 -16.9306985 0.0000000
## M:50-D:2.5 -19.64777778 -22.191524 -17.1040319 0.0000000
## D:10-M:2.5 -20.46222222 -23.005968 -17.9184763 0.0000000
## M:10-M:2.5
              -21.85666667 -24.400413 -19.3129208 0.0000000
## D:30-M:2.5
              -22.70444444 -25.248190 -20.1606985 0.0000000
## M:30-M:2.5
              -22.68555556 -25.229301 -20.1418096 0.0000000
## D:50-M:2.5
              -23.48000000 -26.023746 -20.9362541 0.0000000
## M:50-M:2.5
              -23.65333333 -26.197079 -21.1095874 0.0000000
## M:10-D:10
                           -3.938190
               -1.39444444
                                        1.1493015 0.6675788
## D:30-D:10
                -2.2422222
                             -4.785968
                                         0.3015237 0.1216793
## M:30-D:10
               -2.22333333
                            -4.767079
                                        0.3204126 0.1281090
## D:50-D:10
                -3.01777778
                            -5.561524
                                        -0.4740319 0.0099469
## M:50-D:10
                -3.19111111
                            -5.734857
                                        -0.6473652 0.0052260
## D:30-M:10
                -0.84777778
                             -3.391524
                                        1.6959681 0.9636007
               -0.82888889
                            -3.372635
## M:30-M:10
                                        1.7148570 0.9677688
## D:50-M:10
                -1.62333333
                            -4.167079
                                        0.9204126 0.4821241
## M:50-M:10
                -1.79666667
                             -4.340413
                                         0.7470792 0.3514285
## M:30-D:30
                0.01888889
                             -2.524857
                                         2.5626348 1.0000000
## D:50-D:30
                -0.77555556
                             -3.319301
                                         1.7681904 0.9776717
                             -3.492635
## M:50-D:30
                -0.94888889
                                         1.5948570 0.9346661
## D:50-M:30
                -0.79444444
                             -3.338190
                                         1.7493015 0.9744656
## M:50-M:30
                            -3.511524
                -0.96777778
                                         1.5759681 0.9279356
## M:50-D:50
                -0.17333333 -2.717079
                                         2.3704126 0.9999988
##
## $'Device:Browser'
##
                 diff
                              lwr
                                         upr
                                                 p adj
## M:C-D:C 0.9675000 -1.09667912
                                   3.0316791 0.7346401
## D:F-D:C -1.2691667 -3.33334578
                                   0.7950124 0.4628240
## M:F-D:C -1.4558333 -3.52001245
                                   0.6083458 0.3101399
## D:O-D:C -0.3833333 -2.44751245
                                   1.6808458 0.9937241
## M:O-D:C 0.6783333 -1.38584578
                                   2.7425124 0.9246500
## D:F-M:C -2.2366667 -4.30084578 -0.1724876 0.0264498
## M:F-M:C -2.4233333 -4.48751245 -0.3591542 0.0126633
## D:0-M:C -1.3508333 -3.41501245
                                  0.7133458 0.3925184
## M:0-M:C -0.2891667 -2.35334578
                                   1.7750124 0.9983437
## M:F-D:F -0.1866667 -2.25084578
                                   1.8775124 0.9998028
## D:0-D:F
           0.8858333 -1.17834578
                                   2.9500124 0.7998618
## M:O-D:F
           1.9475000 -0.11667912
                                  4.0116791 0.0748945
## D:O-M:F
           1.0725000 -0.99167912 3.1366791 0.6423285
## M:O-M:F 2.1341667 0.06998755 4.1983458 0.0388256
```

```
## M:O-D:O 1.0616667 -1.00251245 3.1258458 0.6521451
##
## $'Speed:Browser'
##
                       diff
                                    lwr
                                                upr
                                                        p adj
## 10:C-2.5:C -25.21500000 -28.5902039 -21.8397961 0.0000000
## 30:C-2.5:C -25.99500000 -29.3702039 -22.6197961 0.0000000
## 50:C-2.5:C -26.74833333 -30.1235372 -23.3731295 0.0000000
## 2.5:F-2.5:C -12.09333333 -15.4685372 -8.7181295 0.0000000
## 10:F-2.5:C -23.05500000 -26.4302039 -19.6797961 0.0000000
## 30:F-2.5:C
              -24.99666667 -28.3718705 -21.6214628 0.0000000
## 50:F-2.5:C -25.19833333 -28.5735372 -21.8231295 0.0000000
               -2.49833333 -5.8735372
## 2.5:0-2.5:C
                                          0.8768705 0.3440631
## 10:0-2.5:C
              -23.79166667 -27.1668705 -20.4164628 0.0000000
              -25.67666667 -29.0518705 -22.3014628 0.0000000
## 30:0-2.5:C
## 50:0-2.5:C
              -27.33666667 -30.7118705 -23.9614628 0.0000000
## 30:C-10:C
                -0.78000000
                             -4.1552039
                                          2.5952039 0.9996548
## 50:C-10:C
                -1.53333333
                             -4.9085372
                                          1.8418705 0.9173533
## 2.5:F-10:C
                              9.7464628
                                         16.4968705 0.0000000
               13.12166667
## 10:F-10:C
                 2.16000000
                             -1.2152039
                                          5.5352039 0.5644195
## 30:F-10:C
                 0.21833333
                             -3.1568705
                                          3.5935372 1.0000000
## 50:F-10:C
                 0.01666667
                             -3.3585372
                                          3.3918705 1.0000000
## 2.5:0-10:C
                22.71666667
                             19.3414628
                                         26.0918705 0.0000000
## 10:0-10:C
                             -1.9518705
                                          4.7985372 0.9489270
                1.42333333
## 30:0-10:C
                -0.46166667
                             -3.8368705
                                          2.9135372 0.9999982
## 50:0-10:C
                -2.12166667
                             -5.4968705
                                          1.2535372 0.5908681
## 50:C-30:C
                -0.75333333
                             -4.1285372
                                          2.6218705 0.9997523
## 2.5:F-30:C
               13.90166667
                             10.5264628
                                         17.2768705 0.0000000
## 10:F-30:C
                 2.94000000
                             -0.4352039
                                          6.3152039 0.1442546
                             -2.3768705
## 30:F-30:C
                 0.99833333
                                          4.3735372 0.9967405
## 50:F-30:C
                             -2.5785372
                                          4.1718705 0.9995784
                 0.79666667
## 2.5:0-30:C
                23.49666667
                             20.1214628
                                         26.8718705 0.0000000
## 10:0-30:C
                 2.20333333
                             -1.1718705
                                          5.5785372 0.5345643
## 30:0-30:C
                 0.31833333
                             -3.0568705
                                          3.6935372 1.0000000
## 50:0-30:C
                             -4.7168705
                                          2.0335372 0.9660606
                -1.34166667
## 2.5:F-50:C
                             11.2797961
                                         18.0302039 0.0000000
               14.65500000
                                          7.0685372 0.0208243
## 10:F-50:C
                 3.69333333
                              0.3181295
## 30:F-50:C
                 1.75166667
                             -1.6235372
                                          5.1268705 0.8234652
## 50:F-50:C
                             -1.8252039
                                          4.9252039 0.9116590
                 1.55000000
                             20.8747961
                                         27.6252039 0.0000000
## 2.5:0-50:C
                24.25000000
## 10:0-50:C
                             -0.4185372
                                          6.3318705 0.1389905
                 2.95666667
## 30:0-50:C
                 1.07166667
                             -2.3035372
                                          4.4468705 0.9940501
                             -3.9635372
                                          2.7868705 0.9999784
## 50:0-50:C
                -0.58833333
## 10:F-2.5:F
              -10.96166667 -14.3368705
                                         -7.5864628 0.0000000
## 30:F-2.5:F
              -12.90333333 -16.2785372
                                         -9.5281295 0.0000000
## 50:F-2.5:F
               -13.10500000 -16.4802039
                                         -9.7297961 0.0000000
                              6.2197961
## 2.5:0-2.5:F
                 9.59500000
                                         12.9702039 0.0000000
## 10:0-2.5:F
              -11.69833333 -15.0735372
                                         -8.3231295 0.0000000
## 30:0-2.5:F
               -13.58333333 -16.9585372 -10.2081295 0.0000000
              -15.24333333 -18.6185372 -11.8681295 0.0000000
## 50:0-2.5:F
## 30:F-10:F
                -1.94166667
                             -5.3168705
                                          1.4335372 0.7118160
## 50:F-10:F
                -2.14333333
                             -5.5185372
                                          1.2318705 0.5759221
## 2.5:0-10:F
                20.55666667
                             17.1814628
                                        23.9318705 0.0000000
## 10:0-10:F
                             -4.1118705
                                          2.6385372 0.9998003
                -0.73666667
## 30:0-10:F
                -2.62166667
                             -5.9968705
                                          0.7535372 0.2764044
```

```
## 50:0-10:F
                -4.28166667
                             -7.6568705
                                          -0.9064628 0.0034716
## 50:F-30:F
                                           3.1735372 1.0000000
                -0.20166667
                             -3.5768705
## 2.5:0-30:F
                22.49833333
                             19.1231295
                                          25.8735372 0.0000000
## 10:0-30:F
                 1.20500000
                             -2.1702039
                                           4.5802039 0.9847214
## 30:0-30:F
                -0.68000000
                             -4.0552039
                                           2.6952039 0.9999084
## 50:0-30:F
                -2.34000000
                             -5.7152039
                                           1.0352039 0.4424759
## 2.5:0-50:F
                22.70000000
                             19.3247961
                                          26.0752039 0.0000000
                 1.40666667
## 10:0-50:F
                             -1.9685372
                                           4.7818705 0.9528368
## 30:0-50:F
                -0.47833333
                              -3.8535372
                                           2.8968705 0.9999974
## 50:0-50:F
                -2.13833333
                             -5.5135372
                                           1.2368705 0.5793725
## 10:0-2.5:0
               -21.29333333 -24.6685372 -17.9181295 0.0000000
               -23.17833333 -26.5535372 -19.8031295 0.0000000
## 30:0-2.5:0
## 50:0-2.5:0
               -24.83833333 -28.2135372 -21.4631295 0.0000000
## 30:0-10:0
                -1.88500000
                             -5.2602039
                                           1.4902039 0.7474358
## 50:0-10:0
                             -6.9202039
                                          -0.1697961 0.0316242
                -3.54500000
## 50:0-30:0
                -1.66000000
                             -5.0352039
                                           1.7152039 0.8679064
```

95% family-wise confidence level


95% family-wise confidence level



Differences in mean levels of Device:Speed

Differences in mean levels of Device:Browser

95% family-wise confidence level




Differences in mean levels of Speed:Browser

3. Boxcox Transformation

```
library(MASS)
new_df_8_deleted <- new_df[-8,]
new_df_8_deleted$Speed <- as.numeric(as.character(new_df_8_deleted$Speed))
m1.1 <-lm(data=new_df_8_deleted, Response~(Device + Speed + Browser)^2 + replicate)</pre>
```

```
# To see the exact best lambda:
lmod1_bc <- boxcox(m1.1)</pre>
```



```
lambda <- lmod1_bc$x[which.max(lmod1_bc$y)]

#2. We see the best lambda is 0.3030303, round to 0.3. Create a new transformed response using Box-Cox
#lambda is -0.747474747474747, not 0.3030303
paste0("lambda is ",lambda)</pre>
## [1] "lambda is -0.747474747474747"
```


3.1 Fit the model after transformation and

```
m2 <-lm(data=new_df_8_deleted, Response_t~(Device + Speed + Browser)^2 + replicate)
summary(m2)</pre>
```


new_df_8_deleted['Response_t'] <- (new_df_8_deleted\$Response^lambda - 1) / lambda</pre>

Call:


```
## lm(formula = Response_t ~ (Device + Speed + Browser)^2 + replicate,
##
      data = new_df_8_deleted)
##
## Residuals:
                  1Q
                        Median
                                     3Q
## -0.261841 -0.075515 -0.000431 0.073159 0.230800
## Coefficients:
##
                   Estimate Std. Error t value Pr(>|t|)
## (Intercept)
                  1.163929  0.054261  21.451  < 2e-16 ***
## DeviceM
                  -0.107313   0.061200   -1.753   0.08471 .
## Speed
                  ## BrowserF
                  ## BrowserO
                   0.033175 0.066145
                                      0.502 0.61785
## replicate2
                   0.005485 0.035455
                                       0.155 0.87759
## replicate3
                  -0.015627
                             0.035455 -0.441 0.66101
## DeviceM:Speed
                  -0.002083 0.001554 -1.341 0.18510
## DeviceM:BrowserF 0.208715 0.070911
                                        2.943 0.00464 **
## DeviceM:BrowserO 0.099099 0.070068
                                        1.414 0.16253
## Speed:BrowserF
                   0.004895
                             0.001907
                                        2.567 0.01280 *
## Speed:Browser0
                 -0.002640 0.001895 -1.393 0.16874
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' 1
## Residual standard error: 0.1214 on 59 degrees of freedom
## Multiple R-squared: 0.7727, Adjusted R-squared: 0.7303
## F-statistic: 18.23 on 11 and 59 DF, p-value: 4.002e-15
anova(m2)
## Analysis of Variance Table
## Response: Response_t
                Df Sum Sq Mean Sq F value
                 1 0.04567 0.04567
                                   3.1008 0.0834358 .
## Device
                 1 2.35264 2.35264 159.7320 < 2.2e-16 ***
## Speed
                 2 0.16768 0.08384 5.6921 0.0054904 **
## Browser
                 2 0.00710 0.00355 0.2410 0.7866234
## replicate
## Device:Speed
                 1 0.02336 0.02336
                                   1.5861 0.2128442
## Device:Browser 2 0.12139 0.06069
                                    4.1209 0.0211246 *
## Speed:Browser 2 0.23646 0.11823
                                    8.0271 0.0008252 ***
## Residuals
                59 0.86899 0.01473
## ---
## Signif. codes: 0 '*** 0.001 '** 0.01 '* 0.05 '.' 0.1 ' 1
# Cook's distance
par(mfrow=c(1,1))
plot(m2,4)
```



```
# Residual vs Fitted
par(mfrow=c(1,2))
plot(m2,c(1,2))
```



```
# Interaction plots
y_bar = (df$Replicate.1 + df$Replicate.2 + df$Replicate.3)/3
interaction.plot(df$Device, df$Speed, y_bar)
interaction.plot(df$Device, df$Browser, y_bar)
```



interaction.plot(df\$Browser, df\$Speed, y_bar)

