Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	
	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	
	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	
	Dynamic Memroy
Command Line Arguments	

Text/Code Segment	
Initialized Data Segment	Static Memroy
Uninitialized Data Segment (BSS)	
Неар	†
Stack	
	Dynamic Memroy
Command Line Arguments	