

**makute®**  
PROFESSIONAL POWER TOOLS



Conformity with European

Double insulation

Variable speed

Forward&Reverse

Carrying case

Soft-start

Bit coupling

Bit coupling

3 functions hammer

Vario Lock:  
for arbitrary chisel position

Drill/hammer

Automatic lubrication

Soft start



**makute®**  
PROFESSIONAL POWER TOOLS




**YONGKANG XIAOCHENG ELECTRIC APPLIANCE CO.,LTD**  
ADD:68#Tengfei road xiangzhu industrial zone,yongkang city zhejiang province  
MOBILE:0086-13777535466(JASON) TEL:0086-579-87566667 FAX: 0086-579-87566687  
E-mail: export@makute.com

Continuous technological  
innovation is the eternal  
goal of makute

[www.makute.com](http://www.makute.com)

**HR** DuPont® **NOMEX** C&U® **Mobil**



# POWER TOOLS

## PROFESSIONAL

Supply high quality and competitive price products is our purpose, welcome you to contact us for more information and look forward to working with you!



"moral" we will keep our ethics and never produce inferior products.



"aspiring" we always strive to innovate.



"kind" that we will keep kind and friendly.



"unfailing" and we are always steadfast.



"thankful" we will be grateful to the market for the society.



"efficient" we will maintain efficiency and mutual benefit.





# POWER TOOLS

## PROFESSIONAL

YONGKANG XIAOCHENG ELECTRIC APPLIANCE CO.,LTD

is one of the professional manufacturers of power tools,  
which located in Yongkang, the hardware center of China  
We have more than 10 years experience in R&D,  
manufacturing and marketing for power tools.

We have advanced equipment, and skilled engineers and strong QC team,  
which guarantee all products in the high quality.



## CONTENTS

Lithium Series .....	01
Impact Drill .....	07
Electric Drill .....	10
Angle Grinder .....	13
Car Polisher .....	21
Hammer Drill .....	23
Demolition Hammer .....	26
Die Grinder .....	28
Electric Planer .....	29
Circular Saw .....	31
Orbital Sander .....	31
Trimmer .....	31
Electric Router .....	32
Jig Saw .....	33
Portable Blower .....	35
Heat Gun .....	37
Electric Spray Gun .....	38
Cut Off Machine .....	39
Miter Saw .....	40
Marble Cutter .....	41
Concrete Vibrator .....	42
Wall Sander .....	42
Angle Grinder Stand .....	43
Impact Drill Stand .....	43
Electric Chain Saw .....	44
Gasoline Chain Saw .....	44
Brush Cutter .....	45
Optional Accessories .....	46

## LITHIUM SERIES

Low / High Speed Change

Torque Regulation



### CORDLESS DRILL

- Two-gear mechanical speed regulation function
- One-button forward and backward adjustment conversion
- Double bearing structure, better concentricity
- Efficient heat sink can be used for a long time
- Electricity display, electricity at a glance



CE

#### Model No.

Battery Voltage:

**CD026**

**CD027**

12V      16V

12V      16V      20V

23N·m      25N·m

23N·m      25N·m      30N·m

0-450/0-1450r/min

0-450/0-1450r/min

0.8-10mm

0.8-10mm

Color Box Size:

28.5x9.3x28.5cm

G.W./n.w.(Kgs):

24.4/22.4kg

Case Pack:

10pcs

Packing Size:

64x48.5x30cm

### CORDLESS DRILL WITH SHAFT LOCK

- Two-gear mechanical speed regulation function
- One-button forward and backward adjustment conversion
- Double bearing structure, better concentricity
- Efficient heat sink can be used for a long time
- Electricity display, electricity at a glance



CE

#### Model No.

Battery Voltage:

**CD026-L**

**CD027-L**

12V      16V

12V      16V      20V

23N·m      25N·m

23N·m      25N·m      30N·m

0-450/0-1450r/min

0-450/0-1450r/min

0.8-10mm

0.8-10mm

Color Box Size:

28.5x9.3x28.5cm

G.W./n.w.(Kgs):

24.4/22.4kg

Case Pack:

10pcs

Packing Size:

64x48.5x30cm

## CORDLESS IMPACT DRILL

- Two-gear mechanical speed regulation function
- One-button forward and backward adjustment conversion
- Double bearing structure, better concentricity
- Efficient heat sink can be used for a long time
- Electricity display, electricity at a glance



CE

Model No.	CD028			CD029		
Battery Voltage:	12V	16V		12V	16V	20V
Max Torque:	23N·m	25N·m		23N·m	25N·m	30N·m
No Load Speed:	0-450/0-1450r/min			0-450/0-1450r/min		
Chuck Size:	0.8-10mm			0.8-10mm		
Impact Rate:	22000ipm			22000ipm		
Color Box Size:	24.5x7.5x23.6cm			28.5x9.3x28.5cm		
G.W/n.w(Kgs):	21/19kg			24.4/22.4kg		
Case Pack:	10pcs			10pcs		
Packing Size:	57x39.5x25cm			64x48.5x30cm		

## CORDLESS DRILL WITH SHAFT LOCK & QUICK CHANGE CHUCK

- Two-gear mechanical speed regulation function
- One-button forward and backward adjustment conversion
- Double bearing structure, better concentricity
- Efficient heat sink can be used for a long time
- Electricity display, electricity at a glance



CE

Model No.	CD026-LX			CD027-LX		
Battery Voltage:	12V	16V		12V	16V	20V
Max Torque:	23N·m	25N·m		23N·m	25N·m	30N·m
No Load Speed:	0-450/0-1450r/min			0-450/0-1450r/min		
Chuck Size:	0.8-10mm			0.8-10mm		
Color Box Size:	24.5x7.5x23.6cm			28.5x9.3x28.5cm		
G.W/n.w(Kgs):	21/19kg			24.4/22.4kg		
Case Pack:	10pcs			10pcs		
Packing Size:	57x39.5x25cm			64x48.5x30cm		

## CORDLESS IMPACT DRILL WITH SHAFT LOCK

- Two-gear mechanical speed regulation function
- One-button forward and backward adjustment conversion
- Double bearing structure, better concentricity
- Efficient heat sink can be used for a long time
- Electricity display, electricity at a glance



CE

Model No.	CD028-L			CD029-L		
Battery Voltage:	12V	16V		12V	16V	20V
Max Torque:	23N·m	25N·m		23N·m	25N·m	30N·m
No Load Speed:	0-450/0-1450r/min			0-450/0-1450r/min		
Chuck Size:	0.8-10mm			0.8-10mm		
Impact Rate:	22000ipm			22000ipm		
Color Box Size:	24.5x7.5x23.6cm			28.5x9.3x28.5cm		
G.W/n.w(Kgs):	21/19kg			24.4/22.4kg		
Case Pack:	10pcs			10pcs		
Packing Size:	57x39.5x25cm			64x48.5x30cm		



## 20V CORDLESS WRENCH

### MODEL NO: CW001

- It Has 320N.m Large Torque And High Efficiency
- High Strength Tungsten Steel Shaft, Durable
- Anti-lax And Self-listening, More Secure
- Fully Closed Controller, Better Dust-proof
- Diffusion Lighting, Large Area Of Illumination



## 20V CORDLESS SCREWDRIVER

### MODEL NO: CSD001

- It has 250N.M large torque and high efficiency
- The torsion of three gears can be adjusted
- High strength tungsten steel shaft, durable
- Anti-lax and self-listening, more secure
- All-aluminium head and shell is strong and durable



## 20V CORDLESS HAMMER

### MODEL NO: CHD001

- Brushless motors don't need replace carbon brushes
- Brushless wear is small, rare earth magnetism
- Low interference, stable and smooth operation
- Brushless pure copper motor without burning motor
- Pure ternary high-rate battery, safe and long life



DESCRIPTION	
Charging Voltage:	100V-240V
Frequency:	50/60Hz
Battery Voltage:	20V
Max Torque:	320N·m
No load speed:	0-2200r/min
Chuck Size:	
Color Box Size:	

SPECIFICATIONS	
G.W/N.W(KGS):	/
Case Pack:	/
20"GP:	/
Packing Size:	/

DESCRIPTION	
Charging Voltage:	100V-240V
Frequency:	50/60Hz
Battery Voltage:	20V
Max Torque:	280N·m
No Load Speed:	02800r/min
Chuck Size:	
Color Box Size:	

SPECIFICATIONS	
G.W/N.W(KGS):	/
Case Pack:	/
20"GP:	/
Packing Size:	/

DESCRIPTION	
Charging Voltage:	100V-240V
Frequency:	50/60Hz
Battery Voltage:	20V
Impact Frequency:	4700BPM
No Load Speed:	0-1000r/min
Cylinder Size:	26mm
Joule:	3J
Color Box Size:	37x11.3x33cm

SPECIFICATIONS	
G.W/N.W(KGS):	25/27kg
Case Pack:	4pcs
20"GP:	1600pcs
Packing Size:	47x39x34.5cm

## 20V CORDLESS ANGLE GRINDER

### MODEL NO: CAG001

- High speed, high strength, no burning machine
- Individual electricity display, electricity at a glance
- Two gears speed one key adjustment, easy to operate
- Low interference, stable and smooth operation
- Pure ternary high-rate batteries are safe



DESCRIPTION	
Charging Voltage:	100V-240V
Frequency:	50/60Hz
Battery Voltage:	20V
No load speed:	0-4000-8000r/min
Disc Size:	100/115/125mm
Color Box Size:	

SPECIFICATIONS	
G.W/N.W(KGS):	/
Case Pack:	/
20"GP:	/
Packing Size:	/

DESCRIPTION	
Charging Voltage:	100V-240V
Frequency:	50/60Hz
Battery Voltage:	12V
Max Torque:	45N·m
No load speed:	0-250r/min
Chuck Size:	
Color Box Size:	

SPECIFICATIONS	
G.W/N.W(KGS):	/
Case Pack:	/
20"GP:	/
Packing Size:	/

## 12V RATCHET WRENCH

### MODEL NO: CRW001

- Positive and negative inversions are loose and tight
- 45N.M large torque, more widely used
- Pure copper motor has more stable performance
- Pure ternary high-rate batteries are safe



## 20V CORDLESS BLOWER

### MODEL NO: CPB001

- Widely used: furniture, factories, clubs, etc
- one-hand operation can be fast or slow
- Infinite speed regulation
- Blow and suck



DESCRIPTION	
Charging Voltage:	100V-240V
Frequency:	50/60Hz
Battery Voltage:	20V
No load speed:	0-20000r/min
Blower Rate:	2.3m³/min
Color Box Size:	

SPECIFICATIONS	
G.W/N.W(KGS):	/
Case Pack:	/
20"GP:	/
Packing Size:	/

DESCRIPTION	
Charging Voltage:	100V-240V
Frequency:	50/60Hz
Battery Voltage:	12/16/20V
Strokes Per Minute:	0-3000spm/m
Blower Rate:	
Color Box Size:	

SPECIFICATIONS	
G.W/N.W(KGS):	/
Case Pack:	/
20"GP:	/
Packing Size:	/

## 12/16/20V CORDLESS RECIPROCATING SAW

### MODEL NO: CRS001

- Pure copper motor has more stable performance
- Metal cutting, wood cutting, plastic cutting, etc
- High-performance batteries last longer
- Fast-loading locking chuck



## IMPACT DRILL



CB CE ☒ ☓ ↗ ⚡ DuPont® NOMEX® Mobil



### 13MM IMPACT DRILL

MODEL NO: ID001

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



CE ☒ ☓ ↗ ⚡ DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	850W
No-load Speed:	0-2900r/min
Chuck Size:	13mm
Wood:	30mm
Concrete:	16mm
Steel:	13mm
Color Box Size:	29x7.5x28cm

SPECIFICATIONS	
G.W/N.W(KGS):	21/19kg
Case Pack:	10pcs
20"GP:	4430pcs
Carton Size:	58x40x30cm

### 13MM IMPACT DRILL

MODEL NO: ID002

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



CE ☒ ☓ ↗ ⚡ DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	780W
No-load Speed:	0-3000r/min
Chuck Size:	13mm
Wood:	30mm
Concrete:	16mm
Steel:	13mm
Color Box Size:	25.5x6.5x24.5cm

SPECIFICATIONS	
G.W/N.W(KGS):	24/23kg
Case Pack:	10pcs
20"GP:	5532pcs
Carton Size:	35.5x27x51cm

### 13MM IMPACT DRILL

MODEL NO: ID003

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



☒ ☓ ↗ ⚡ DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	610W
No-load Speed:	0-2800r/min
Chuck Size:	13mm
Wood:	30mm
Concrete:	16mm
Steel:	13mm
Color Box Size:	29x7.5x24cm

SPECIFICATIONS	
G.W/N.W(KGS):	24/22kg
Case Pack:	10pcs
20"GP:	4600pcs
Carton Size:	60x39.5x25.5cm

### 13MM IMPACT DRILL

#### MODEL NO: ID003-X

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



CB CE DuPont™ NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	710W
No-load Speed:	0-3000r/min
Chuck Size:	13mm
Wood:	30mm
Concrete:	16mm
Steel:	13mm
Color Box Size:	29x6.5x24cm

#### SPECIFICATIONS

G.W/N.W(KGS):	21/19kg
Case Pack:	10pcs
20"GP:	4600pcs
Carton Size:	60x36.5x25.5cm

### 13MM IMPACT DRILL

#### MODEL NO: ID009

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



CB CE DuPont™ NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1020W
No-load Speed:	0-3200r/min
Chuck Size:	13mm
Wood:	30mm
Concrete:	16mm
Steel:	13mm
Color Box Size:	29.5x8.5x31cm

#### SPECIFICATIONS

G.W/N.W(KGS):	14/13kg
Case Pack:	5pcs
20"GP:	3060pcs
Carton Size:	44.5x30.5x32.5cm

### 13MM IMPACT DRILL

#### MODEL NO: ID005

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



CE DuPont™ NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	550W
No-load Speed:	0-3000r/min
Chuck Size:	13mm
Wood:	20mm
Concrete:	13mm
Steel:	10mm
Color Box Size:	25.5x7.5x25cm

#### SPECIFICATIONS

G.W/N.W(KGS):	20/19kg
Case Pack:	10pcs
20"GP:	5090pcs
Carton Size:	39.5x27x52cm

### 6.5MM ELECTRIC DRILL

#### MODEL NO: ED001

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



CE DuPont™ NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	260W
No-load Speed:	0-3600r/min
Chuck Size:	6.5mm
Wood:	15mm
Steel:	6.5mm
Color Box Size:	20x6.5x22cm

#### SPECIFICATIONS

G.W/N.W(KGS):	13/12kg
Case Pack:	10pcs
20"GP:	7700pcs
Carton Size:	42x34x24cm

### 13MM IMPACT DRILL

#### MODEL NO: ID008

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



CE DuPont™ NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	850W
No-load Speed:	0-2900r/min
Chuck Size:	13mm
Wood:	30mm
Concrete:	16mm
Steel:	13mm
Color Box Size:	29x7.5x28cm

#### SPECIFICATIONS

G.W/N.W(KGS):	21/19kg
Case Pack:	10pcs
20"GP:	3880pcs
Carton Size:	40x30x58cm

### 10MM ELECTRIC DRILL

#### MODEL NO: ED002

- Powerful Motor For High Durable Working
- High Performance Chuck
- Soft Grip Design For Confortable Operation
- Variable Speed Switch With Forward And Reverse Function
- Multifunction Of Impact/drill/screw
- 360°rotate Handle



CE DuPont™ NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	550W
No-load Speed:	0-1200r/min
Chuck Size:	10mm
Wood:	15mm
Steel:	6.5mm
Color Box Size:	24.5x6.5x22.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	17/16kg
Case Pack:	10pcs
20"GP:	7700pcs
Carton Size:	34.5x26x47cm

### 10MM ELECTRIC DRILL

#### MODEL NO: ED003

- Powerful Motor For High Efficient Working
- Clamp Key Ring For Convenient Change
- Simple And Comfortable Trigger Switch
- Light Weight Smart Body Economic High Performance
- Variable Speed Switch With Forward And Reverse Function



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	450W
No-load Speed:	0-3000r/min
Chuck Size:	10mm
Wood:	15mm
Steel:	6.5mm
Color Box Size:	25.5x7x22.5cm

SPECIFICATIONS	
G.W/N.W(KGS):	16/15kg
Case Pack:	10pcs
20"GP:	5950pcs
Carton Size:	37x27x47cm

### 10/13MM ELECTRIC DRILL

#### MODEL NO: ED009

- Powerful Motor For High Efficient Working
- Clamp Key Ring For Convenient Change
- Simple And Comfortable Trigger Switch
- Light Weight Smart Body Economic High Performance
- Variable Speed Switch With Forward And Reverse Function



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	550W
No-load Speed:	0-3000r/min
Chuck Size:	10/13mm
Wood:	20mm
Concrete:	13mm
Steel:	10mm
Color Box Size:	29x8x26.5cm

SPECIFICATIONS	
G.W/N.W(KGS):	16/15kg
Case Pack:	10pcs
20"GP:	3900pcs
Carton Size:	42x30x55cm

### 10MM ELECTRIC DRILL

#### MODEL NO: ED010

- Powerful Motor For High Efficient Working
- Clamp Key Ring For Convenient Change
- Simple And Comfortable Trigger Switch
- Light Weight Smart Body Economic High Performance
- Variable Speed Switch With Forward And Reverse Function



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	450W
No-load Speed:	0-3000r/min
Chuck Size:	10mm
Wood:	20mm
Concrete:	13mm
Color Box Size:	23.5x7x23cm

SPECIFICATIONS	
G.W/N.W(KGS):	16/15kg
Case Pack:	10pcs
20"GP:	5869pcs
Carton Size:	49x37.5x25cm

### 10MM ELECTRIC DRILL

#### MODEL NO: ED011

- Powerful Motor For High Efficient Working
- Clamp Key Ring For Convenient Change
- Simple And Comfortable Trigger Switch
- Light Weight Smart Body Economic High Performance
- Variable Speed Switch With Forward And Reverse Function



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	280W
No-load Speed:	0-350/0-1100r/min
Chuck Size:	10mm
Wood:	15mm
Concrete:	6.5mm
Color Box Size:	24x7.5x23cm

SPECIFICATIONS	
G.W/N.W(KGS):	16/15kg
Case Pack:	10pcs
20"GP:	5476pcs
Carton Size:	50x39.5x25cm

### 10MM ELECTRIC DRILL

#### MODEL NO: ED012

- Powerful Motor For High Efficient Working
- Clamp Key Ring For Convenient Change
- Simple And Comfortable Trigger Switch
- Light Weight Smart Body Economic High Performance
- Variable Speed Switch With Forward And Reverse Function



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	280W
No-load Speed:	0-750r/min
Chuck Size:	10mm
Wood:	15mm
Concrete:	6.5mm
Color Box Size:	24x7.5x23cm

SPECIFICATIONS	
G.W/N.W(KGS):	16/15kg
Case Pack:	10pcs
20"GP:	5476pcs
Carton Size:	50x39.5x25cm

### 13/16MM ELECTRIC DRILL

#### MODEL NO: ED006

- Professional Drill Chuck With High Quality
- Sturdy And Durable Aluminum Body
- Comfortable Auxiliary Handle
- Carbon Brushes With High Quality
- Rotatable And Insulation Rear Handle
- Two Function Of Drill And Mix



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	1050W
No-load Speed:	800r/min
Chuck Size:	13/16mm
Wood:	30mm
Concrete:	16mm
Steel:	13mm
Color Box Size:	33x10.5x27.5cm

SPECIFICATIONS	
G.W/N.W(KGS):	20/18kg
Case Pack:	5pcs
20"GP:	2030pcs
Carton Size:	55x34.5x30cm

## ANGLE GRINDER




### 100/115/125MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



Model No.	AG001	AG002	AG014
Voltage:	220-240V	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz	50/60Hz
Power:	950W	950W	710W
No-load Speed:	11500r/min	11500r/min	11000r/min
Disc Size:	100/115/125mm	100/115/125mm	100/115/125mm
Spindle:	M10/M14	M10/M14	M10/M14
Color Box Size:	30.5x12.5x11cm	30.5x12.5x11cm	34x12x12cm
G.W/N.W(KGS):	24/22kg	25/23kg	23/21kg
Case Pack:	10pcs	10pcs	10pcs
20"GP:	4600pcs	4600pcs	4800pcs
Carton Size	65x32x24cm	65x32x24cm	62.5x36x26cm

CE DuPont® NOMEX® C&U® Mobil



### 115/125/150MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



Model No.	AG013	AG013-V
Voltage:	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz
Power:	1350W	1350W
No-load Speed:	11000r/min	3000-11000r/min
Disc Size:	115/125/150mm	115/125/150mm
Spindle:	M14	M14
Color Box Size:	36x12x12cm	36x12x12cm
G.W/N.W(KGS):	23.5/21.5kg	23.5/21.5kg
Case Pack:	8pcs	8pcs
20"GP:	4372pcs	4372pcs
Carton Size	50x38x26cm	50x38x26cm

CE DuPont® NOMEX® C&U® Mobil

### 100/115/125MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



Model No.	<b>AG016</b>	<b>AG016-S</b>	<b>AG016-L</b>
Voltage:	220-240V	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz	50/60Hz
Power:	850W	850W	850W
No-load Speed:	11000r/min	11000r/min	11000r/min
Disc Size:	100/115/125mm	100/115/125mm	100/115/125mm
Spindle:	M10/M14	M10/M14	M10/M14
Color Box Size:	33x12x11cm	33x12x11cm	40x12x11cm
G.W/N.W(KGS):	23/21kg	23/21kg	23.5/21.5kg
Case Pack:	10pcs	10pcs	10pcs
20"GP:	5190pcs	5190pcs	4570pcs
Carton Size	62x35x24cm	62x35x24cm	62x42x24cm

**CE**

### 100/115/125MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



Model No.	<b>AG116-N</b>	<b>AG126</b>	<b>AG126-S</b>
Voltage:	220-240V	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz	50/60Hz
Power:	850W	850W	850W
No-load Speed:	11000r/min	11000r/min	11000r/min
Disc Size:	100/115/125mm	100/115/125mm	100/115/125mm
Spindle:	M10/M14	M10/M14	M10/M14
Color Box Size:	33x12x11cm	33x12x11cm	40x12x11cm
G.W/N.W(KGS):	23/21kg	23/21kg	23.5/21.5kg
Case Pack:	10pcs	10pcs	10pcs
20"GP:	5190pcs	5190pcs	4570pcs
Carton Size	62x35x24cm	62x35x24cm	62x42x24cm

**CE**

### 100/115/125MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



Model No.	<b>AG008</b>	<b>AG008-B</b>	<b>AG008-A</b>
Voltage:	220-240V	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz	50/60Hz
Power:	680W	850W	1000W
No-load Speed:	11000r/min	11000r/min	10000r/min
Disc Size:	100/115/125mm	100/115/125mm	100/115/125mm
Spindle:	M10/M14	M10/M14	M10/M14
Color Box Size:	33x12x11cm	33x12x11cm	33x12x11cm
G.W/N.W(KGS):	23/21kg	23/21kg	23/21kg
Case Pack:	10pcs	10pcs	10pcs
20"GP:	5280pcs	5280pcs	5280pcs
Carton Size	62.5x35x24cm	62.5x35x24cm	62.5x35x24cm

**CB** **CE**

### 100/115/125MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



Model No.	<b>AG009</b>	<b>AG009-B</b>	<b>AG009-A</b>
Voltage:	220-240V	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz	50/60Hz
Power:	680W	850W	1000W
No-load Speed:	11000r/min	11000r/min	10000r/min
Disc Size:	100/115/125mm	100/115/125mm	100/115/125mm
Spindle:	M10/M14	M10/M14	M10/M14
Color Box Size:	33x12x11cm	33x12x11cm	33x12x11cm
G.W/N.W(KGS):	23/21kg	23/21kg	23/21kg
Case Pack:	10pcs	10pcs	10pcs
20"GP:	5280pcs	5280pcs	5280pcs
Carton Size	62.5x35x24cm	62.5x35x24cm	62.5x35x24cm

**CB** **CE**

### 100/115/125MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE DuPont®  
**NOMEX® C&U® Mobil**

#### Model No.

**AG007**

**AG010**

Voltage:	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz
Power:	1400W	1400W
No-load Speed:	10800r/min	800-10800r/min
Disc Size:	115/125mm	115/125mm
Spindle:	M10/M14	M10/M14
Color Box Size:	40.5x12.5x12cm	40.5x12.5x12cm
G.W./N.W.(KGS):	28/26kg	29/27kg
Case Pack:	10pcs	10pcs
20"GP:	4050pcs	4100pcs
Carton Size	65x42x27cm	65x42x27cm



### 100/115/125MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE DuPont®  
**NOMEX® C&U® Mobil**

#### Model No.

**AG005**

**AG005-V**

Voltage:	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz
Power:	1400W	1400W
No-load Speed:	10800r/min	10800r/min
Disc Size:	100/115/125mm	100/115/125mm
Spindle:	M10/M14	M10/M14
Color Box Size:	40.5x12.5x12cm	40.5x12.5x12cm
G.W./N.W.(KGS):	28/26kg	28/26kg
Case Pack:	10pcs	10pcs
20"GP:	4050pcs	4050pcs
Carton Size	65x42x26cm	65x42x26cm

### 150MM ANGLE GRINDER

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE DuPont®  
**NOMEX® Mobil**

#### Model No.

**AG015**

**AG015-A**

Voltage:	220-240V	220-240V
Frequency:	50/60Hz	50/60Hz
Power:	1550W	1550W
No-load Speed:	800-10800r/min	9000r/min
Disc Size:	150mm	150mm
Spindle:	M14	M14
Color Box Size:	42x12.5x12cm	42x12.5x12cm
G.W./N.W.(KGS):	28/26kg	29/27kg
Case Pack:	10pcs	10pcs
20"GP:	3700pcs	3700pcs
Carton Size	65x43.5x26cm	65x43.5x26cm

### 180MM ANGLE GRINDER

MODEL NO: **AG018**

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE DuPont® NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1680W
No-load Speed:	8500r/min
Disc Size:	180mm
Spindle:	M14
Color Box Size:	46x14x14cm

#### SPECIFICATIONS

G.W/N.W(KGS):	16/14kg
Case Pack:	4pcs
20"GP:	2500pcs
Carton Size:	48x30x30cm

### 180/230MM ANGLE GRINDER

MODEL NO: **AG012**

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE DuPont® NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2600W
No-load Speed:	8500/6500r/min
Disc Size:	180/230mm
Spindle:	M14
Color Box Size:	57.5x19x12.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	26/24kg
Case Pack:	4pcs
20"GP:	1800pcs
Carton Size:	59x39.5x27cm

### 180MM ANGLE GRINDER

MODEL NO: **AG018-A**

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE DuPont® NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1750W
No-load Speed:	8500r/min
Disc Size:	180mm
Spindle:	M14
Color Box Size:	46x14x14cm

#### SPECIFICATIONS

G.W/N.W(KGS):	17/15kg
Case Pack:	4pcs
20"GP:	2500pcs
Carton Size:	48x30x30cm

### 180/230MM ANGLE GRINDER

MODEL NO: **AG026**

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE SGS DuPont® NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2400W
No-load Speed:	8500/6500r/min
Disc Size:	180/230mm
Spindle:	M14
Color Box Size:	57.5x19x12.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	26/24kg
Case Pack:	4pcs
20"GP:	1800pcs
Carton Size:	59x40.5x27.5cm

### 180/230MM ANGLE GRINDER

MODEL NO: **AG003**

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE DuPont® NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2400W
No-load Speed:	8500/6000r/min
Disc Size:	180/230mm
Spindle:	M14
Color Box Size:	57.5x19x12.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	25/23kg
Case Pack:	4pcs
20"GP:	1800pcs
Carton Size:	59x40.5x26.5cm

### 180/230MM ANGLE GRINDER

MODEL NO: **AG029**

- Unique Motor Design For Strong Performance
- 2-positions Soft Touch Side Handle
- Dustproof Design
- Multifunction Make Working High Efficiency
- Shaft Lock For Easy Wheel Change



CE SGS DuPont® NOMEX® Mobil


#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2600W
No-load Speed:	8500/6500r/min
Disc Size:	180/230mm
Spindle:	M14
Color Box Size:	57.5x19x12.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	27/25kg
Case Pack:	4pcs
20"GP:	1800pcs
Carton Size:	59x40.5x26.5cm

## CAR POLISHER



### 100-150MM CAR POLISHER

#### MODEL NO: CP005

- Powerful Motor Strong Performance
- Dustproof Design
- Variable Speed Control For High Efficiency
- Light Weigh Optimization Handle For Easy Operation
- High Wearable And Low Noise



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	780W
No-load Speed:	1500-5500r/min
Disc Size:	100-150mm
Spindle:	M14
Color Box Size:	37X14X14cm

SPECIFICATIONS	
G.W/N.W(KGS):	17/16kg
Case Pack:	6pcs
20"GP:	3168pcs
Carton Size:	44x39x30cm

### 180MM CAR POLISHER

#### MODEL NO: CP001

- Powerful Motor Strong Performance
- Dustproof Design
- Variable Speed Control For High Efficiency
- Light Weigh Optimization Handle For Easy Operation
- High Wearable And Low Noise



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	1300W
No-load Speed:	600-3000r/min
Disc Size:	180mm
Spindle:	M14
Color Box Size:	46x16x14cm

SPECIFICATIONS	
G.W/N.W(KGS):	15/13kg
Case Pack:	4pcs
20"GP:	1800pcs
Carton Size:	48x34x30cm

### 180MM CAR POLISHER

#### MODEL NO: CP003

- Powerful Motor Strong Performance
- Dustproof Design
- Variable Speed Control For High Efficiency
- Light Weigh Optimization Handle For Easy Operation
- High Wearable And Low Noise



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	1600W
No-load Speed:	600-3000r/min
Disc Size:	180mm
Spindle:	M14
Color Box Size:	48x16x16cm

SPECIFICATIONS	
G.W/N.W(KGS):	17/15kg
Case Pack:	4pcs
20"GP:	1500pcs
Carton Size:	50x34x34cm

### 180MM CAR POLISHER

#### MODEL NO: CP006

- Powerful Motor Strong Performance
- Dustproof Design
- Variable Speed Control For High Efficiency
- Light Weigh Optimization Handle For Easy Operation
- High Wearable And Low Noise



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	1680W
No-load Speed:	600-3000r/min
Disc Size:	180mm
Spindle:	M14
Color Box Size:	55x18x12cm

SPECIFICATIONS	
G.W/N.W(KGS):	15/13.5kg
Case Pack:	4pcs
20"GP:	1960pcs
Carton Size:	56x38x26cm

## HAMMER DRILL



### 26MM HAMMER DRILL

MODEL NO: **HD001**

- Industry Heavy Duty Performance
- Three Functions Easily Convert Design
- Forward And Reverse Switch Function
- Locking Button Design For Continuous Drilling
- Soft Grip Handle Reduces Work Fatigue



CE SDS PLUS DuPont™ NOMEX C&U® Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	800W
Joule:	3J
No-load Speed:	0-900r/min
Cylinder Size:	26mm
Color Box Size:	43x11x31cm

SPECIFICATIONS	
G.W/N.W(KGS):	26.7/24.7kg
Case Pack:	5pcs
20'GP:	1480pcs
Carton Size:	57x44.5x32cm

### 24MM HAMMER DRILL

MODEL NO: **HD003**

- Industry Heavy Duty Performance
- Three Functions Easily Convert Design
- Forward And Reverse Switch Function
- Locking Button Design For Continuous Drilling
- Soft Grip Handle Reduces Work Fatigue



CE SDS PLUS DuPont™ NOMEX Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	620W
Joule:	2.5J
No-load Speed:	0-870r/min
Cylinder Size:	24mm
Color Box Size:	43x11x31cm

SPECIFICATIONS	
G.W/N.W(KGS):	26/24kg
Case Pack:	5pcs
20'GP:	1480pcs
Carton Size:	60x46x33cm

### 32MM HAMMER DRILL

MODEL NO: **HD012**

- Industry Heavy Duty Performance
- Three Functions Easily Convert Design
- Forward And Reverse Switch Function
- Locking Button Design For Continuous Drilling
- Soft Grip Handle Reduces Work Fatigue



CE SDS PLUS DuPont™ NOMEX Mobil

DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	1050W
Joule:	5J
No-load Speed:	0-3150r/min
Cylinder Size:	32mm
Color Box Size:	40x12.8x35.6cm

SPECIFICATIONS	
G.W/N.W(KGS):	17/16kg
Case Pack:	2pcs
20'GP:	1150pcs
Carton Size:	45x28x38.5cm

### 38MM HAMMER DRILL

MODEL NO: **HD018**

- Industry Heavy Duty Performance
- Three Functions Easily Convert Design
- Forward And Reverse Switch Function
- Locking Button Design For Continuous Drilling
- Soft Grip Handle Reduces Work Fatigue



DuPont®  
**NOMEX® Mobil**

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1200W
Joule:	6J
No-load Speed:	500r/min
Cylinder Size:	38mm
Color Box Size:	42.5x15x38cm

#### SPECIFICATIONS

G.W/N.W(KGS):	23/22.5kg
Case Pack:	2pcs
20"GP:	920pcs
Carton Size:	49x31x41.5cm



### 26MM HAMMER DRILL

MODEL NO: **HD019**

- Industry Heavy Duty Performance
- Three Functions Easily Convert Design
- Forward And Reverse Switch Function
- Locking Button Design For Continuous Drilling
- Soft Grip Handle Reduces Work Fatigue



DuPont®  
**NOMEX® Mobil**

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	900W
Joule:	5J
No-load Speed:	850r/min
Cylinder Size:	26mm
Color Box Size:	42x12x37cm

#### SPECIFICATIONS

G.W/N.W(KGS):	23/21kg
Case Pack:	3pcs
20"GP:	1150pcs
Carton Size:	43x38x36cm

### 32MM HAMMER DRILL

MODEL NO: **HD32**

- Industry Heavy Duty Performance
- Three Functions Easily Convert Design
- Forward And Reverse Switch Function
- Locking Button Design For Continuous Drilling
- Soft Grip Handle Reduces Work Fatigue



DuPont®  
**NOMEX® Mobil**

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1200W
Joule:	6J
No-load Speed:	4000r/min
Cylinder Size:	32mm
Color Box Size:	45x13x34.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	24/22kg
Case Pack:	3pcs
20"GP:	1265pcs
Carton Size:	47x41x36.5cm

### 35MM DEMOLITION HAMMER

MODEL NO: **DH35**

- Industry Heavy Duty Performance
- Three Functions Easily Convert Design
- Forward And Reverse Switch Function
- Locking Button Design For Continuous Drilling
- Soft Grip Handle Reduces Work Fatigue



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1900W
Joule:	15J
No-load Speed:	3800r/min
Cylinder Size:	35mm
Color Box Size:	53.5x13x37cm

#### SPECIFICATIONS

G.W/N.W(KGS):	20/18kg
Case Pack:	2pcs
20"GP:	982pcs
Carton Size:	54.5x28x36cm

### 35MM DEMOLITION HAMMER

#### MODEL NO: DH35-A

- Industry Heavy Duty Performance
- Three Functions Easily Convert Design
- Forward And Reverse Switch Function
- Locking Button Design For Continuous Drilling
- Soft Grip Handle Reduces Work Fatigue



### 65MM DEMOLITION HAMMER

#### MODEL NO: DH65

- Strong Power Make Working Easily And Effectively
- 360 Degree Rotation Auxiliary Handle Apply For Multi Angle Operation
- Convenient And Quick Change For The Carbon Brush



### 85MM DEMOLITION HAMMER

#### MODEL NO: DH85

- Strong Power Make Working Easily And Effectively
- 360 Degree Rotation Auxiliary Handle Apply For Multi Angle Operation
- Convenient And Quick Change For The Carbon Brush



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1600W
Joule:	12J
No-load Speed:	3800r/min
Cylinder Size:	35mm
Color Box Size:	51x12.5x33.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	19/17kg
Case Pack:	2pcs
20"GP:	1150pcs
Carton Size:	52.5x27x35.5cm

### 3MM DIE GRINDER

#### MODEL NO: DG002

- Powerful Motor Strong Performance
- Precision Chuck For Durable Performance
- Variable Speed Control For High Efficiency
- Unique Heat Dissipation Design
- Slim Body For Comfortable Handle
- External Carbon Brush Design Easy For Change



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	350W
No-load Speed:	0-30000r/min
Chuck Size:	3mm

#### SPECIFICATIONS

G.W/N.W(KGS):	18/17kg
Case Pack:	10pcs
20"GP:	13920pcs
Carton Size:	70x34x30cm

### 6MM DIE GRINDER

#### MODEL NO: DG003

- Powerful Motor Strong Performance
- Precision Chuck For Durable Performance
- Variable Speed Control For High Efficiency
- Unique Heat Dissipation Design
- Slim Body For Comfortable Handle
- External Carbon Brush Design Easy For Change



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	400W
No-load Speed:	0-26000r/min
Chuck Size:	6mm

#### SPECIFICATIONS

G.W/N.W(KGS):	22/20kg
Case Pack:	20pcs
20"GP:	9400pcs
Carton Size:	52x33x35cm

### 6MM DIE GRINDER

#### MODEL NO: DG004

- Powerful Motor Strong Performance
- Precision Chuck For Durable Performance
- Variable Speed Control For High Efficiency
- Unique Heat Dissipation Design
- Slim Body For Comfortable Handle
- External Carbon Brush Design Easy For Change



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	600W
No-load Speed:	0-20000r/min
Chuck Size:	6mm

#### SPECIFICATIONS

G.W/N.W(KGS):	20/18kg
Case Pack:	10pcs
20"GP:	7140pcs
Carton Size:	52x41.5x18.5cm

### 6MM DIE GRINDER

#### MODEL NO: DG012

- Powerful Motor Strong Performance
- Precision Chuck For Durable Performance
- Variable Speed Control For High Efficiency
- Unique Heat Dissipation Design
- Slim Body For Comfortable Handle
- External Carbon Brush Design Easy For Change



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	500W
No-load Speed:	0-30000r/min
Chuck Size:	3mm

#### SPECIFICATIONS

G.W/N.W(KGS):	19/17kg
Case Pack:	10pcs
20"GP:	4580pcs
Carton Size:	58.5x39.5x25.5cm

# ELECTRIC PLANER



## ELECTRIC PLANER

MODEL NO: **EP003**

- High power for more efficiency working
- High-density aluminum board
- Safe and comfortable self-locking switch
- Free adjustment planing depth design
- High strength carbon steel double rolling blade
- High toughness conveyor belt design



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	600W
No-load Speed:	16000r/min
Max Planing Depth:	1mm
Max Planing Width:	82mm
Color Box Size:	29.5x16.5x18.5cm

SPECIFICATIONS	
G.W/N.W(KGS):	19/18kg
Case Pack:	6pcs
20"GP:	2433pcs
Carton Size:	52x32x40cm

## ELECTRIC PLANER

MODEL NO: **EP005**

- High power for more efficiency working
- High-density aluminum board
- Safe and comfortable self-locking switch
- Free adjustment planing depth design
- High strength carbon steel double rolling blade
- High toughness conveyor belt design



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	560W
No-load Speed:	16000r/min
Max Planing Depth:	1mm
Max Planing Width:	82mm
Color Box Size:	31.5x17.5x18cm

SPECIFICATIONS	
G.W.N.W(KGS):	13/12kg
Case Pack:	4pcs
20"GP:	pcs
Carton Size:	37x33x38cm

## ELECTRIC PLANER

MODEL NO: **EP006**

- High power for more efficiency working
- High-density aluminum board
- Safe and comfortable self-locking switch
- Free adjustment planing depth design
- High strength carbon steel double rolling blade
- High toughness conveyor belt design



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	650W
No-load Speed:	16000r/min
Max Planing Depth:	2mm
Max Planing Width:	82mm
Color Box Size:	32x19x18cm

SPECIFICATIONS	
G.W.N.W(KGS):	20/19kg
Case Pack:	4pcs
20"GP:	pcs
Carton Size:	40x33.5x38cm

### 185MM CIRCULAR SAW

MODEL NO: **CS003**

- Unique Environmental-friendly Exit For Dust
- Adjustable Cutting Depth
- Big Switch And Safety Button
- Suitable For Cutting All Kinds Of Wood



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	1380W
No-load Speed:	5300r/min
Blade Size:	185mm
Color Box Size:	31.5x22.5x19cm

SPECIFICATIONS	
G.W/N.W(KGS):	18/16kg
Case Pack:	4pcs
20"GP:	1784pcs
Carton Size:	46.5x33x39.5cm

### 185MM CIRCULAR SAW

MODEL NO: **CS004**

- Unique Environmental-friendly Exit For Dust
- Adjustable Cutting Depth
- Big Switch And Safety Button
- Suitable For Cutting All Kinds Of Wood



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	2200W
No-load Speed:	4100r/min
Blade Size:	235mm
Color Box Size:	38.5x27.5x21.5cm

SPECIFICATIONS	
G.W/N.W(KGS):	13/12kg
Case Pack:	2pcs
20"GP:	1038pcs
Carton Size:	56.5x40x23cm

### ORBITAL SANDER

MODEL NO: **OS002**

- Strong Motor With Low Vibration
- Succinct Durable Clamping System
- Sturdy And Durable Aluminum Bottom
- Self-locking Push Switch



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	480W
No-load Speed:	14000r/min
Pad Size:	93x185mm
Color Box Size:	27.5x10x16cm

SPECIFICATIONS	
G.W/N.W(KGS):	21/19kg
Case Pack:	10pcs
20"GP:	4800pcs
Carton Size:	52x29x33.5cm

### 6MM TRIMMER

MODEL NO: **TR001**

- Accurate Concentricity
- Good Guiding Performance
- Transparent Bottom
- Full Control Operation
- Conveniently Replacing External Carbon Brushes



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	580W
No-load Speed:	30000r/min
Chuck Size:	6mm
Color Box Size:	23x15x10cm

SPECIFICATIONS	
G.W/N.W(KGS):	16/15kg
Case Pack:	8pcs
20"GP:	6480pcs
Carton Size:	47.5x31.5x22cm

### 12/8MM ELECTRIC ROUTER

MODEL NO: **ER001**

- Powerful Motor For More Efficiency Working
- Precise Positioning Design
- All Ball Bearing Construction For Long Tool Life
- Shaft Lock For Quick And Easy Bit Changes
- Base Lift Control Knob Design For Easy Operation
- External Carbon Brush Design Easy For Change



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	2100W
No-load Speed:	24000r/min
Chuck Size:	12mm
Color Box Size:	31x21.5x31cm

SPECIFICATIONS	
G.W/N.W(KGS):	22/20kg
Case Pack:	3pcs
20"GP:	1161pcs
Carton Size:	66x32.5x32.5cm

### 12/8MM ELECTRIC ROUTER

MODEL NO: **ER002**

- Powerful Motor For More Efficiency Working
- Precise Positioning Design
- All Ball Bearing Construction For Long Tool Life
- Shaft Lock For Quick And Easy Bit Changes
- Base Lift Control Knob Design For Easy Operation
- External Carbon Brush Design Easy For Change



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	2200W
No-load Speed:	6000-22000r/min
Chuck Size:	8/12mm
Color Box Size:	31x17.5x29cm

SPECIFICATIONS	
G.W/N.W(KGS):	13/12kg
Case Pack:	2pcs
20"GP:	1470pcs
Carton Size:	37x32x31cm

### 8MM ELECTRIC ROUTER

MODEL NO: **ER003**

- Powerful Motor For More Efficiency Working
- Precise Positioning Design
- All Ball Bearing Construction For Long Tool Life
- Shaft Lock For Quick And Easy Bit Changes
- Base Lift Control Knob Design For Easy Operation
- External Carbon Brush Design Easy For Change



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	1200W
No-load Speed:	15000-34000r/min
Chuck Size:	8mm
Color Box Size:	27x16x26cm

SPECIFICATIONS	
G.W/N.W(KGS):	17/16kg
Case Pack:	4pcs
20"GP:	2152pcs
Carton Size:	66x28x28cm

# JIG SAW



## 55MM JIG SAW

MODEL NO: **JS011**

- Multi Directions Cutting
- Chosen By Quality Parts For Long Life Use
- Easy And Quick Change Of Chuck Set



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	450W
No-load Speed:	3000r/min
Capacity Wood:	55mm
Capacity Steel:	6mm
Color Box Size:	22.5x8.2x22.5cm

SPECIFICATIONS	
G.W/N.W(KGS):	18/17kg
Case Pack:	10pcs
20"GP:	6000pcs
Carton Size:	47x44.5x24cm

## 65MM JIG SAW

MODEL NO: **JS012**

- Power Supply Self-locking To Relieve Working Pressure
- Laser Guide For More Accurate Cutting
- Third Level Blade Adjustment Function
- Multi Directions Cutting
- Quick Installation Chuck Device



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	710W
No-load Speed:	0-3000r/min
Capacity Wood:	65mm
Capacity Steel:	6mm
Length of Stroke	26mm
Color Box Size:	26x8x22cm

SPECIFICATIONS	
G.W/N.W(KGS):	21/19kg
Case Pack:	10pcs
20"GP:	664pcs
Carton Size:	55x42.5x24cm

## 65MM JIG SAW

MODEL NO: **JS015**

- Power Supply Self-locking To Relieve Working Pressure
- Laser Guide For More Accurate Cutting
- Third Level Blade Adjustment Function
- Multi Directions Cutting
- Quick Installation Chuck Device



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Power:	500W
No-load Speed:	500-3000r/min
Capacity Wood:	65mm
Capacity Steel:	10mm
Color Box Size:	35.5x10.5x31cm

SPECIFICATIONS	
G.W/N.W(KGS):	19/18kg
Case Pack:	5pcs
20"GP:	2030pcs
Carton Size:	54.5x37x33cm



## PORTABLE BLOWER

### MODEL NO: PB004

- Portability And Flexibility Operation
- Blower And Aspirate Function Fit For Multi Applications
- Convenient And Quick Change For The Carbon Brush
- Can Clean Dust By Blowing And Extracting With Great Wind.
- Variable Speed Control



## PORTABLE BLOWER

### MODEL NO: PB001

- Portability And Flexibility Operation
- Blower And Aspirate Function Fit For Multi Applications
- Convenient And Quick Change For The Carbon Brush
- Can Clean Dust By Blowing And Extracting With Great Wind.
- Variable Speed Control



## PORTABLE BLOWER

### MODEL NO: PB005

- Pure Copper Motor With Big Power
- Suction And Blowing With Easy Operation
- Strengthened Wind & Sturdy And Durable
- Comfortable Auxiliary Handle
- Simple Switch Lock System
- Optimized Fan Shell Design



## PORTABLE BLOWER

### MODEL NO: PB004

- Portability And Flexibility Operation
- Blower And Aspirate Function Fit For Multi Applications
- Convenient And Quick Change For The Carbon Brush



DESCRIPTION
Voltage: 220-240V
Frequency: 50/60Hz
Power: 600W
No-load Speed: 13000r/min
Blower Rate: 2.3m³/min
Color Box Size: 23.5x17.5x17.5cm

SPECIFICATIONS
G.W/N.W(KGS): 17/16kg
Case Pack: 12pcs
20"GP: 2362pcs
Carton Size: 54x49x37cm



## PORTABLE BLOWER

### MODEL NO: PB006

- Pure Copper Motor With Big Power
- Suction And Blowing With Easy Operation
- Strengthened Wind & Sturdy And Durable
- Comfortable Auxiliary Handle
- Simple Switch Lock System
- Optimized Fan Shell Design



DESCRIPTION
Voltage: 220-240V
Frequency: 50/60Hz
Power: 600W
No-load Speed: 100-13000r/min
Blower Rate: 2.3m³/min
Color Box Size: 23.5x17.5x17.5cm

SPECIFICATIONS
G.W/N.W(KGS): 17/16kg
Case Pack: 12pcs
20"GP: 2362pcs
Carton Size: 54x49x37cm



## PORTABLE BLOWER

### MODEL NO: PB007

- Pure Copper Motor With Big Power
- Suction And Blowing With Easy Operation
- Strengthened Wind & Sturdy And Durable
- Comfortable Auxiliary Handle
- Simple Switch Lock System
- Optimized Fan Shell Design



DESCRIPTION
Voltage: 220-240V
Frequency: 50/60Hz
Power: 600W
No-load Speed: 13000r/min
Blower Rate: 2.3m³/min
Color Box Size: 23.5x17.5x17.5cm

SPECIFICATIONS
G.W/N.W(KGS): 18/17kg
Case Pack: 12pcs
20"GP: 6480pcs
Carton Size: 54x49x37cm



Variable speed control by dial  
**PB007-V**

## HEAT GUN

### MODEL NO: HG001

- High Quality High Temperature Resistant Insulation Heating Wire
- Energy-saving Insulation Saves Energy
- High-power Turbo Fan For Stronger Air Supply
- With High Temperature Protection Cover
- Lattice Wind Mouth



## HEAT GUN

### MODEL NO: HG002

- High Quality High Temperature Resistant Insulation Heating Wire
- Energy-saving Insulation Saves Energy
- High-power Turbo Fan For Stronger Air Supply
- With High Temperature Protection Cover
- Lattice Wind Mouth



## HEAT GUN

### MODEL NO: HG003

- High Quality High Temperature Resistant Insulation Heating Wire
- Energy-saving Insulation Saves Energy
- High-power Turbo Fan For Stronger Air Supply
- With High Temperature Protection Cover
- Lattice Wind Mouth



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	1800W
Temperature:	I:50°C II:450°C III:550°C
Air Flow:	I:250L/M II:250L/M III:500L/M
Continue Use:	500 hours
Color Box Size:	26.5x9.2x26.8cm

SPECIFICATIONS	
G.W./N.W.(KGS):	8.2/7.5kg
Case Pack:	8pcs
20"GP:	3600pcs
Carton Size:	54.5x38.8x28.8cm



## ELECTRIC SPRAY GUN

### MODEL NO: SG001

- Adjustable Spray Size
- Low Noise And Anti-dust
- Durable Large Watering Can



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	400W
Nozzle Size:	2.5mm
Max.Viscosity:	60DIN-S
Max.Spraying Pressure:	0.1-0.2BAP
Delivery Rate:	700ml/min
Container Capacity:	900ml
Color Box Size:	27.6x13.5x25.8cm

SPECIFICATIONS	
G.W./N.W.(KGS):	8.8/kg
Case Pack:	4pcs
Carton Size:	56.7x28.5x27.8cm

## ELECTRIC SPRAY GUN

### MODEL NO: SG002

- Adjustable Spray Size
- Low Noise And Anti-dust
- Durable Large Watering Can



DESCRIPTION	
Voltage:	220-240V
Frequency:	50/60Hz
Input Power:	80W
Nozzle Size:	0.8mm
Max.Viscosity:	40DIN-S
Max.Spraying Pressure:	140BAP
Delivery Rate:	250ml/min
Container Capacity:	800ml
Color Box Size:	27.6x12.6x25.8cm

SPECIFICATIONS	
G.W./N.W.(KGS):	8.2/7.5kg
Case Pack:	4pcs
Carton Size:	52.4x29.1x27.8cm

### 355MM CUT OFF MACHINE

**MODEL NO: CM002**

- Multi Angle Cutting For Easy Operation
- Strong Power Low Noise
- Multifunction Make Working High Efficiency
- Double Dustproof High Efficient Heat Dissipation
- Multifunction On Wood /steel/aluminum Cutting



CE DuPont® NOMEX® Mobil

### 355MM CUT OFF MACHINE

**MODEL NO: CM005**

- Multi Angle Cutting For Easy Operation
- Strong Power Low Noise
- Multifunction Make Working High Efficiency
- Double Dustproof High Efficient Heat Dissipation
- Multifunction On Wood /steel/aluminum Cutting



CE DuPont® NOMEX® Mobil

### 355MM CUT OFF MACHINE

**MODEL NO: CM006**

- Multi Angle Cutting For Easy Operation
- Strong Power Low Noise
- Multifunction Make Working High Efficiency
- Double Dustproof High Efficient Heat Dissipation
- Multifunction On Wood /steel/aluminum Cutting



CE DuPont® NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2700W
No-load Speed:	4100r/min
Wheel Size:	355mm

#### SPECIFICATIONS

G.W/N.W(KGS):	17.8/16.5kg
Case Pack:	1pcs
20"GP:	387pcs
Carton Size:	53.5x31x42cm

### 255MM MITER SAW

**MODEL NO: MS001**

- Can Turn 180 Degrees With Strong Power
- Wide Usage For Different Cutting Need
- Professional Quality Handysize Strength Faction
- High Precision Disc
- High Precision Free Cutting



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1800W
No-load Speed:	4800r/min
Blade Size:	255mm

#### SPECIFICATIONS

G.W/N.W(KGS):	17.5/15.5kg
Case Pack:	1pcs
20"GP:	183pcs
Carton Size:	82x46x42cm

CE DuPont® NOMEX® Mobil

### 255MM MITER SAW

**MODEL NO: MS005**

- Can Turn 180 Degrees With Strong Power
- Wide Usage For Different Cutting Need
- Professional Quality Handysize Strength Faction
- High Precision Disc
- High Precision Free Cutting



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1800W
No-load Speed:	6000r/min
Blade Size:	255mm

#### SPECIFICATIONS

G.W/N.W(KGS):	10.5/10kg
Case Pack:	1pcs
20"GP:	330pcs
Carton Size:	51x40x40cm

CE DuPont® NOMEX® Mobil

### 355MM CUT OFF MACHINE

**MODEL NO: CM003**

- Multi Angle Cutting For Easy Operation
- Strong Power Low Noise
- Multifunction Make Working High Efficiency
- Double Dustproof High Efficient Heat Dissipation
- Multifunction On Wood /steel/aluminum Cutting



CE DuPont® NOMEX® Mobil

#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2000W
No-load Speed:	3800r/min
Wheel Size:	355mm

#### SPECIFICATIONS

G.W/N.W(KGS):	12/11kg
Case Pack:	1pcs
20"GP:	450pcs
Carton Size:	55x31x41cm

### 255MM MITER SAW

**MODEL NO: MS006**

- Can Turn 180 Degrees With Strong Power
- Wide Usage For Different Cutting Need
- Professional Quality Handysize Strength Faction
- High Precision Disc
- High Precision Free Cutting



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1800W
No-load Speed:	5300r/min
Blade Size:	255mm

#### SPECIFICATIONS

G.W/N.W(KGS):	12/11kg
Case Pack:	1pcs
20"GP:	270pcs
Carton Size:	58.5x42.5x42cm



### 100MM MARBLE CUTTER

#### MODEL NO: MC002

- Aluminum Head
- External Carbon Brushes Design
- Power Locking Design For Long-playing Use
- 34mm Max Cutting Depth



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1480W
No-load Speed:	12000r/min
Wheel Size:	110mm
Color Box Size:	23x22x17.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	15/13.5kg
Case Pack:	4pcs
20"GP:	2600pcs
Carton Size:	46x24.5x37cm



### 100MM MARBLE CUTTER

#### MODEL NO: MC003

- Aluminum Head
- External Carbon Brushes Design
- Power Locking Design For Long-playing Use
- 34mm Max Cutting Depth



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1600W
No-load Speed:	13500r/min
Wheel Size:	110mm
Color Box Size:	24x22x19cm

#### SPECIFICATIONS

G.W/N.W(KGS):	13/12kg
Case Pack:	4pcs
20"GP:	2360pcs
Carton Size:	45.5x25.5x39.5cm



### 35MM CONCRETE VIBRATOR

#### MODEL NO: CV001

- Specialized in concrete, widely used
- High-hardness helical gear, low noise
- Thickened cast aluminum casing for durability
- The vibration effect is good
- It is suitable for long-term concrete
- Fast cooling system for long lasting service



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	960W
No-load Speed:	4600r/min
Vibrator Diameter:	35mm
Color Box Size:	62x9x33cm

#### SPECIFICATIONS

G.W/N.W(KGS):	26/24kg
Case Pack:	4pcs
20"GP:	574pcs
Carton Size:	64x38x35cm

### 35MM CONCRETE VIBRATOR

#### MODEL NO: CV002

- Specialized in concrete, widely used
- High-hardness helical gear, low noise
- Thickened cast aluminum casing for durability
- The vibration effect is good
- It is suitable for long-term concrete
- Fast cooling system for long lasting service



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	800W
No-load Speed:	4500r/min
Vibrator Diameter:	35mm
Color Box Size:	32.5x8x16cm

#### SPECIFICATIONS

G.W/N.W(KGS):	21.5/19.5kg
Case Pack:	10pcs
20"GP:	5570pcs
Carton Size:	42.5x33.5x34cm



### 180MM WALL SANDER

#### MODEL NO: WS001

- Copper core motor, strong power
- Lighting device for easy work
- Reinforced nylon housing for longer life and durability
- Strong suction, self-contained vacuum cleaner
- Self-cleaning dust-removing design, 5-speed switch



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	850W
No-load Speed:	1400-2700r/min
Diameter Disc:	180mm
Color Box Size:	30x30x27cm

#### SPECIFICATIONS

G.W/N.W(KGS):	16.2/15.2kg
Case Pack:	4pcs
20"GP:	988pcs
Carton Size:	62x31.5x56cm



### ANGLE GRINDER STAND

#### MODEL NO: AG-S2

- Precision Fixture, Adjustable From 0–45°
- Cast Iron Base, Thickening And Thickening
- Suitable For Most Models Of Angle Grinders



#### SPECIFICATIONS

G.W/N.W(KGS):	28/26kg
Case Pack:	10pcs
20"GP:	4520pcs
Carton Size:	48.5x22x56cm

### IMPACT DRILL STAND

#### MODEL NO: ID-S2

- Bold Thickened Pipe, Stable And Not Shaking
- Highly Flexible Adjustment For Various Working Situations
- Precision Scale, Precise Punching




#### SPECIFICATIONS

G.W/N.W(KGS):	19/17kg
Case Pack:	10pcs
20"GP:	3465pcs
Carton Size:	42.5x39x47cm

### IMPACT DRILL STAND

#### MODEL NO: ID-S3

- Bold Thickened Pipe, Stable And Not Shaking
- Highly Flexible Adjustment For Various Working Situations
- Precision Scale, Precise Punching
- Cast Iron Base, Double Thickening



#### SPECIFICATIONS

G.W/N.W(KGS):	29/26kg
Case Pack:	10pcs
20"GP:	3465pcs
Carton Size:	42.5x39x47cm

### ELECTRIC CHAIN SAW

#### MODEL NO: EC003

- Powerful Motor Strong Performance
- Soft Grip Handle For Confortable Operation
- High Efficient Heat Dissipation Design
- Automatic Fuel Injection System



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	1480W
No-load Speed:	840r/min
Chain Length:	360mm
Color Box Size:	44x24.5x20cm

#### SPECIFICATIONS

G.W/N.W(KGS):	16.5/14.5kg
Case Pack:	4pcs
20"GP:	1096pcs
Carton Size:	51x46x42cm



### ELECTRIC CHAIN SAW

#### MODEL NO: EC004

- Powerful Motor Strong Performance
- Soft Grip Handle For Confortable Operation
- High Efficient Heat Dissipation Design
- Automatic Fuel Injection System



#### DESCRIPTION

Voltage:	220-240V
Frequency:	50/60Hz
Power:	2200W
No-load Speed:	1200r/min
Chain Length:	405mm
Color Box Size:	48x26.5x22.5cm

#### SPECIFICATIONS

G.W/N.W(KGS):	13/12kg
Case Pack:	2pcs
20"GP:	836pcs
Carton Size:	50x28.5x47.5cm



### 52CC GASOLINE CHAIN SAW

#### MODEL NO: GC002

- Fuel Economy And Stable Output
- Easily Launch With High Efficiency
- High Temperature And Not Easy To Turn Off
- High Precision Bent Axle
- Triple Filter System
- Side Commissioning Adjustment Device
- High Quality Anti-skid Handle



#### DESCRIPTION

Power:	2100W
No-load Speed:	8500r/min
Bar Length:	20"
Max Cutting Length:	455mm/520mm
Max Speed:	10500r/min
Ldmg Speed:	3000r.m
Engine Displacement:	49.3cm³
Brake Time:	<0.12
Torque:	2.45N
Color Box Size:	48x26x31cm

#### SPECIFICATIONS

G.W/N.W(KGS):	14/13kg
Case Pack:	2pcs
20"GP:	900pcs
Carton Size:	50x27x44cm



## BRUSH CUTTER

### MODEL NO: BC001

- Efficient heat dissipation, continuous operation for 72 hours without flameout, suitable for industrial grade all day use
- High precision gear, high power and high efficiency transmission



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Engine Type:	2 Stroke,Single Cylinder,Air Cooled
Displacement:	52CC
Output Power:	1650W
Engine Item:	1E44F-5
Shaft Diameter	26mm
Shaft Length:	1500mm

SPECIFICATIONS	
G.W/N.W(KGS):	8.5/7.5kg
Case Pack:	1pcs
20"GP:	1173pcs
Carton Size:	33x27x26cm

## BRUSH CUTTER

### MODEL NO: BC002

- Efficient heat dissipation, continuous operation for 72 hours without flameout, suitable for industrial grade all day use
- High precision gear, high power and high efficiency transmission



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Engine Type:	2 Stroke,Single Cylinder,Air Cooled
Displacement:	43CC
Output Power:	1250W
Engine Item:	1E40F-5
Shaft Diameter	26mm
Shaft Length:	1500mm

SPECIFICATIONS	
G.W/N.W(KGS):	8.5/7.5kg
Case Pack:	1pcs
20"GP:	1173pcs
Carton Size:	33x27x26cm

## BRUSH CUTTER

### MODEL NO: BC003

- Efficient heat dissipation, continuous operation for 72 hours without flameout, suitable for industrial grade all day use
- High precision gear, high power and high efficiency transmission



CE DuPont® NOMEX® Mobil

DESCRIPTION	
Engine Type:	2 Stroke,Single Cylinder,Air Cooled
Displacement:	55CC
Output Power:	1800W
Engine Item:	1E44F-5
Shaft Diameter	26mm
Shaft Length:	1500mm

SPECIFICATIONS	
G.W/N.W(KGS):	8.5/7.5kg
Case Pack:	1pcs
20"GP:	1173pcs
Carton Size:	33x28x27cm

## Optional Accessories

