# RESTRICTED INTERIM REPORT

Tele: 39707

B/51106/ArCyGp/T-3/T&E/E-ISAC

08 Nov 2024

# DTE GEN OF MIL OPS (ARMY CYBER GP)

# CYBER SECURITY AUDIT OF WEB APPL: ENTERPRISE- INDIAN ARMY SECURE ACCESS CARD APPL (E-ISAC)

- 1. Ref the fwg: -
  - (a) ACG note No B/51106/ArCyGp/T-3/T&E/ E-ISAC dt 05 Nov 2024.
  - (b) ACG note No B/51106/ArCyGp/T-3/T&E/ E-ISAC dt 28 Oct 2024.
  - (c) ASDC note No 1705005/AFSAC/03566/SDG/ASDC dt 18 Oct 2024.
  - (d) ACG letter No B/51106/ArCyGp/T-3/T&E/Adv1 dt 24 Aug 2023.
- 2. The VDI of the web appl "E-ISAC" handed over to ACG after initial config by developer rep on 01 Nov 2024 was analysed for cyber security compliance as per the dirns laid down in the Army Cyber Security Policy (ACSP)-2023.
- 3. Detls of vulnerabilities obs during current iteration are as under: -
  - (a) Open Ports. A No of open ports were detected on the web server. The screenshot for the same is att as Appx A. Suggested mitigation methodology is to block all other ports except the port used by web server by implementing firewall rules.
  - (b) <u>Improper RBAC leading to Privilege Escalation</u>. It has been obs that RBAC has not been properly impl in the appl. In the present state, a non-admin user can update profile of an admin user. Screenshot is att at Appx B. It is strongly 'R' to impl RBAC on all modules incl in the appl as per envisaged role of regd users.
  - (c) Password Type Input with Autocomplete not Disabled. The user end web browser has the built-in functionality of remembering user input in the form of username and password. Screenshot of the same is att as Appx C. This functionality results in storage/ caching of vital user credentials on the client machine (browser cache) and the same can be subsequently exploited. In the ibid application, autocomplete functionality for Password has not been set to off. Suggested mitigation methodology is to disable this functionality wherein the option of password auto complete is not avbl to the user.
  - (d) <u>Simultaneous Multiple Logins</u>. In its present state, the appl has not been configured to ensure unique login of users. This is exhibited by the ability of a user/ admin to login into the sys from multiple devices simultaneously. Screenshot of the same is at Appx D. To ensure the requisite std of cyber security, it is strongly recom that the login of user credentials be restd to a single instance only. The latest session established with a particular user ID should be maintained and all previous sessions should be terminated.

2

- (e) <u>Non-Functional Modules/ links</u>. It is obs within the web appl that some of the modules/ links are non-functional. "Fetch Data from DB" while applying for new I-card is not functional in the appl. The screenshot is att at **Appx E**. Suggested mitigation methodology is to carry out appl wide mitigation of similar vulnerabilities and all modules/ functionalities linked with the appl as per its final dply.
- (f) <u>Data Validation</u>. It is obs that server error msg is being generated by the web appl on supplying malformed inputs which indicates presence of faulty appl code. Screenshot is att at **Appx F**. Necessary controls wrt user input validation have not been impl within the subject web appl. It is 'R' to validate the input fds against type, length, format and rg of data and iden and correct all such instances of code.
- (g) <u>Body Parameters Accepted in Query</u>. It is obs that body parameters are accepted in the URL within the devp web appl. List of URLs is att as **Appx G**. Attacking query parameters sent via GET requests is easier than body parameters sent via POST requests. Suggested mitigation methodology is to use POST requests to submit data to the appl and to ensure that body parameters sent via query string are not accepted by the appl.
- (h) <u>Non-Encryption of Data at Rest</u>. In present status Army No, Mobile Nos etc are being stored in clear format in the database. The screenshot of the same is att as Appx H. Suggested mitigation methodology is to ensure that all sensitive data is identified and secured at rest with latest secure encryption methods.
- (j) <u>System Administrator Acct Config</u>. Default System Admin acct 'sa' has been obs in the database. Screenshot is at as **Appx J**. The sysadmin acct is vulnerable in its default configuration as it can be exploited to perform unauth activities on the web appl database. It is 'R' to rename the SA acct and to change the password for SA and other logins on a regular basis.
- (k) <u>Unused/ Commented Code</u>. It is obs that instances of unused code are present within the source code of the web appl. Screenshot is att at **Appx K**. It is 'R' to remove the unused/ commented code and appl wide mitigation be undertaken.
- (I) <u>Misconfig Session Cookie</u>. It is observed that a dummy cookie named "MySecureCookie" with a default static value of "cookieValue" is being assigned to all users. Screenshot is att at **Appx L. It is 'R' to reconsider usage of ibid session cookie**.
- 4. Apropos, the fwg actions are requested to be undertaken by the sponsor/developer: -
  - (a) Mitigation of all instances of aforementioned vulnerabilities in the appl.
  - (b) Post mitigation fwd vulnerability wise mitigation methodology alongwith screenshots for the better understanding of the Test Team.
  - (c) <u>Dummy Data</u>. The VDI submitted for lab test to be populated with dummy data for all roles (minimum two users each for CO, Adjt, Records).

3

- 5. Ref letter mentioned at Para 1(d), sponsor should info the IP addr of the machine from where the remote mitigation of highlighted vulnerabilities will be undertaken so that the same can be whitelisted in the ACG firewall. In the absence of intimation of any prog for three months from the date of issue of this letter, the website/appl Security Vetting case will be deemed to be closed.
- 6. A Compendium of advisories is hosted at Army Cyber Gp on the link "Web Development > Test & Eval Advisories", as a ready reckoner, which will assist the developer in addressing the security issues in the website/ web appl. It is requested that same be ref to seek necessary assist. Also, a **mitigation asst desk** has been est at Army Cyber Gp where the developer rep can clarify any issues in the VA report and undertake in-situ mitigation of vulnerabilities.
- 7. For info and necessary action pl.

Sd/x-x-x-x-(Manmeet Singh) Lt Col Staff Offr for Cdr

Encls. As above

<u>ASDC</u>

Copy to: -

DGMO (MO-12)

For info pl.

AFSAC Cell (DGMI/MI-11)

For any asst, pl contact

Appl Mitigation Asst Helpline No Army – 410000 39707


For Appl vetting status visit

ACG website > Web/ Appl Devp > Web/ Appl Vetting Status

## Appx A

(Ref Para 3 (a) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

# **SCREENSHOT OF OPEN PORTS**



## Appx B

(Ref Para 3 (b) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

#### SCREENSHOT OF IMPROPER RBAC LEADING TO PRIVILEGE ESCALATION



Logged in as a Non-admin user and updating Profile



#### Profile of Admin User Updated by a Non-Admin User

#### Note :-

The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.

\_\_\_\_\_\_

## Appx C

(Ref Para 3 (c) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

# SCREENSHOT OF PASSWORD TYPE INPUT WITH AUTOCOMPLETE NOT DISABLED


#### Note :-

The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.

#### Appx D

(Ref Para 3 (d) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

# **SCREENSHOT OF SIMULTANEOUS MULTIPLE LOGINS**



Same User Logged in from two different clients


#### Note:

The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.

#### Appx E

(Ref Para 3 (e) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

## **SCREENSHOT OF NON-FUNCTIONAL MODULES/ LINKS**



"Fetch Data from DB" button is not functional

#### Note:

The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.

## Appx F

(Ref Para 3 (f) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

#### **SCREENSHOT OF DATA VALIDATION**

```
Accept-Language: en-us
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Referer: https://10.0.0.142/Home/Dashboard
Host: 10.0.0.142
User-Agent: Morilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebEit/537.36 (KHTML, like Gecko
.AspNetCore.Antiforgery.tzRQ3fEw7Uc=CfDJ8AG7KBZ08fBGm2XMwYUdxFbfd3tgjFnm0H1854KKVgtAzYtNdCs
JJ5-uhjlsbrotUuxEjiTOk7rcqMwLOXyudh8hCMPtYQSVhTknABwBBJ kKOVfVyaTcAs;
.AspNetCore.Session=CfDJ8AG7KBZ08fBGmZXMwYUdxFboxnNc34%2FlasBOuTqbYWQSe1plx9mAHX0aY1eUV2vTN
dVHFQ4fdxVRrCJcz2V%2FDxrAtrtxKLXbbYXVV2MfWD4Av101c1FLwhEXS4mTEWnNw0DcPBun5zq10J2F; MySecure
.AspNetCore.Identity.Application=CfDJ8AG7KBZ08fBGmZXMwYUdxPZzmzjiiqPWTB-
ecyfkk7Ecf2UPntNDqLU1WUqUdR6RN136CQvtZvb3J4ZAHw4yWGNRxCd DVT81obNQOUKuVLB7JRHL1xILrRZ2IfZ2FI
iY4dM Qs5V2OFhe rmR845eS1Q3DRwcjiswwPQRZ0iqATWPwwaYwsYTJI4UussNaxvx4Vdk-
7YtDTradf216dLqxVHRVHIsRYUMMnZz8xwd127Qys Czi71Rcng7J2t8JV8NjDSUbj WDqLVG8iaLD2Xmm3M4c5VKx0:
y37CGdlzSoFvEANwycRkh8SMw5lxlgdZiSELzxxVU9g6BZYpNr767f5z 9s2xOfkEet9CpgS2R9gNhbbJU801YkYi38I
pbvNXRtywMmIlm3kAvlAYsNUw9Hor0BA2436B0rShq mG6HDKSI76D1 xFeuKQo 4wGqqnqq-puNpQNSlhf5-
pT0IU9IqErXCFBoejagrky0PdIj0bJ4RfDouvqF3Fz13TuibCOsVkb4Yvb9WFNBVqLt8d Vq46Bqe XHYcs93LCO2tb
4rkF57B5Ykt2 fAkjRnkOpnuReKrUFOe52N5SWOrpamKaN4KV-
ynhlTVw3MiKYbLojQQfB c5K T c16Ck3Fkk5 AWwnopulKcMMdt7HDuhuXTWR94Yc5lu5KklS1zNTvy2znmQDF5sJE
Content-Length: 0
```

```
Cache-Control: as cache, no-store, no-cache, no-store, must-revalidate, pre-check=0, Pragma: no-cache, no-cache
Transfer-Encoding: chunked
Content-Type: text/html; charset=utf-8
Expires: -1,0
Strict-Transport-Security: max-age=15552000; includeSubDomains; preload
Strict-Transport-Security: max-age=31536000
PHPSESSID: no-cache
X-Content-Type-Options: nosniff
X-Frame-Options: DENY
X-XSS-Protection: 1; mode=block
Content-Security-Policy-Report-Only: default-arc 'self'; script-arc 'self';
Date: Wed, 06 Nov 2024 03:52:56 GMT
```

#### Data input resulting Internal Server Error

#### Note:-

The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.

## Appx G

(Ref Para 3 (g) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

## **LIST OF AFFECTED URLs - BODY PARAMETERS ACCEPTED IN QUERY**

Ser No	Affected URLs				
1.	https://10.0.0.142/Home/Task				
2.	https://10.0.0.142/UserProfile/Profile				
3.	https://10.0.0.142/BasicDetail/ApprovalForIO				
4.	https://10.0.0.142/Home/MyTask/SkNPc1BlbmRpbmc=				
5.	https://10.0.0.142/Account/Profile				
6.	https://10.0.0.142/Home/Request				
7.	https://10.0.0.142/Home/GetDashboardCount				
8.	https://10.0.0.142/Master/GetByApptId				
9.	https://10.0.0.142/Master/GetALLByUnitMapId				
10.	https://10.0.0.142/Master/GetAllMMaster				
11.	https://10.0.0.142/UserProfile/GetByArmyNoOrAspnetuserId				

## Note :-

The above list is indicative only. Appl wide mitigation of this issue needs to be carried out.

## Appx H

(Ref Para 3 (h) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

## **SCREENSHOT OF NON-ENCRYPTION OF DATA AT REST**

AmyNo	Kankid	Name	IsActive	Updatedby	UpdatedOn	MobileNo
IC15692L	8	0x01B3AD28D0DD3DADA5632A261E294E4E39C0C8338BCC51	1	1	2024-06-25 17:24:25.843	7215878578
IC343243X	7	0x0153C72168D9F20CD41C9C71AC46374D4DBDBC49469DDC	1	1	2024-10-04 16:05:50.057	6987456987
IC71152N	5	0x01F912072B97B2C9DDBD0A9C513B773A61465429DA00E38	1	1	2024-07-10 11:17:40.987	9856789554
IC70216M	5	0x01E92D4D1EF3382ED5ED933339FF72832F52B1D7B9888975	1	1	2024-07-10 12:09:28.653	9658745213
IC70127M	5	0x01F35E0087C1646827E7F2349CB5097D0D6ACA506E786C24	1	1	2024-07-10 11:30:11. 60	7889999556
IC41236P	8	0x01F07138DCF21F633FB7F95612DE0FE64B908BC39466B0DF	1	1	2024-07-10 11:33:58.193	8974565544
IC71159N	5	0x0102AB621E89A8471F214EEB4B4942A201481DF9E8700301	1	1	2024-07-10 11:37:26.590	8547785546
IC70987L	5	0x010D5B0B47CE4D068E20EBE63C505EFCD35EDA239F06910	1	1	2024-08-12 15:24:59.937	8547889555
IC72489M	121	0x0135DDA6679B746F2AF904E1ED01341C70208D581A683500	1	1	2024-07-10 11:47:24.547	9854455544
IC72890N	5	0x014315675A9F1DAC96CAEDAE6DCBC215CD571B6B6D03FE	1	1	2024-07-10 11:51:39.130	6985478855
IC900012L	5	0x012095ACA29277F5F28715B2CBEBD717C9B88032E945A299	1	1	2024-07-25 15:51:51.42	7423984723
IC70918L	5	0x01A912BB0F01C85DD151711526973BC78EA4E79C597ADED	1	1	2024-07-12 15:36:38.957	6546445674
10010001	-	A 040000ED00E00E4E00D0E0D0A0E00E40000A70000EEF0400	4	4	2024 07 20 44 22 42 747	0101210201

'Army No' and 'Mobile Nos' are stored in plain text in Database


## Note :-


The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.

## Appx J

(Ref Para 3 (j) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E/E-ISAC dt 08 Nov 2024)

## SCREENSHOT OF SYSTEM ADMINISTRATOR ACCT CONFIGURATION





#### Note :-

The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.

## Appx K

(Ref Para 3 (k) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

#### SCREENSHOT OF UNUSED/ COMMENTED CODE

```
//using (var client = new HttpClient())
                                                                                                                                1/1
     //client.BaseAddress = new Uri("https://api.postalpincode.in/");
                                                                                                                                       //try
     client.BaseAddress = new Uri("https://localhost:7002/api/Fetch/GetData/");
                                                                                                                                       //{
     //using (HttpResponseMessage response = await client.GetAsync("ICNumber/" + ICNumber))
     using (HttpResponseMessage response = await client.GetAsync(ICNumber))
                                                                                                                                       11
         if (response.IsSuccessStatusCode)
                                                                                                                                                   ViewBag.IsData = 1:
            var responseContent = response.Content.ReadAsStringAsync().Result;
             response.EnsureSuccessStatusCode();
             DTOApiDataResponse? responseData = JsonConvert.DeserializeObject<DTOApiDataResponse>(responseContent);
                                                                                                                                              else
             DateTime DOB, DOC;
                                                                                                                                       11
            TimeSpan timeSpan = new TimeSpan(0, 0, 0, 0, 0, 0);
                                                                                                                                                   ViewBag. IsData = 0;
             DOB = responseData.DOB.Date + timeSpan;
             DOC = responseData.DateOfCommissioning.Date + timeSpan;
             responseData.DOB = DOB;
             responseData.DateOfCommissioning = DOC;
             responseData.Status = true;
             return Ok(responseData);
                                                                                                                                       //}
                                                                                                                                       //catch (Exception ex) {
         else
                                                                                                                                              ViewBag.IsData = 0;
                                                                                                                                       //}
             DTOApiDataResponse dTOApiDataResponse = new DTOApiDataResponse();
             dTOApiDataResponse.Status = false;
                                                                                                                                       //return View(dTOApplicationTrack);
             dTOApiDataResponse.Message = "Data Not Found.";
             return Ok(dTOApiDataResponse);
                                                                                                                                       return View();
```

```
//public async Task<IActionResult> AppStatus(string TrackingId)
     //DTOApplicationTrack dTOApplicationTrack=new DTOApplicationTrack();
            dTOApplicationTrack = await _basicDetailBL.ApplicationHistory(TrackingId);
           if (dTOApplicationTrack.dTOApplicationDetails != null)
    ViewBag.IP=HttpContext.Connection.RemoteIpAddress.MapToIPv4().ToString();
```


#### Note:-

The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.

## Appx L

(Ref Para 3 (I) of Army Cyber Gp letter No B/51106/ArCyGp/T-3/T&E /E-ISAC dt 08 Nov 2024)

#### SCREENSHOT OF MISCONFIG SESSION COOKIE



#### Note:-

The above screenshot is an indicative example only. Appl wide mitigation of this issue needs to be carried out.