

LOGIN.html

```
<html>

<head>

  <title>All-in-One Login</title>

</head>

<body bgcolor="AliceBlue">

<center>

  <form id="loginForm" class="login-card" onsubmit="return validateForm(event)">

    <h1 style="font-family: 'Arial Black', sans-serif; font-weight: 900; color: #333333;">Member
Login</h1>


    <h2> Username : <input type="text" id="userField" placeholder="Username"
required><br><br></h2>

    <h2> Password : <input type="password" id="passField" placeholder="Password"
required><br><br></h2>


    <button type="submit" style="padding: 10px 20px; cursor: pointer; font-weight:
bold;">Login</button>


    <p id="error-msg" style="color: red; font-weight: bold;"></p>

  </form>


<script>

function validateForm(event) {

  event.preventDefault();

  const u = document.getElementById('userField').value;
  const p = document.getElementById('passField').value;
  const error = document.getElementById('error-msg');


  const adminUser = "admin";
  const adminPass = "1234";
```

```
        if (u === adminUser && p === adminPass) {  
            alert("Login Successful!");  
            window.location.href = "index.html";  
        } else {  
            error.textContent = "Invalid username or password.";  
            // Clear password field on failure  
            document.getElementById('passField').value = "";  
        }  
  
        return false;  
    }  
</script>  
</center>  
</body>  
</html>  
  
INDEX.html  
  
<!DOCTYPE html>  
<html>  
<head>  
    <title>Expense Tracker</title>  
  
    <style>  
        body {  
            background-color: #fff8dc; /* cream */  
            font-family: Arial, sans-serif;  
            margin: 0;  
            padding: 0;  
        }  
    }  
</style>  
</head>  
<body>
```

```
h1 {  
    color: #2c3e50;  
}
```

```
p {  
    color: #555;  
}
```

```
hr {  
    width: 80%;  
    border: 1px solid #ddd;  
}
```

```
table {  
    border-collapse: collapse;  
    background-color: #ffffff;  
    box-shadow: 0 4px 10px rgba(0,0,0,0.1);  
}
```

```
th {  
    background-color: #3498db;  
    color: white;  
    padding: 10px;  
}
```

```
td {  
    padding: 8px;  
}
```

```
input, select {
```

```
width: 95%;  
padding: 6px;  
border: 1px solid #ccc;  
border-radius: 4px;  
}
```

```
input[type="submit"] {  
  background-color: #27ae60;  
  color: white;  
  border: none;  
  padding: 8px 16px;  
  cursor: pointer;  
  font-weight: bold;  
  border-radius: 5px;  
}
```

```
input[type="submit"]:hover {  
  background-color: #219150;  
}
```

```
h2, h3 {  
  color: #2c3e50;  
}
```

```
a {  
  text-decoration: none;  
  color: #3498db;  
  font-weight: bold;  
}
```

```
a:hover {
```

```
        color: #1d6fa5;
    }

    .total {
        font-size: 22px;
        color: #e74c3c;
    }
</style>
</head>

<body>

<center>

    <h1>Expense Tracker</h1>
    <p>Track your daily expenses</p>
</center>

<hr>

<center>
<form>
    <table border="1" cellpadding="8">
        <tr>
            <th colspan="2">Add Expense</th>
        </tr>
        <tr>
            <td>Date</td>
            <td><input type="date"></td>
        </tr>
        <tr>
            <td>Category</td>
```

```
<td>
  <select>
    <option>Food</option>
    <option>Transport</option>
    <option>Shopping</option>
    <option>Bills</option>
    <option>Others</option>
  </select>
</td>
</tr>
<tr>
  <td>Amount</td>
  <td><input type="number"></td>
</tr>
<tr>
  <td>Description</td>
  <td><input type="text"></td>
</tr>
<tr>
  <td colspan="2" align="center">
    <input type="submit" value="Add Expense">
  </td>
</tr>
</table>
</form>
</center>

<br>
<hr>

<center>
```

## <h2>Expense History</h2>

<table border="1" cellpadding="8">

<tr>

<th>Date</th>

<th>Category</th>

<th>Amount</th>

<th>Description</th>

</tr>

<tr>

<td>01-02-2026</td>

<td>Food</td>

<td>₹250</td>

<td>Lunch</td>

</tr>

<tr>

<td>02-02-2026</td>

<td>Transport</td>

<td>₹100</td>

<td>Bus Fare</td>

</tr>

</table>

</center>

<br>

<hr>

<center>

<h3>Total Expense</h3>

<p class="total"><b>₹350</b></p>

</center>

<br>

<center>

<a href="#top">Go to Top</a> |


<a href="https://www.google.com" target="\_blank">Help</a>

</center>

</body>

</html>

Sample output :





Expense Tracker

C:/Users/DELL/Downloads/index.html

Chat

# Expense Tracker

Track your daily expenses

Add Expense

Date

dd-mm-yyyy

Category

Food

Amount

Description

Add Expense

## Expense History

Date	Category	Amount	Description
01-02-2026	Food	₹250	Lunch
02-02-2026	Transport	₹100	Bus Fare

Total Expense

₹350

[Go to Top](#) | [Help](#)