Status	Finished
Started	Tuesday, 20 October 2026, 7:02 PM
Completed	Tuesday, 20 October 2026, 7:09 PM
Duration	7 mins 42 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

- a. An error is raised ✓
- b. A new file is created
- c. The operation is ignored
- d. An empty file object is returned

The correct answer is: An error is raised

Question **2**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

- a. Prints an error message
- b. Prints the entire content of the file ✓
- c. Prints each line of the file
- d. Prints the first 10 characters of the file

The correct answer is: Prints the entire content of the file

Question **3**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. none of the mentioned

b. tells you the current position within the file ✓

c. tells you the file is opened or not

d. tells you the end position within the file

The correct answer is:
tells you the current position within the file

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write_all()

b. write()

c. writelines() ✓

d. write_list()

The correct answer is: writelines()

Question **5**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. \n ✓

b. \t

c. space

d. ,

The correct answer is:
\n

Question **6**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. moves the file pointer to the end of a file

b. move the file pointer five characters ahead from the current position ✓

c. move the file pointer five characters behind from the current position

d. move the file pointer to beginning of the file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **7**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. close() ✓

b. end()

c. terminate()

d. finish()

The correct answer is: close()

Question **8**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open(file = “c:\\scores.txt”, “w”)

b. outfile = open(“c:\\scores.txt”, “w”) ✓

c. outfile = open(file = “c:\scores.txt”, “w”)

d. outfile = open(“c:\scores.txt”, “w”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “w”)

Question **9**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Opens the file in read mode

b. Appends "Adding new data" to the end of the file ✓

c. Raises an error because the file is opened in append mode

d. Overwrites the file with "Adding new data"

The correct answer is: Appends "Adding new data" to the end of the file

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readline() ✓

b. readlines()

c. readline(size)

d. read()

The correct answer is: readline()

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads the entire file and returns it as a list of lines ✓

b. It reads the entire file and returns it as a string

c. It reads a single line from the file

d. It reads the file and returns it as a dictionary

The correct answer is: It reads the entire file and returns it as a list of lines

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. a
b. r
c. w
d. r+ ✓

The correct answer is: r+

Question **13**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Read ✓
b. Binary
c. Append
d. Write

The correct answer is: Read

Question **14**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

a. Appends to an existing file
b. Opens an existing file in read mode
c. Opens a file in binary mode
d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **15**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Closes the file
b. Flushes the internal buffer to the file ✓
c. Deletes the file content
d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file